300 Pictures of Inventions and Discoveries Popular Science Founded MONTHLY 1872 DEAWN BY 1 DUNCAN GLEARON

Turn Your Car Over with One Hand-See page 31



Copyrighted reasons



# No Power Loss with Champion Gaskets



CHAMPION Patented Copper Asbestos Gaskets have been scientifically designed in conjunction with our virtually unbreakable No. 3450 Insulator to form a gas-tight seal under all conditions.

This effectively guards against spark plug leakage, a common cause for engine weakness and uneven running.

Champion Spark Plugs give you the many outstanding advantages of the unsurpassed research facilities of the great Champion institution.

Naturally, Champion Spark Plugs have won adoption as standard equipment on more automobiles, trucks, tractors and engines than any other make of spark plug!

There is a Champion Spark Plug specially designed for your particular type of gasoline engine.

Order a set from your dealer today. He can supply you.

Be sure the name Champion is on the Insulator and the World Trade Mark on the Box

Champion Spark Plug Company, Toledo, Ohio

Champion Spark Plug Company of Canada, Limited, Il indsor, Ontario

DEPENDABLE SPARK PLUGS





# CYPRESS "The Wood Eternal"

is one of the very best woods for doors, both inside and outside, because it does not shrink and swell as much as many other woods. And many persons of taste think that CYPRESS has a handsome grain, one that may be brought out and beautified in the finish. CYPRESS is growing in popularity, both with architects, investors and "private citizens." It must be because it deserves to.

SPECIAL NOTICE: Among the 43 solumes of the INTERNATIONALLY STANDARD CYPRESS POCKET LIBRARY, the following volumes contain matter bearing on the above subject—viz., Volumes 31, 33 and 38. Volume 1 contains full U. S. Government Report and complete list of all volumes. Any or all of these will come promptly on your request FREE.

Let our "ALL-ROUND HELPS DEPARTMENT" help YOU.

Our entire resources are at your service with Reliable Counsel.

We invite correspondence with a serious purpose in it.

## Southern Cypress Manufacturers' Association

1249 Perdido Balleling, New Orleans, La., or 1249 Heard National Bank Building, Jacksonville, Fla.

SPECIFY AND INSIST ON "TIDEWATER" CYPRESS IDENTIFIED BY THE CYPRESS ASSN.'S REGISTERED TRADE-MARK. IF IN ANY DOUBT, PLEASE WRITE US IMMEDIATELY.

**より火 より火 小り火 小り火** 

# Popular Science Monthly

DEC., 1920 Volume 97-No. 6

#### Important to Readers

Owing to the paper shortage, the number of printed
copies of Popular Science
Monthly is limited. To
insure getting your magazine regularly, you should
place a standing order with
your newsdealer, or send
us your yearly subscription
of \$3.00.

## CONTENTS

#### **AERONAUTICS**

Five Miles High in a Tank	2
Wireless us un Aid tu the Airplane	3.
Munuplane Woogs Support Twalve Man	6.
Propelling on Airplane by Kicking the Air	42
Racking Wings for the Airplane	58
When an Airplane Collidge with a House	66
Manuscing the Threat of a Propeller	64
Down Comes the Steeple	63
INDUSTRIAL PROGRESS	
The Man of the "One Best Way"	14
The Fountain Principle Applied to a Brush	14
Cleaning All the Kuys at Once	36
Screping Paint by Macking	13
A Salety Wrenck for Drop-Doors	37
Posts that Tightee Passes	33
The Wind Generating Electric Power	12
Illumination Makes Visible super Companions.	38
Attention Rivalry in Dyer	19
Straining Sawaga	30
Hinged Sides Quicken Car Unlauding	40
The Garbage-Can as a Source of Wealth	40
Testing Dyes by Ultra-Violet Light	43
Ulumineting a Line of Type	4.8
She's a Brate for Strongth	50
Electricity Stucces the Walls	50
A Scrap-Bucket in the Floor	50
The New Baby Crass	50
How to Thew Franco Pipes	5.0
The Voice of the Thunder God	5.5
This Electric-Light Plug Fills a Great Need .	5.2
A Wordsmalar for the Typewritet	5.1
Twins that Is Part Paper	52
Where Is the "Old Man",	5.2

(Continued on nour 4)

Copyright, 1930, by the Modern Publishing Company Porchas Science Monthly is issued monthly. Yearly subscription in the United States, \$3.00, Canada, \$3.50, Porcign, \$4.00, Single copy, 25 cents.

Advertising rates on application. Porest close the twentieth of the around month preceding date of publication. Entered as second-class master Dec. 23, 1915, at the Post Office at New York under the art of March J. 1879. Entered as second-class matter at the Post Office Department, Canada

The contents of this magazine are copyrighted and must not be reprinted without permission. H. J. Fisher, President; R. C. Wilson, Vice-President; O. B. Capen, Secretary and Treasurer.

Modern Publishing Company
225 West Thirty-ninth St. New York City

# A Startling Memory Feat That You Can Do

How I learned the secret in one evening. It has helped me every day

WHEN my old friend Faulkner invited me to a dinner party at his house, I little thought it would be the direct means of getting me a one-hundred-and-fity per cent, increase in salary. Yet it was, and here is the way it all came about.

Toward the close of the evening things began to drag a bit, as they often do at parties. Finally some one suggested the old idea of having everyone do a "stunt," Some sang, others forced weird counds out of the piano, recited, told stories, and so on-

Then it came to blacDonald's turn. He was a quiet sort of a chap, with an air about him that reminded one of the old saying that "still waters run deep." He said he had a simple "stunt" which he boped we would like. He selected me to assist him. First he asked to be blindfolded securely to prove there was no trickery in it. Those present were to call out twenty-five numbers of three figures each, such as 161, 249, and so on. He asked me to write down the numbers as they were called.

This was done. MacDonald then astounded everyone by repeating the entire list of twenty-five numbers backwards and forwards. Then he asked people to request aumbers by positions, such as the eighth number called, the fourth number, and so on. Instantly he repeated back the march pumber in the position called. He did this with the entire list—over and over again, without making a six also related.

without making a single mistake.

Then MacDonald asked that a deck of cards he shuffled and called out to him to their order. This was done. Still blindfolded, he instantly named the cards in their order backwards and forwards. And then, to further amore us, he gave us the number of any card counting from the top, or the card for any number.

You may well imagin a our amassment at Mac-Donald's remarkable feat. You naturally expect to see a thing of this sort on the stage, and even then you look upon it as a trick. But to see it done by an everyday business man, is pisin view of every one, blindle ided and under conditions which make trickery impossible, is setomishing, to say the least.

ON the way home that night I unled Mac-Donald how it was done. He mid there was really nothing to it—a imply a memory feat, the key to which anyone could easily learn in one evening. Then he told one that the reason most people have bad memories is because they trave memory development to chance. Anyone could do what he had done, and develop a good memory, he said, by following a few simple rules. And then he told me exactly how to do it. At the time I little thought that evening would prove to be one of the must eventful in my life,

What blacDonald told me I took to heart. In one evening I made remarkable strides toward improving my memory and it was but a question of days before I learned to do martly what he had done. At first I amused myself with my new-found ability by amusing people at parties. My "memory-feat," as my friends called it, surely made a hit. Every one was talking about it, and I was show eved with invitations for all sorts of affairs. If anyone were to ask me how quickly to develop social popularity, I would tell him to learn my memory "feat"—but that is apart from what I want to tell you.

The most gratifying thing about the improvement of my memory was the remarkable way it helped me in business. Much to my surprise I discovered that my memory training had literally put a rasor edge on my brain. My brain had become clearer, quicker, keener. I felt that I was fast acquiring that mental grasp and alertness I had so often admired in men who were saviled in a "wonders" and "seniuses."

spoken of as "wonders" and "geniuses."

The next thing I noticed was a marked improvement in my conversational powers.

Formerly my talk was halting and disconnected. I never could think of things to my until the conversation was over. And, then, when it was too late. I would always think of apt and striking things I "might have eaid." But now I can think like a flash. When I am talking I never have to hesitate for the right word, the right expression or the right thing to my. It seems that all I have to do in to start to talk and tostantly I find myself usying the very thing I want to my to make the wenter impression on propole.

the greatest impression on people.

It wasn't long before my newfound ability to remember things and to my the right thing at the right time attracted the attention of our president. He got in the habit of calling me in whenever he wanted facts about the business. As he expressed himself to me. "You can always tell me instantly what I want to know, while the other fellows annoy me by dodging out at the office and mying 'I'll look it up."

I FOUND that my ability to remember helped me wooderfully in dealing with other people, particularly in committee meetings.

particularly in committee meetings. When a discussion opens up the man who can back up his statements quickly with a string of definite facts and figures usually dominates the others. Time and again I have won people to my way of thinking simply because I could instantly recall facts and figures. While I'm prood of my triumphs in this respect, I often feel sorry for the 10-st-case look of the other men who cannot hold up their end in the argument because they cannot recall facts instantly. It seems as though I severy fact I now put in my mind is as clear and as easy to recall instantly as though it were written before me in plain black and white.

We all hear a lot about the importance of sound Judgment. People who ought to know say that a man cannot begin to exercise sound judgment uptil he is forty to fifty years of age. But I have disproved all that. I have found that sound judgment is nothing more than the ability to wrigh and judge facts in their relation to each other. Memory is the basis of sound judgment. I am only thirty-two but many times I have been complimented on having the judgment of a man of forty-five. I take no personal credit for this—It is all due to the way I trained my

THESE are only a few of the handreds of ways I have profited by my trained memory. No longer do I suffer the handlation of meeting men I know and not being able to recall their names. The moment I see a man his name flashes to my mind together with a string of facts about him. I always fixed to read, but usually forgot most of it. Now I find it easy to recall what I have read. Another surprising thing is that I can now master a subject in considerably less time than before. Price lists, market quotations, data of all kinds, I can recall in detail almost at will. I rarely make a mistake.

My vocabulary, too, has increased wonderfully. Whenever I see a striking word or expression, I memorize it and use it in my dictation or conversation. This has put a remarkable sparkle and pulling power into my conversation and business letters. And the remarkable part of it all is that I can now do my day's work quicker and with much less effort, simply because my mind works like a stash and I do not have to keep stopping to look things up.

All this is entremely satisfying to me, of course. But the best part of it all is that since my memory power first attracted the attention of our president, my salary has steadily been increased. Today it is many times greater than



it was the day MacDonald got me interested in improving my memory.


WHAT MacDonald told me that eventful evening was this: "Get the Roth Memory Course," I did. That is how I learned to do all the remarkable things I have told you about. The Publishers of the Roth Memory Course—The Independent Corporation—are so confident that is will also show you how to develop a remarkable memory that they will gladly send the Course to you on approval.

You need not pay a single penny until you have examined the Course and found that it fully lives up to all the claims made for it. Send no money. Merely mail the coupon, or write a letter, and the Complete Course will be sent to you instantly, all charges prepaid. If after examination you decide that you do not want to keep the Course, then return it and you will owe nothing. On the other hand, it you find, as thousands of others have found, that the Roth Memory Course will do wondern for you, then merely send five dollars in full payment.

You have always wanted a good memory. Now you can have it. Remember, you pay no money until you have proved that the Course will benefit you. You have everything to gain and nothing to lose by taking immediate action. So mail the coupon NOW before this liberal offer is withdrawn.

Independent Corporation
Dept. R-7712 316 Stoth Ave. New York
FREE EXAMINATION COUPON

Independent Dupt. R-7713 319 State	
You may send me the Cour- wishin five days after receipt and you (i) for each in full pu-	er or Courses charled below. I will otther remail them so yment, marryl 46 below.
By Shortd M. Hoth	By Arthur Bermann
Departing Art Cornecting	Procision Compared Per- neuml Educates (St.)
No to Read Chartester at Eurin (R) By Dr. X. III 31. Marketand	Myrea Making Acre-tall System and Francisco Describe 48, 80; In Wester W. Postin
September 12.	Paragon Reordinad IIII: for Alexandra Lightenang
State	
Milestone	*********



Get the facts about the Chicago "Tech" courses in Draftsmanship (or any of the other big paying professions listed on the coupon) which you can master quickly by spare time study at home. Salaries paid draftsmen today are the highest in history because trained men are scarce. Not enough experts to go around and hundreds of big jobs waiting. Industries of all kinds-manufacturers, architects, railroads, electrical plants, etc.-need proficient men for their drafting departments. Experts in this profession earn \$60 to \$150 weekly.

No matter what you are doing, this is your big chance. We will send you without obligation or expense a Free Test Lesson (read details of this liberal offer below). See how well qualified you are before you spend a cent. Look into these opportunities today. Learn how a Chicago "Tech" course will make you the man chosen from among many. Clip that coupon-NOW!

## Experts Teach You the Methods They Use

The Chicago "Tech" method trains you under experts who will equip you for an important position in the shortest practicable time. You learn exactly the methods which they use in their own practical work. They prepare you to rank with draftsmen of long experience. give you the training required in men who aim to hold important executive positions.

Why plod along and be content to take orders from men who know the "Hows" and "Whys" of a big job? You have it is you to Give orders, once your trained knowledge gives you the confidence to assume charge of the men

who do the actual work. The training in Draftsmanship which you get from Chicago "Tech" experts fits you to step right out and earn a big salary.



## FREE Lasson

Shows you have well qualified and use for depressing and and sent open to ensure and sent opening first. We small the free least heat least the popular for the term of the transfer of the popular to the transfer of the popular to t

#### FREE OUTFIT

With per home study course is included a complete set of bigs gends instruments, denoting bound. I apage, etc. forme as leading dustances are Credit places if

Find out how hun-Decide Today—Then ACT dreds of ambitious men have paved the way to high positions merely by mang their spare time to prepare for higger work. Just put X in the appare on the coupon expense the course you want to know about our and mail the coupon. This information costs you not in a - so as I to lay

1231 Chicago "Tech" Bldg. CHICAGO - - ILLINOIS

## 18 Practical Courses You Can Master Quickly

If you want to take up and master quickly any other technical study, the roupon above lists a numher of professions that pay handsome mlaries. If you can not come to the college, you will get the same course—the same thorough individual instruction by mad. No matter where you live, your lessons are directed and every exercise examined and corrected by experts, Every point is made clear.

You learn just what you need to know from practical men who familiarize you with the things that make you worth a large talary. With the pracfrom a Chicago "Fech"

course, you will be the man wanted because you know why things should be done and how to do them. You can start at a good salary and win quick promotion.

## CONTENTS—Continued

The Gen that Shoots Gas	52
Newspapers from Slot-Machines	54
Here's a Duplet Busk	55
Over the Ruckies on a Waterfall	56
Breed without Flour	62
Sharpening Delle by Macking	63
The Paint-Sprayer that Can't Spatter	63
Safety Cape Protect Factory Warkers	63
A Self-Cloning Two-Way Gate.	66
Irrigation by Hersepower	67
Good Tupe Maka Good Barrely	66
Setting Jewels in a Watch	69
Make Your Own Isa	69
A Stagt Punch and Bender	70
Safety First for the Machinery Oiler	70
No Fire on This Locamative	71
Platealer in the Leasunotive Shop	71
For the Man Who Repairs Overhead Wires	71
Fresh Fish by Motor-Truck	24
A Palvertour Plant more than 100 Feet High	77
An Underweter Weser-Pipe	77
As Emergency Renner	84
MEDICINE AND SURGERY	
MEDICINE AND SURGERY	
Twins, Triplets, Quadruplets-Why?	26
Your Four Million Pain Sputs.	44
MISCELLANY	
Transact in a Sunker Submarine	24
New York's Machine-Gun Jor Muhr	27
Making the Raileaul Cenning Sale	29
Photographing a Factory from Above	.54
Hitching Dubbis by His Own Log	36
A Dearth of Pullman Care	.17
"Get Upf" Says the Record	37
Shakespears to Las Augelias	38
A Water-Escape Ladder for Over	15
A Water-Tuner Becomes a Home	-35
Buttle-Cape Do Their Bit	39
Photograph Yourself in a Mirror.	34
A Fish-Shaped Padlock	39
Maring-Day for the Mammin	39
Seeing Little Things of the Sec.	39
An Electric Lamp with Two Bases	40
To Keep Milk from Boiling Over	33
Connecting Manhattan Island with the U.S.	42
Killian a Bear with Electricity	46
Don't Trambin, This Is No Bomb	31
Laux for the Vacques Buttle	52
Cutting Uniform Slices of Bread	52
Huge Photographs for Mevis Backgrounds.	32
The Han Cut Electrical	.33
A Pariable Kitchmetta	33
On the Trail of a Drill	53
New York's Volcans	-52
Germany's Psezolain Money	53
Up to Its Tube in Ira	54
Day a True and Sava a Forest	54
A Shon-Shine in Your Vanity-Dag	54
Combine the Driveway with the Well-	54
Scort Sweetens All the Air	35
The Card Tells the Price	56
* 6.5 NO. 5.4 N	
A Headlight for the Walking-Stick	66

#### MOTOR VEHICLES AND ACCESSORIES

68

68

69

69

70

70

71

77

79

A Panhalder Susport.

Nearly Pinning a Soft Collar

The Coni-Stove Usaderned

A Spring Hanger for Clother.

A World's Champion

& Clock that Literally Tolls Time .

One of Our Bird Yeterans

The Wood that Makes a Sunday Paper

The Telephonic Eye Betrays the Burglar

Knaping Up with the March of Science

Rubber Tire Patrice Make Good Rubber Heels

and the second s	
Some New Jobs for the Automobile Jank	27
Tuen Your Car Over with One Hand	3)
This Caseline Engine Is Handled by a Chardleur	40
A Boat that Looks Like s Whale	41
An Automobile Made of Luppage	67
A Mater Sure Plow for Sidewalks	64
This Is a Busy Little Car	71
Saving Time Coupling Trectors and Trailers	84
Watermarking the Radiatur	84
The Tool that Tightane Anti-Skid Chaine	-85
A Convertible Automobile Body	<b>II</b> 5
The Poving Machine with Caterpillar Traction	85
Ten Oil-Cup Works Automatically	85
He's Haramed to His Cor.	86
An Involutor and Conductor in One	66
Warming Com Automatically	36.5

(Continued on Augs 6)



# Send No Money!

No money in advance. Not a cent! Simply make your request via the coupon below if you want this brand new Oliver Typewriter for five days free trial in your own home or office. Use this Oliver for five days as if it were your own. Type all your letters or any other work with it. Put it to every conceivable test. Compare it with any \$100 typewriter on the market. Compare it for simplicity of construction. For beauty of finish. For ease of operation. For speed. For neatness of work. Then

if after 5 days free trial you do not wish to keep the typewriter for any reason whatsoever, simply send it back to us and you won't be out one cent for the free trial. If, on the other hand, you decide that it is the finest typewriter, and you wish to keep it, then pay us at the easy rate of only \$4 a month. This is the open, free trial offer we make to you on the Oliver to let you see for yourself that if any typewriter is worth \$100 it is this splendid, speedy Oliver No. 9, our latest model and the finest we ever built.

#### Famour Users of the Oliver

ombia, Graphs Otia Elevator Сотрану of N. Y. Rotton Elevated Railway Hart, Schaffner & Marx U. S. Steel Corp. New York Edican Company American Reidge Company

National Clark

SAME OF STREET

Save \$36 Fer \$64 you can now obtain the identical Cliver Typewriter formerly priced at \$256. We are able to save you nearly half because of our radicalty new and economical method of distribution. During the way we have demand that it was unnecessary to have such a vast number of tracelling aslessmen and so many expensive branch houses throughout the country. We were able to discontinue many other superfluous asless methods. Result—we can afford to sall at \$104 the very same Oliver formerly priced at \$100.

Mail the Coupon Now

Check the coupon to get the Oliver for five days free trial in your own home. If you decide to keep the typewriter you can pay for it on terms so easy that you won't miss the money—only 14 a month. If you prefer to have further information before ordering. fill in the coupon for our free catalog. Cup the coupon now and mail at eace.

Canadian Price, 322

Typewriter Company 1109 Oliver Typowriter Bldg., Chicago, III.

#### THE OLIVER TYPEWRITER COMPANY 2200 Oliver Typewriter Bldg., Chicago, H.

Bhip me a new Oliver Nine for five days free impec-tion. If I keep it, I will pay 154 at the rate of 15 per month. The title to remain in you until fully paid for.

My shipping point is.

This does not pince me under any obligation to buy. If I choose in return the Oliver, I will ship it back at year expense at the and of five days.

Do not cond a machine until I order it. Mail me your book — The High Cost of Typewriters — The Reacon and the Ramedy," your de luxe natalog and further in-

Mamo		 	 _
Birock	Address	 	 _

2 Constation or Pu

Carrol tel Indiana

g City.



Prepare NOW, and be ready in a few months to earn your

## \$65 to \$175 A WEEK

The country needs thousands of trained, Certificated Electricians to fift good positions-and at big pay. all a matter of knowing bow, and I will teach you by my up-to-date, modern instruction. You can learn at home, without interfering with your regular work, by my highly successful method of Home Instruction is Practical Electricity.

## A Real Position Like This—for YOU

My book, "HOW TO BECOME AN EXPERT ELECTRICIAN," has started thousands of young men on the way to splendid success. A new edition of this book has just been printed. I want every young man interested in Electricity to have a copy, and will send you one, AUSOLUTELY FREE AND PREPAID. Write me today.

#### How I Train My Students

As Chief Engineer of the Chicago Engineering Works know exactly the kind of training a man needs to enable him to get and hold good positions, and to earn big pay. I have trained hundreds of men who are holding splendid electrical positions. Many are now successful Electrical Contractors.

I give each of my students personal attrotion and a complete and thorough training. I give him a SPI ENOID ELECTRICAL OUTFIT PRIE, and much of the training ordines by actual work. When my students graduate and receive their certificate they are ready for a real position. But and more, at any time you wish you can come to our splendidly equipped Electrical Shops for special training. No other achool can give you this.

## AReal Opportunity for YOU

Wishing is never going to make your dreams tome true. You've got to study -to learn. A man is worth only \$2 or \$3 a day from

his neck down and no more; but there is no fimit to what he can be worth from his neck up.

A trained mind is what gets the his pay. It is this training that you need, and I can train you in a few months. Are you are tious to make a real success? Then send me the couper—testay.

## Electrical Outfit Free

To every student I am giving a splendid Electrical Outlit of standard size Electrical Tools, Instruments, Materials, etc., absolutely free. Furthermore, to every Electrical Student I give a truly valuable surprise that I cannot esplain here.

Free Employment Service

I am continually receiving respects from employers to send them trained Electronic sen. I asset that students to secure quot yearners. I know in reach with them for years industry and acrossing them to every governor may

Cooks, WRITE NOW-DON'T DELAY Delay never get you anything. Arrest to what counts that started and get started now. Write see we will me this recoon sight NOW. Dept. 387 1918 Sampath Ave.

Chief

Disape, IL

He Brad at sace -fully

perpaid and setting from exequate percentage of some

prest offer for this worth.

Mann .....

Address

Chy.

L. L. COOKE, Chief Engineer

CHICAGO ENGINEER-

DEPT. 30T HIM SUPORT SIDE AVE., CHICAGO, FLL

## READ WHAT MY STUDENTS SAY:

"I would not take I 600 dalla-wand be with-not mer research. If I did the ware about would only be like itse few that his-e passed." —el. Swiger, Wallace, W. Vo.

Have been made Chief Electrician for the Mile bigan Carbon Works. Give your course all the maint one on dealing fine.—A. F. Klemp, I better. Mich.

You will be pleased to been af me promotion to Cheef Mountains. It was your course put me where I am. Although only a listle even half through puts become I bette half through puts because I have Sail for eager rained from \$1.00 to \$1.75 a resorth, and expent to 40 better before I am through.—If E. Well. Columbon, Only.

Thering May I seade above \$61.00 in my open time. I can bond one the could be made when I started I have NOTHING about like-tricity. I. Rambell Ironson, bisso.

When I en-alled—I have marking about Blectricity. Young I can the highest paid weaks man for the Manura Light & Paver (a.—C. C. Berkinst, Manura, N. V.

When I carefied I was shopting. Now I om manifered you have a fine method of teaching gast can, and will the all you say — Julet, Methor, New York City.

My grown in come this work from their circle work was \$40.25. At this amount I post out \$18.75 for statement bearing a not gain of \$41.55. Audied to try marker ways (Life a week I made this seek \$76.85. Year Lauren lags, the triangly plant to try in the lags, the triangly statement of the triangle of triangle

"When I excelled with pay I was dely able to eache \$15 cm a mouth. Todor, thanks to star epassed summer. I am in business for myself, reaking over \$400 iff a mouth. —A before, Phoenic, Arisana.

"In the cost has yours I've been doing a lot of startying, but he extrementales and through text toods, but accurs before board to been able to been as I have with your I for Harr, a niet Electrician. Albright, Cost Co., Tunnelton, W., Lingson.

W. Linguise.

\*Print months after recessing my first terminate couple bline filectronian in a salary of \$1100 a count to not understand to not \$200 averages of over \$200 averages for a local bank for a country of the country of \$100 averages for a country of \$100 averages for a country over \$100 averages for \$100 ave

"When I signified your Country I have building shared Floritainary. Topic farters exquiting lighter thanks to now an I some spheroided to assess a not cody are accomised to the Espect, but I are so that go of A with significe. But better you in these same fillness markets had I increased in solary. I cannot seem more by your Country too highly it expects to be better. If I happened to be the A with the better. If I happened to 1116 W. Samplice M. Filebubetplan, Fg.

"I are exill balding that pushion with the Minnespole Steel & Machinery Creminary, accurat on your response related on your response related. — A. Surgarum, Minnespole, Minne

The much is wandedul, as much better than I expected and I must say I on more than placed with same — F. N. Driver. Co-ing-ten by Must complement and on the very thorough

panie. I am an set hand at the work and above point things are well banded. — B. C. Liand. Fact Terry, N. Y.

"Yant Course of Scuty has done a great deal fact and When I country I was working for apparatulate else, but now I got in business for myself a Lincoln Electrical Continuous, and have beening and a torped working for me. Jan. A. Stavber, St. Louis, Mo.

"Atthough only 14, and still in echnal, I am per a Layroud Electrical man, and to bustness poor a Licenteed Electrical man, and to brothers for trywity. How a recognit \$20 to \$30 a week on work door after school bears, and on Sazar-days. —Rager Stotch, Green-Tile, N. C.

Complete Letters Sent When You Write Me

DO 1.  $\circ$ 

Popular Science Mona	hly
CONTENTS-Contin	ued
NATURAL SCIENCE	
Why Aren't We Killed by Hailstones?. An Arch Made of Bacatoo Trees.	45
Thirtum Billion Suga	59
Wister and Weter, Nature Scolptore,	69
PICTORIAL PAGES	
How Fure Are Made into Carments.	-32
How the Big Searchlights Are Torted. The Earth Trembled; the Heavens Dropped.	33
Homemade Kicks	49
New Julia for the Phonograph	64
To See what's laside.  Fighting the H. C. L. at the Furnace.	65
Housekeeping Made Easy	72 78
Housekeeping Made Easy Multiplying Man's Power by Machinery	1.5
Du You Own a Car?	82
SPORTS AND PASTIMES	
A New Way of Riding the Railroad One Good Bath Deserve Another	36
The Barracuda and the Dimp.	34
The Gun that Folds Up	53
Making a Tiny Cazega He Made His Own Stop-Watch	53
Cham Playing by Wireless	55
Rover Makes a Clover Caddio	66
A Hendloog Flying Loop up Shatus	.68
A Sled Propelled by Hand Scholedeling when there's No Score	70
PRACTICAL WORKERS	- 7 14
How to Boald an Irremolate	.84
How to Clean a Clagged Fountain-Pan	94
Compressing Pieton-Rings.	94
Tu Close Valve Stamt Mining Dattery Solution	94
Setting Machine Screws in Thin Metal	98
An Enperiment for the Flashlight Photographer	98
Leveling Liquids with a Siphon	- 98
Reducing the M. C. L. A Tore-Inflation Scale	100
To Make Cardboard Models of Engines	102
Your Storage Battery in Cold Wanther	101
Secret Marks And the Identification of Your Car- Using a Dial Industor as a Sweep Terter	105
Home Soldering Made Easy	103
A Burglar Alarm and Keyhols Lighter	106
As Attachment to Prevent Deer-Stamming	170
Winter Weather Is Hard on Tires	111
Making a Drain-Pipe Overflow	112
How to Cose-Harden Articles An Adjustable Handle for a Mirror	112
How to Make Rings of Equal Areas	114
An Aquacium Air-Pump	115
A Graduated T-Square Improving a Simple Level	115
Old Meterials Mede This Useful Forge	117
A Mirror Aids at Placing Phonograph Newline	117
A Sacking Device that One Man Can Operate	118
An Automobile Jack that Is Quick Acting To Three Lines Over High Objects	119
A Safety Spark-Plug Carrier Box	129
A Lazd-Con Used to Dry Fruit In	121
A Quick Way of Tightening Loose Flywheels Roll Your Ladder Instead of Carrying It	121
To Protect Your Tires and Tubes	122
Weatherproofing Brass Surfaces	121
Refinishing Worn Show Town Bress Tools for the Making of Fillets	124
The state of the s	-

Worn Insulation to Automobiles

An Easy Way to Take Bitter Medicine.

The Microphone Exables You to Hear a Fly. 122 Cutting Large Holes in Metal Plates

Cutting Large Flotes in States Plates
A Surface Gage Wrinkle
A Safety Clip for Your Spantacle-Case
To Lock a Garage Door
Working with Limit Gages
Door's Perlume Your Artificial Ivory 122 128 128 129 Have You a Step-Saving House! F.)(3 111 131

Finding the Right Key Made Easy
How to Cut Your Canary a Claws
A Circular Saw Attachment Hestons Production Electrifying the Ford Tail and Deah-Lamps. Glass Drill Made from a File Flexible Pipe Made of Inner Tube 134 The Most Efficient Part of an Automobile

134 Repairing a Broken Lug with a Washer ...... 135 How to Make a Double Center Punch 1.35 When the Wood-Shield Rubber Wears Od. 136 Combining a Flagpole with Advertising 136 The Vectors Circus in a New Rule

137 The Way to Drill a Triangular Hole Increasing the Uncludens of a Wagon Wrench A Way in Reserve Stubborn Nuts .....

139 How Street Curbing Injures Tires For Varaishing Casting Patterns .... 

Another Use for the Old Inner Tabe Speedometer Gear Sizes. Knarling on the Sesali Lathe.....



Earn Big Money by the SWEENEY SYSTEM. This system of practical instruction teaches

men to be mechanics and experts in all branches of the automotive industries. Only at the SWEENEY SCHOOL can you get this system which has been endorsed by government

and technical experts everywhere, and proven by years of success and the testimony of 35,000 graduates. Sweeney trains by having you do the work with your own hands. Hand, eye, and brain are trained

together. Previous experience is not needed. Books are not used. Learn in a weeks and then

PHEEMET

#### \$150 to \$400 amonth

The Million Dollar step out into a hig paying job with unlimited possibilities. We're ready for you and a higger Sweeney School is preand better job. paring men to earn from \$150 to \$400 a month in the Automobile and Tractor busi-ness. Take the TIRE business for instance. Big money in that.

I teach you the whole business theroughly. How to sell. How to repair.

How to make tires. How to take a few cents' worth of Junk and make a \$35 tire.

The state of Missouri alone bought \$25,000,000 worth of tires last year. The going's good. He an expert. No previous experience productive of the members of the memb needed-if you are mechanically inclined the Sweeney System trains you in 8 ceks.

#### PICK YOUR JOB

Farm Machanies \$100 to \$200 mo.

Motor Enperte			\$175 and up
Tire Yulconings	Berthall.	CONTRACTOR AND ADDRESS OF THE PARTY OF THE P	\$125 and on
Chauffauts			1200 and ap
A studio de Docto	5011901		15 per hour
Towns Drivers			It per week
Touland Orleges			IS pay week
Trouble Showter	Sec		\$3 per hour
Design the second secon			red has heat
Garage Manager	AND REAL PROPERTY.	TAXATTITICAL DESCRIPTION OF	\$8 per day
stated a married for	******		shade of history

2, 14

#### FACTS ABOUT THE SWEENEY SCHOOL

Over 187 acres shop and operating space.

Over I Million Bollage invested. Equipment alone worth over \$350,000, of which \$50,000 machine alsop and aviation equipment has just been purchased.

Over 1,200 students and 35,000 graduates.

250 Instructors and employees, monthly pay roll 30,000.

#### COME TO THE SWEENEY SCHOOL OF AUTO, TRACTOR

and Aviation Mechanics if you really wish to be a trained Expert and to work on the most modern machinery; come today for tomorrow never comes. Pack your grip and let's go.

#### FARM BY MACHINERY

On our great Tractor Farm you learn by actually handling over 18 different makes of Tractors. You learn all about Stationary engines; principles of lighting plants, how to fix up any motor or truck, in general all machinery on the farm is simple and easy to the Sweensy

Gradunte.

Specification of

But if you like it you find it easy to make good. If you are mechanically inclined write me today. But, if not, don't bother me. You don't need books. You don't need education, but you do need a natural liking for mechanica. I teach you by WORK. You use tools not books. I made a success out of a deaf and dumb man. But unless you are willing to get grease and grime on your hands you can't learn here. For this is the school of practical experience. GET ON A TRAIN -LET'S GO. One-third of our men ALADES. TRACE correspondence. I guarantee to refund your tailway fare, round trip, if you find a single misrepre-

If You Are Discontented temember that you can not mo-

mentation. Simply tell me when you will arrive, and you'll find your name on the bulletin board, class asnigned, tools ready for you, room waiting you. Only white students accepted. PACK YOUR GRIP AND LET'S GO. EMORY J. SWRENEY, Preides.

S CHOOL OF AUTO-TRACTOR-AWATION BOI SWEEREY BLDG HARSAS CITY HO

EMORY J. SWEENEY, President Mt Sweeney Building, Konesa City, Ma.

Send me free your 73-page catalog and Sweeney School News and tell me of the opportunities in the note and tractor legitores.

Photo:

Allen

## OUICK-ACTION ADVERTISING

HERE READERS AND ADVERTISERS MEET TO TRANSACT BUSINESS

Rate 39 Cents a Word.

Advertisements intended for the February Issue should be received by December Int.

#### AUTOMOBILES AND ACCUSSORIES

AUTO MOTOR SUPPLIFIE Dutch, Michigan Stof-dari Dayton Cuddler Overtand, L. M. F. Continental and Butta Motors of types 130 each and up repetut high tention I and 4 cylinder augustan 19 M cach. Herefore and us head tamps coins, carburstors air compressors, repetators starters, etc. Write for catalog Address Motor bulan Dept. (14) West End. Pitulsurgis, Pennsylvania.

AUTOMODILE Parts for all cars 50% of manufacturiers' list price. Pletom, connecting rots cam staffs, crook shafts, cylinders, sales staf scars. Our new catalogue and lined Parts Butletin pre-recip. Write for it to-day. Service and authoritin guaranteed Auto Parts Cumpany, 410d Obye Street, St. Louis, Missouri,

Vulcanising suito tires is a prestag and presidente business. Stary to learn. Instruction beach, \$1. Physics \$50 to \$500. Details free. Equipment Co., 17 Canal, Co-chilenti, Obla.

PATHINTS - Write for Free Eligatrated Grune Domes and Evidence of Consequent Blank. Send model of sketch and description of invention for our epities of its patentials assure. Highest references. Researchie terrou. Visitor J. Evens & Company. 180 March, Washington, D. C.

AUTO-TOF and most covers, 87 up, pared post, preparel. Easy to apply Catalogue and amples from Auto Equip-escot Company, 70 Canal, Chemnati, Obio.

Bt. CEPTINTS Automobile generator arms bures. Im ad under "Electrical." Churles Christenden.

RPERIDITER, and Racing findles. Build your own-later over ball. Phospi's system of Auto-Italy Suiting, Dept. D. North Cuscon, Illinois.

Dept. D. North Cheesen, Hilmein.

INSTITE Tyres, inner armer by suramobile them. Prevents passifiers applies applies attage of any litera Liberal profits. Details free. Afterions Accomorism to Emp. T-1773. Continuent than.

Nickip A Windshieft Cheeser, one rule heeps glass elect to hours from right answ sizes and ing. I assess setting Anto consensor? Against his profit. Auto Owners supply Continuer. Dawnport, Iona.

NOTICE to auto conservating five last tires and under My invention will size at least twenty thousand action per live climinates blow onto receipt payers to the entry profit. Cost out receep half price of one tire. You can apply a pureast. Also due naturalizes or money createst. Por flustrating instructions send one galler to B. F. Species, Box 213. Les Angeles, Colfortia.

15% to 20% more power, Min. less sented to derbod when its air as mount as it is at ought. One them recommended in all a more power, Min. Less sented to derbod when its air as mount as it is at ought. One them recommended. Practically no expense. I suspicte copprighted instructions. \$5,00, molistanting of exotory refunded. Cari Lanthur, Ciraultinger, Iowa.

#### FORD ACCESSORIES

FORTH start easy to cold weather. Will tup by milest per gallon on disappet describe or half herewere, mand during the actual terms. Increased power styles for all numbers run actual them yourself. His profits to nature enough back maranice bit days trial, Air Friction Carburaton Co. 1983; Madison Street, Dayton, Onio.

FURTH Valve adjusters make your Food region absorbet wither give doors proved, as see gasoline From september at \$1.00. Leitner hig. Cumpany, 4440 Sermont

33 Mr will bring you the heat the makes for Fords-Carries two tires. Has identify derive. Souline masted. Bruthers Min. Cumpany, Perria, Illinois.

MR ADVERTISER Ash to-day for a cupy of the "Childh-Action Advertising hate Pichler." It manuals seems really important facts which will prove interestant and valuable to you. It shouteth "Have You Can the Popular Sciences Messally Profitable." You'd his dependent of the Control of the Contr

#### WELDING AND BOLDERING

WILLIANG apparatus for all (reference final) payment, findance five to ten manths. Every toerhands toesh one. Our plan is interesting. Write in-day. Hermo Welding Co., Certer Rapida force, U.S.A.

#### MOTORS, ENGINES, MACHINERY

SMALI, Mutters and Constructed by h. p. s. c. 420,50, b) h. p. 336,50, b) h. p. a. c. 457,50. Espitery charges, sees. Charging lighting and moving picture are generalized blotters for all phases of current. Prompt delivery. Windresde priors, Write for late massing. Address Malace Sales Dopt. (14), Wrist Emil. Pittsburgh, People living.

#### RELECTRICAL

ELECTRICIANS, Wiremen, Linemen, and cour name and address for descriptive iterature of our Middern blue Print Canet Method of Electrical Wiring, Over 150 practival disgrams, Electrical Wiring Disgram Chropatsy, Jus 1877, Altrone, Propeylyania.

MAKE Dry finturies. Simple practical instructions, with blue print, 15 cents. Dirigo Soles Company, Bash,

hine.

11.UEPRINTS—Electrical connections Alternating had direct entrent manual transformers requisites controllers confinesators, automobile generates area-investigation of the Controllers of the Contro

#### EXCHANGE

SWAP Bulberin Circulate Circulated Circulated Circulated word, Detroit.

8

#### WANTED

CASE: Paid! If you want all your cooks are worth, would us your characteristic covery, gold covers, bridges, welves, diamonds, efter, poisingum, magnetis and contact poising. We pay \$1.50 to \$25.50 per set for fare tents throwing or set —Money sent to return dust. Packages beld 5 to 12 days and returned at our expense if our offer a not excludence; hend to the one Bertalie United States therefore, were, Dept. 51, Checago, ritinate.

WANTED Small persion and steam enrises, electric fields, motors, etc. Will pay high cash preces for con-pasterial Johnston, West Lad, Phinterial, Personsivants,

WE pay the highest prices for diamonds, planting, watches, old or broken sewelry old sold, effect marget politic old fides teeth, gold or silver area or conjucts. War bonds and champs. Mad there to us to-day. Ches by relate man chaot returned to ten days if you're part antabed. The Ohio Smetting & Reducing Company. His Lennes Huisting, Cleveland, Ohio.

LIVE wire manufacturing company desires article of needs to develop and market. Regally base or purchase surright. Geo. H. Merson: Company, 1405-3 West Jordann Bookevard, Chiraga.

## A Big Advertiser Speaks

Popular Science Monthly, 225 West 39th Street, New York City.

#### Gentlemen:

Our experience in the classified columns of Popular Science Monthly has been very satisfac-The results received have been from high-class specialty salesmen who are the only kind that can sell our high-grade line of products. We manufacture a line of food products and toilet preparations that are above the overage, require both men and women of ability to sell them, and we have found that we get this class of people as the result of our advertisements in your classified section. Needless to state we will use Popular Science Monthly regularly.

#### Very truly yours,

#### AMERICAN PRODUCTS COMPANY

This well-known concern is undoubtedly note of the beggest standined advertisers in America testay, and it is reasonable to gassine that they are reports in the matter of selecting the proper type of medicin to carry their message to the public. They maintain a most complete system for knying their governments, which continuities to tell at a giance mantly what rach advertisement to can't have if each publication is producing. The fact that they haven't messed a single leate of Papular Science Monthly in over five years around answer YOUR quertion— Done it Papular

Classified Advertising Manager

POPULAR SCIENCE MONTHLY 223 West 19th Street New York City

#### AVIATION

THE American School of Aviation announces a new perrespondence course in Merhanis of Aviation A Christian such training to secretical accommander. American School of Aviation, Dept. 1679, 435 yearth Deathorn Street, Course.

INVENTURE descript intermediate write for our Fren filtuarizated Guide Bunk and J velocie of Controlled Blank Send score or sketch of Seventian for our spinion of its paternaide nature. Highest references. Prompt previor Researchable terms. Veloc J. Evans & Company, 134 Nintk, Washington, O. C.

BUILD the Star Jr Hudans. Fend stamp for Circular 2. Chicago Acro Works, 226 River.

#### MOTORCYCLES, INCYCLES, SUPPLIES

MOTORICYCLAS BIG bit up: Fide Care. Evans Power-eyeles. Johanne Motor Wheels, and uther light puttar attachments. rend for our life Bargain Bulletin and our "Money Survey Mannage to the Motoreyelles." Bliggenical. It will save you manney, an outcoreyelles, side care, hisyeles, expair parts, tires, and supplies. Our Repair Department is at your porsion. Assertous Motor Cycle Company. Dept. 8, Chicago.

USED Matrocycle Bargains: Indiana. Excelsions. Harleys. Stated up. Suggios or twins. Overhauled, rebuilt, and tested by caparia. Shipped on approval and currenteed. Send stamp for the Free List. We fornish hath references. Fings Clymer, Deals A, "Largest Motoroycle Deals" in Western America, "Durver, Culorado.

MR ATVERTISER: Ask to-day for a copy of the "spira-Arthur Advertising State Folder." The contains some resity important facts which will prove interesting and valuable to you. It also tells "New You Can Und Proposite Streams Monthly Probably." You'd the to know wouldn't you! Manager Classified Advertising, Proposite strings Monthly, 723 West Eith Street, New York.

#### MANUFACTURING

WE do bestal Stamping, Cold, Stiver, Nicari, Brass and Capper Scholmer. We will manufacture some article either on time or contract basis. If interested to tapp projection with me. When on your die work you are always welcome at our dismaker's brach. Denting Mis. Company, 1775-1777 Siget 87th Street, Chrysland, Chie.

#### **FORMULAS**

DEPENDABLE formulae for Austrobite, Tellet and Food Specialises belleting Industrial Processes. Late 34, Industrial Methods Surgas, III Wast 54th Street, New York City.

500 PORMULAS Trais Wrinkles, Secrets Discounties, I casy, specualty money-makers. Lists fro. Every-ing 25c. Edgar Janess, 318 Douglam, Indianapolis,

t.000.000 PURMITLAN Trade secreta 1016 pages | Ideal Edot PH, North Subsey, Chicago

(ANTICEN Jack a stoy spipe and chimney cleaner impula-ce Chartes Dynes, Windowser, Indiana.

SHOE Polish Furnitus for sale. L. Alien, 566 Main.

FIFT's cracker set for auties—no impractical antiques automobile apacialities, commela, politica, tementa, etc., fifty centa. I madon Specialty Sureau, P. O. Bos 406, Streetlyh, New York.

#### DRAWING INSTRUMENTS

you with FLETH arts of Marchanical drawing limits, ments need to Sacriford reportings of the cost. These mechanisms drawing acts input by sold within 30 days at less than wholesale process. You will days the whichesaler a result are to and the resultant profit by taking this wonderful reportunity now. If pur buy now you will get the bargest largem over offered in the barbanism drawing instruments, but our disputational for our disputational presentants. From Malional Local process of the contract of the purpose of the contract of the co

#### LABORATORY AND CHEMICAL SERVICE

EXPERIMENTAL (Permittey and far rough people, Es chemistale and 12 pieces of appearation, in worden has with some of instructions and experimental 2 very thing the reas beet quality. Price \$5.50. Starup for shortened Rets. Packet Mig. Company. Fresh 4, 5214 Woodland Avenue, Phinadelphia.

#### MODELS AND MODEL SUPPLIES


PATESTS Book from Bond skanch for free Opinion of patentiable nature. Talkert & Talkert 4814 Talkert Hulkl-ing Washington D. C.

WE make working models for inventors, and carry a complete much of bram game and model supplies. Fond for entelogue M.—The Parces Muchal Works, 1827 North Ander Avenue, Chicago, Hiteoric

MR. ADVERTIFER And to-day for a copy of the type hereion adversation Rate Folder. It contains more really important facts which will prove interesting and valuable to real. It also sales Bow You Cap Unit Popular Science Monthly Problems, You'd like to know, wouldn't you. Manager Classified Advertising. Popular Priceise Monthly, 225 West 89th Street, New York. 3100

#### AMERICAN MADE TOTS

AN opportunity for homeworkers on small scale and manufacturers on large scale to make American Metalitors. Army Navy Machine Lope Camonina. Warships, Indiana. Controls With Animals, Whisten Bird-wheeles, Rodgous designs and differ tors and Novelther Directors. Structures Grant and Structurers of the and Structurer Limitary and how the an independent bestore. Structurers Grant and for obtain the an independent bestore. Structurers devanced for obtain these an independent bestores. Structurers of the own United States and torsion countries great faith up to bear Classing further and torsion country from \$2 th states are true but the country. Empowed and country from \$2 th states are true but these goods paying trued private Attractive private software for painting from Attractive private software for painting greats. Attractive private software for painting greats and private business. Structure and information furnished frest. We have no sites angents and we warm against worthless and cheap imitations. Toy Politics Manufacturing Company 33 Union Square, New York.



The Burlington

The Watchmakers' Masterpiece

JUST think of it! Only \$3.50 per month—a great reduction in watch prices direct to you—a 21 jewel adjusted watch at rock-bottom price. Indeed, the days of exorbitant watch prices have passed.

## See It First

You don't pay a cent to anybody until you see the watch. You don't buy a Burkington Watch without ageing it. Look at the splendid beauty of the watch itself. Thin model, handsomely shaped—aristocratic in every line. Then look at the works! These you will see the masterpleon of the watch maker's akill. A perfect time piece adjusted to positions, temperature and isochronism.

Practically every vessel in the U. S. Navy has many Burlington watches abourd. Some have over 100 Burlingtons. The victory of the Burlington among the men in the U.S. Navy is testimony to Burangtus superiority.

## Send Your Name on This Free Coupon

Get the Burlington Watch Book by sending this coupon now. You will know a lot more about watch buying when you read it. You will be able to "steer clear" of the over priced watches which are no better Send IIII. coupon today for the watch book and our offer.

Burlington Watch Co. 19th St. and Murshall Blvd. Dept. 1369 Chicago, Illinois Chapties Office 334 Parties Art., Westpay, May.

Burlington Watch Co, 19th St. and Mamball Blvd.
Dept. 1369 Chicago, lit.
These cond me (without obligation and
Call replanation of your rush or \$1.50 a ments offer on the Perlington.
Mand
1
* ********* * *************************

#### AUCTRONESSE

AUCTIONEERS and Subject move but memory. We small total first capture. Minimals American Evaluation follows, Kanada a Ny

#### DUPLICATING DEVICES

"MODELN" Digelepter a Restress Settler 4, 35 op. 68 to 25 capacit from peoperate typeway of an also opposed from the 20 days of his need procedurate three a 3. Harket & Receive Company Premiurga Principality

#### TOB THE HOME

PANISHATIER'S Chiefe Works to it. Du let oue two cases from my free cases reprinted to the year day a path risch. You can butte case products in the extent of place in for your friends. We remain a work at works to did their, with women having obtained at money as day printed. Where for full of the control of the control of the product of the control of the contro

to her bounced's regular to reflect the expense Markshall will to her bounced's regular to reflect to expense the expense to the expense to the believe to t

hite Alek by I will be Ask methy her a chery of the cities to the Asia relative Have higher and interesting the common interesting photos and a surface of the photos and the common and t

#### STAMPING NAMES

MARK STORY Japaning Managing Strongs on Key Sheeks Strong to Proceed and Interpretable Principles Conference Colors Services

#### SATURDER & AND OUR

AMARTER & bold on elected becomes in attention function. The mortile more wenterful as it has a factor for the confidence of the confidence with a particular probability. In the particular probability with a particular probability.

AVEST Income Tax Where and confident. The Ley's Ready Resemble Surface of US & Complete Support Instruction & Complete Surface of The Associate Su

TALLEY LOOK. Spatian a resider for grown as force of habitating specials. From this conduct the Price a Sal Stage Orbitano, 1500 Four Site for resident to the New York.

In the how I had have how here house protect the confidence of the protect of the

At appropriate two autopes in Water Finder his made between her many men and many taken yours stand for particulars to be will Managery, M. Vistoria Read, Non-Ringle on Physics and

Also he is from informing the a Movel Supring provening for closes seems Probage con express 6 to positional Lawrence 600 Madison Assessed Administration Seems pent potal.

THE For the latest scientific Continent with Plant I implemely add bear of Account Australia, a belonging

(M. A. St. A. C. No. for reasons therefore) become becaution dress on his of the principle Course offices the William of the Police Course State & property Read to Article State & Course State & property Read to Article State & Course State & property Read to Article State & Course State & property Read to Article State & Course & Course State & Course & Course

Plant of the or happing of detailing purposes had palent country to prove of happing the body plant of the body plant of

Test (I misser has a file dispensioner this historical metal. The fir pulse of hundreds was read mostly place of hundreds. Jahuru, Luckstoff & Ben 254. West Park Mostlyon.

Tale is paste an hist hour represent up.1 re-finish our comp flowers. I past a nome to forten-chap will blive attacks and flowers. Price \$1 (a) Price (flow block 2 . 16).

#### THE REPLAPER.

personal between the product of the product of the same of the same of the personal product of the per

#### ADDING MACHINES

Big NAT | Astronomy to the large transport of the least table \$2.5 to the second in the large transport to the large transport to the large transport transport to the large transport transport to the large transport t strong the or Re-

But and the the My simple and a fixed metho will empley a superior the My simple and a selection when the E Busy of the 14 february and the selection of the se

Instruct a product for Walter Mr. Squarett, 39 Posomor Bank Hudding, Washington II

#### INVENTIONS FOR TALK

WRAPPING and for himiting were min from Next affirm it out in the market for the purpose Write for description and model, our field Bell themp With 4, However Haugh on Michigan

And AIVER PAIR Age to-day for a runty of the 'Spiles Vetting A sectional factor is distributed a section of the 'Spiles Vetting A sectional factor is distributed a section of the really loss postatus factor which will propose interesting paint valuables to your state that the loss of the total propose received a Manching Proposer You as the Proposer wouldn't prove Manager of Landbed Affecting Proposer wouldn't prove the Proposer wouldn'

#### PRINTING, ENGRAVING, MULTIGRAPHING

Art LTTOK Artif contern bottle boutcom. Acon cre-choses and other three advectors of 17th act. And employ-on rapes rareful work act less bluf tempo-fractions of the boundary 241 fourth Avenue. New York

No. 17 LARELY 12:50, there 30% malt. West Labely, Station 5. Posts delpois.

SER ATT FIRTH ARE LO-day for a copy of the June 1 and 1 cm and 2 miles Plate Poster I contains severe re supercapt both start a prove determine as his start a copy of the last start and the last start an

ATT I SHE I BY IL M I DOWNER STREET FOR

the state of the s

CITY prior he as except or eas. It we for maniples and fresh Sturial Granding intercepts the proceed within

cil TY it price that for hosp range a result for man target for being the force of these every unity of price of min two orbits. It we distribute a real or seem to the term for the results in past price up a treat, it adjusts a distribute of the term of the contract of

Austral Famori Catalog Iron. Photo the

A R Library Way H Lab tenders for a respect of the real A Sec. A

Hand det om engranting by ageing our Nam Phate Finals in protesses. As evaluating it, as beautional engine of a sound to a sense of a conference of the engine of the sound to a grade engrance of the protesses of the engrance of the engrance of the engrance of the engranting of the engranting of the engranting of the engine of the engranting of the engr

Brist Children Transcent professions, of sterior rard-com-front car a special equitod to B Prost 66 Madamia Server contents to the Such

TATE WEITTE When you represent the same because 1541. Washington to the same because 1541. White her proven I Park Marsh.

N 1956 I sage And et aliabe Warrens e Paper II alle Other all proportionals Tilliam Princers of Proposi-pide Misson

#### ADVERTISING SERVICE

4 I by I've too too and plot of it and gentlements. I be force in the April principle. I be the set of the Manufich of the set of th

1980 Universitating He safficient actual Blaces excel diagrammatical affects as few authorizes to Scientists and except of other first are such as a community of the same and a second of the second

975 to store to each acres to be inequalities

b I B F [MF] so I dog gove a distant 26 pers to \$10 m). The Park it returns askin from C many delengance b shore Parks and Normana.

helt flathing of a toward without man, promise advertig-ing builder from F massey (1986)

4 W. H. S. In 100 Singapping 4 and I told from Plans-ford only a son Expension Printer, 2012

or Prin 43 Filed manual! Terms Regulation

of a fiveleterary nestand to deplete for his few trail of his pink for at a prin. I regard a playing for a second of the pink for the p

to be the transfer of the state of the state

#### EXPERIM SPREAKINGS.

THE NAME OF THE PART OF THE PA Children in the second of the second control of the second control

#### MAJEUNG LATER

(1) H (an arranteed \$2.5 per 1000 Oroke, \$ 141 TO 149 A S. STREETING OF SHEETING STREET, \$100 AND TO STREET ner in Arrange New York

#### OFFICE AND FACTORY EQUIPMENT

THE TENTH OF STATES OF THE PARTY OF THE PART

#### TYPEWRITERS AND SUPPLIES

for the CT's a firstle in appropriate at twingers primare. Should be a don't real Money be served by the Ab and the property of West Beatleman and the Company of West Beatleman and the Company of West Beatleman and the CT of the Company of the Co

#### POLICY LANGUAGE STUDY

Practical Language, most practical industrial improperties by correspondence to the Meanthy Property a qualific Studies, 180 Property. New York a Taxabasemed 1905

#### PUBLICATION AND LIVE STOCK

SLAISE positivy and rabbles we can how Great faith-I rock the Paper I 00 year both hi h Saragio from Positivy Advento (lept 10-42 divisions, New York

#### FOR MEN AND WOMEN

Charles and Preducta Engravous Profits Salling Due Charles and Preducta Enty substant system from All nempers are such from Write quark, Due Chargeny, Dupt 13th Autora New York

ht a detective (larellest opportunity good pay cover. Write I Ladwig, 424 Wastover (Mat). Manage of the Manage of

Cities limbered spring Substance Catalorus.

OF the complete too patients. I awarene. Managehouse the Clear specific nuttings-fred in his numbers,

Fifth Th 124 threlient experiment. Fauctoring
the parameter ground entity. Particulars free Wester
American Senses Hessell. 1966 Britains. New York

45 X results for advance 5 adult murients and professionals. The must authorities is seen broken in spring 3 tooch must, is a 7 come see Acad for last. Microsof Brack Security, 5 (Longon Place Broads pts. New York by Dean A.

MEN Got Vital Strength, heath youthful vapor Windowski romba tplemety televolus booklet from The A Cipie Company Westington, L. C.

#### DOGE, BIADY, PETS

Pil's 1 the Relatit Justice of Propers, Windowsky Ten-yours 1. Trial Subscription the

fill R.K.S. For all hands, prices just from 12 bondade Vertret Company M. ellington. Mine

A S S I h h 4 I h 4 I salame april hid I rectled absorband decre. Philosophers as seems I therefore Philosophers at seems I therefore waste to be Wishman, there also, the control of the Michael and the control of the control o Christman fown.

#### ERUCATIONAL AND INSTRUCTION

MIRCES ANICAS, Chrowing discountains augits by mall, PRES counts each leaves. Part at you learn. No attent on persist temperature attenting out its attent at \$200 at

I was a Maja Paja Henri Manteresta y Marine Propay a dilege Instrumental Law Mante Plantanery Municipal and network Personals. Landwist to dispress Lamb (for 1980).

CARNING increased Louis Berling's mothemotical

high the the blancy Part of 7 to 656 carry the a slow card writer I contracting profession. I response demand for experience these and advertising cards such signs. We desired courses of instruction above how to best an experience of the course of the co

AP 4 N 1-31 Prominental Mericini You and I exchange better in equation were thin him specialize Particulars from Limiter two Profits. Avera Produktin Avenue W. Lapite, Minister

#### PICTURES AND POSTSARDS

serve les Turners rivers lang auer et jaintracité le per sel étainement 2004 hausen à entre hausen it phaseses

The Part Co. In preference the early be broken as a preferred. He was supply the supplement of the part of the par

Ji V ve Pretined vilaji i d Platner Desplo in hat Hallaba Membership Proper 196

31 N no Western Pure Card Club St Plenging, Mannager 6th Mastern in

the companies of the control for a regree of the control of the co

#### PATENTS FOR SALE

PATENTS on we small metal power lost, for invention on the sale Afrest Plansmissant, 1722 Novel 18th March, Plansmissiphing, Pennsy value

TA Fig.1 and Dec. with machine of other many outriest.

R. Sall J. Paren, operagin on creating Automobile of a new salida design of protect area. M. Whitesfeld, become a real following in home block.

W. A. Ser et a free course is it ments to make any free and or trade. Action Fusion Mile Up Salid, all Louis, in 1980 pt.

#### GASHES AND ENTERTAINMENT

FOUR Master Stateme and Samples SSC Gildlagies, pressure Park, Streets

CHALK TALK Unstrated in colors. Plus mg pictures. Peneth 20th Street, Consider Nationals.

THE SAN LANGUAGE PRINCIPLE MARKET CARRIED IN STREET

Tracks, John Broks, Pinuras Etc Big same I glass Sales o Springfield (Ulnois

TRI Not President Johns Player Warm Mind Reacting Acts and Section of Section of Section 19 and Patition Wife Ht Link Manager

no CARD Tricks, and how to do them. Me. Unland

# Why Live An Inferior Life?

## Your Success Guaranteed

A Subtle Principle of Success

THIS SUBTLE PRINCIPLE in my hands, without education, without capital, without truining, without experience, and without study or want of time and without braith, vitality or will power has given me the power to earn more than a million dollars without selling merchandise. stocks, bonds, books, drugs, appliances or any material thing of any character.

This subtle and basic principle of succem requires no will power, no exercise, no strength, no energy nowersty no westing, no tarting, he conce tration and no constitues There is nothing to pracdeep breathing tice, nothing to study and nothing to sell

This aubtic and basic principle of success does not require that you practice economy or keep records, or memoruse or marn to do anything, or force yourself into as y action or invest in any stocks, bonds, books, or merchandise.

This Subtle Principle must not be confuned with memory systems, will power"
systems, Christian Science, psychology
magnetism, the it or economy nor should
it be confused with health systems auto
suspension, concentration, "personality." suggestion concentration. "personality" and continence or of neturally nor should this Subtle Principle be confused with into ve mental endorance, luck, chance, sed analysis or sell-control. Nother should this principle be confused with imagination enthusuam persuasion, force or projetence. nor with the art or science of talking or salesmanship or novertising

No one has yet succeeded in gaining success without it.

No one has ever succeeded in falling

It is absolutely the master key to success, prosperity and supremacy

When I was eighteen years of age, a looked to me as though I had absolutely no chance to succeed I teen months allogether in common public school was the extent of my education. I had no money When my ta her itied he left me twenty the are and hay cents, and I was earning hardly enough to keep myself nave had no cience for I was a negative and or no a lyantage to any one. I had no dan or life to be p me solve any problem is fact, I did not know enough to know that afe is and was a real product even though I had an 'acute prefacm of afe on my hands. I was blue and despondent and thoughts of sternal musery arose in my mind constantly. I was a living and walking worry machine.

I was tired, nervous, restless. I could but speep I could not digest without dis-tress. I had no power of apparation. Nothing appealed to us. Nothing appeared worth houng it im the fear thus, rould not do anything because it my poor equipment of to no and sody I e that I was about out if the world of our cess and I lived in a world of failure

I was such a pauper in spirit that I bittelly depended at drugs and doctors for my health, as my father before me. I was a ! fluster and depended up back for success The result of this attitude on my part was greater weakness, sickness, failure and misery as is always the case under similar conditions.

Gradually my condition became worse. I reached a degree of unsery that seemed intolerable. I reached a crisis in my realization of my failure and adverse condition,

Out of this misery and failure and pauperism of aparit out of this discress arosa within me a desperate reaction— a final effort to Eve"—and through this reaction, arose within me, the discovery of the laws and principles of life, evolution, personality, mind, health, necross and supremacy. Also out of this misery arose within me the discovery of the inevitable laws and principles of tailors and sickness and interiority.

When I discovered that I had unconsciously been employing the principles of failure and sickness, I immediately began to use the principles of success and supremary-My life underwent an almost immediate change. I overcame disess through health. weakness through power anierior evolution by superior evolution assure by success, and converted pauperssm into supremacy



I discovered a principle which I observed that all successful personalities employ either consciously or uncounsesously. I also discovered a principle of evolution and be-hever that if I used it that my conditions would change, for I had but one ductor fadure and therefore there was but one curt

success, and I began to use this prescipite and out of the ase arose my ambition, my powers, my edge a ton, my beauth my success and my supremucy, etc., etc.

You may also use this principle of success deliberately, purposefully, conaclously and profitably.

Just so there is a principle of darkness, there is also a principle of ladure, ill health. treaktiess and negativeness. If you take the principle of future consciously or uncomes only you are sure always to be a laster. Why neek success and supermusy through blindly seek og to find to it pa h through the mase of difficulties. Why not open your mental eyes through the are of this to de sur out principle, and thus deliberately and purposefully and returned and horizontal advance in the dier son of supremary and away from lanutr and adverses?

I discovered this subtle principle—thokey to success—through minery and neces-You need never be osperable to have the benefit of this subtle principle. You may use this success principle just as sucgreetal and yid als it all time of account on of all sinces and of all se gions have used it eather consequence of one personals and at I am or ug it becamely and purposefully. It requires no education, he preparation, no preliminary knowledge. Any use can use it. Any one can harness, employ and capitalize it, and thus put it to work for success and supremacy Regardless of what kind of soccess you drafts. this sabtle principle is the key that opens the avenue to what you want

It was used by

Mason. Napoleon, Roserrale.

Clementenu Ida shall Field Ita ah derahardt Galli Cueci. Honoresia.
Rochefeller
Hechtet, Sponent
Emerson,
Pareton,
Hechten,
Hechten,
Honoresia.
Romeron,
Honoresia.
Hon Libert Hobbard. Ben. omin Stokenpere Franklu George Washingson.

Medart Mendelsaahn, Coperacies Coperacies Meharicand Picture in the state of the sta Marcas Seculian, L.yz un dent

and thousands and thunsands of others—the He is named but one unterstood to assume times and of all countries and of all religions. and of all colors, make a record of the action of this Schille Principle of Success Notic of these individuals could have succeeded without I no one can surreed without it - no one can tail with it.

Every one realizes that human beings ove a duty to each other. Only the very lowest type of human being is seifish to the degree of wishing to profit without beining processed else. This world does not hetping вмиерие else contain very great numbers of the lowest and most selush type of human beings. Almost -

everyone, in discovering computing of value, also wants has ellowman to profit through his discovery. This is precisely by attitude I red that I should be neglesting my most important duty towards my is low human brings. if I did not make every cflort every decent and bonest effort to induce everyone so man benefit to a maximum exten, through the automatte use of this square principle.

I fully realise that it is human nature to tope been considered in the Print de technie I am parting it it be battle of frequencies of individuals. Dut the battle of parting the state of individuals of individuals and installing may duty to each member of humanity just the more

40 not urge ampone to procure it because? effer, without any obligation whatmever. I firm everyone to produce the South of Princ, it of South because the results it builds in state for such individual are great very great.

This subtre principle is so absolutely powerful and overmentering in the influence for good profit, a tops its and success that it would be a sin if I have it to myself and used it only for my termina-

So sure am I of the truth of my statements. The state win f of the typith of my statements to absorbed y result as a set I if the expressions of my assumed in and so absorbed y certain and it that the Piece ple on a set absorbed in such that I am walking to place this Subtle [2 origin of Suction In y as hands at my as ease with a any oblight or whatever an year year as with a wife real pleasant trements us was as of this Principle of the trements us was as of this Principle of the manufactor in the state are a manufactor of the state and the principle of the second year of the Principle of page (1) and the second year of the principle of the second years and supposition of the Public Public Principle of the Subtle of the Subtl

Thousands of Individuals claim that the Subtre by in the of Success is worth a Change of delign of any sake a million delign for it. You will wonder that I the not sharp a a thousand delign for the Bu size Principle of Success to the contract the Principle of Success to the succession and eather the after , is get in our ansersion and eather to

1. myself have derived such tremendous results The proof have decised such transportations resolved the state of the state of the following the following the state of th

Remember you are under no obligation whatmercet my of the other making making to the Superior Principle of Succession to country to Recip

You would never fargles one, and I could have fargles one, and I could have fargles one, and I could have fargles one of the law of fargles of the fargles of the fargles of the fargles one of the law of the fargles one of the law of of



You want success of some kind. Title is your opportacity to get it. to get what you want

Write our pridress on the form below of write write our printers on the form below of write put a select of a select on a select of the control of the select of

#### ALOIS F SWORODA, 814 Berkeley Bidg., West 44th Street, New York City

ALOIS P SWUBODA, 114 Berkeley Sudding. West 44th Street, New York City

The may mad by at your risk and eagener the Subtle Price spire of her wat.

I are may say and report to beta moved to the minust thereagh he Subtle Price pir of Sucrem of Sucrem with a rage and quen must be bubble I remple of Sucrem with an eage and quen must be an all amage and buses wereness years of age and an electron and buses in the country and controls are the bubble Principle of Sucrem

(write plaining)

Address.

Chir

Nate-The phase statement in Popular Science Monthly lealinglying granulated in every may to be an represented

#### PROTOGRAPHY AND SUPPLIES

MACI, on the with my size the for development and de-enters provide. We said the long-street say the said of lev-gra prints. Or many to for one has an enter of subscrip-ters. Prompt, perford service Remarks Street in manning. Open puly, 163 Bell Artship Remarks Streets.

Pit Mil developed Se roll proce to date. Photo der-vios, 929 McStellan (Sectional Chief

Pitris Pill P. Polders Photo sympatry, 3854 North almost street, Toward I true developed 76, Trust printed Post marks, for Worth general level

TABLE A 100 PR T1 In the Auth tending for a supprint the National A that is discussed that the super state of the super tending to the super tending to the super tending to the super tending to the super tending te

mad first six offer Your next hasha him developed he mad first six perms for mark 24 fours ser or him to make prior with a spd sample prior into a specific into a spd sample prior into a specific in

PH T is he of a Mediumbalia & pure Hedroche lune \$2.55 purpod, propolet forced Myork America, Non-detter

pick highly be epitarguraped to differ and the description reclarated). Such that they despet to display primary like and expenditure of the primary like and altered the management.

#### MICHIEL AND MIGHER MUNIC.

Ra Respet New Police to Contrary our transport to the Add Nove and Nove to the Nove to the

M. H. Spe wantle for a money the style indule states, before any industrial according to the states of the states, before on the states of the

by Maril 2 the marija for a mong the versus poress with finance and give an or is one of polytomation, \$300. Fridgerald do not deliver becambering dispeting \$300. Fridgerald depolyting New York.

\$1 a.b. From money processed I have been prospend one. Hery Militaries, \$15, 16-16, of spens, a results, history, Millands,

Y . Writing the 1th ends for a Planty. We the companie the design from and position a rare. Select forces from feeling. A breat of these is the rare. Name there is not

COMPRESS. Trombeness and le "Free Painters"

WHITE a main power. I recuprose to not and processing publics only Provide prices to be his h. Marting 2019 Proposition Name 1 II a brought

WHITE a Bong Parts force Mother Health I may be any makened I substitute house and statement spilotes on the statement banks between the statement to the statement which,

A IN APP (APP) The No Francisco many inter-discount of a part of the part of t Addition to the section

The April Pinner-plan is by P. D. of the Interpret Characteristic Characteristic

#### MUSICAL INSTRUMENTS

brief this been bigine Bested on their Barress by separate or transfer to be broaded to be broaded by the best broaded by the best by the

#### PHONOGRAPHS RECORDS, NESOCES

HCP2LD poor now phonograph. His seving. Pleasent, metrors in work has the limited arise there is the special contract of the c

W (14) peop Phropograph. Perfor one body quality mind and everythe Notices Theory A new March 19 of the Control of the Control

Pt T is beginn phonomer the TheOrems positive Phonographs positive to be best of size to be a size or from bushell's depleted to a to fine to be to be

Pic the perspine surgions Phonograph and up a recent that the profit is to see that the Pic the region of the Pic the

#### MOTHON PICTURE BUSINESS

WRITE Photogram his men Paperson syndromery Body from to beginners Producers Langua, 104, 80.

PHOTOPLAYS Wanted. Big prove past Yearlie them. We show you how how participles. Puldphore, Box 175, F St. Chicago

Can be Philosoft along y Pound engine exerts you.

To experience another the country and an engineering per second to engineering per second to experience of the country and the country and

We are Jo per new play as loss blue pay Experience materials and the paying the per of and see per sea Province 21 01 Parties, are been Wilcomorp marine, with Charpeters Avenue, that stark, allients.

#### AUTHORS MANUSCRIPTS

WHITE for presupport and disputition fing Pay Experience uno

WHATER Have you a most-party, that's printerplay and Agreed management of many in Manue Asian Company

WEST IN Courter, popular, player, my are wanted or quibble stone to record Hoperson, 1 Standard of seconds. II A Furtheren market and the let tree of in the contract in t for publishing to one

#### BRAK BUTATE-PARM LANGE

OWN Yang Own reange Greece in Proposition Park. Fluids in these take provided texturated contains, ongo above into these in the develope factor of the second and the park the park that the park the many by make only the years had able of angle park to be the pary and maly the years had able of angle park to be the part of the park to the year had able of angle park to be the part of angle park the real product your above your a territor order grows or some many by their and there at the state above in the state above in the state of the fact to be the part of the

Palatin State State State State State and native States, totals, design of the chapters for our or appeal to W. for his oil of the control of

The same was the most for a character panel facility accompanies to the John J. Mary. 1919. Market Tapagement Public Migrophica.

LAMPP De Machagan e base commune. 12 % 10 th are name have been as to be a real base of a second desired by assumed recognic property from Dag beautiful from Property Lam (White-party 17425) From Management desired branch

SPICES IT Obligations a granting city. White for in-

#### BOOKS AND PERSONNEALS

INSTRUCTION Bose for even use an Valence of Character to B

this was dapping the brook puls wash. Any manager, price for brook was Price on others Christopium I in the of one transport Habers of a Chips. Sid., Too by at a price of the back.

The hand the second of the sec 100

Hain's Labour on the eras in Blanca. Cutaling Prop.

Print to 10 10 1 d ling over ing Marchant 50 m Maria Lary Property

#### TOR INVESTORS

Britt Charthagaral Salara amin alità illustiva dont deglialife leggi di partire del Carte de Carte de

Pt Falls W to By from spite bank and Fritzment of management thank from the spite of the spite o

The NY SET We make most the tent of Penning Street of the Second Street of the Second Street of Total Second Secon

Pick to a strong the proping through factors in the strong water and a Pings parameter of the probabilishes in 2 and one of the probabilishes in 2 and one of the probabilishes in facts and not water or a state facts and not water or as Street only and an older op-activities of trape of their same feat office at also all on yet got only de mare françois Talient & Pallent, 400

No to the color to all temptors contain not to payone, to peed to or the color forward reason. No color for July of the color for the color for the first to the color for the color for

21 to 1 and a prior only be seen used to self sectionally re-ner on on all the form in the datase Pipeling hills in the fire people frames.

Till a blandrat stag magazir "17 Per-mate to and there a s a total agency black serv, between Prices of Sank Sankal Managanga triang

N. S. N. In Suggested advector for elementary of the second of \$37. First eleman Johnson, Martins Bushing, the of the second

#### PATENT ATTORNEYS

PRE NOC From the man to the wheth place which bit paints we can be no tyles and there you have to do the prove a regard in a process map of the arring pre-ture can the name or of block the set it to which of you. We can The state of the property of t

PATE NTS Horbert James Philast Attenues and or have at Lance 123 J. would, it subtraction to a land and me many one. Annual control of the land and me many one. Annual control of the land and me many one. Park to the last

PATE NTO Trade-mark suppright, (Surge) here

PATE NATE Prompanty promped Proposes reported and officials newton Regress retorioned Market Incompany and advise Legerge P. A. State Market of Principles of Market Company P. A. State Market of Principles of Principles of Principles of Market of Principles of Pri

Part CTA dept for few book Contains valuable in-flering as for ever on her elected of year is veriage in the option of a paramatic narray Prompt market (Twenty 2 to a represent Talket & Talkets, 6654 Talkets, Wasseques, D. C.

CET years along gasquin. Start accordance from Band giving information from Carl Larges Company. In Part Rate Street | 1005.

PATY NEW The Expert Personal Service of this free to of grows amportance on pure to prosperty producting road throatens by papers. July 68. White to July E. Thousand & W. 20. F. Street, N. W. astrogram, P.

MR. A CLETTER. And to-lay for a court of the Children Actions Conversing Rate Fisher. If contains made No.19 against any forth orbits to P prove intervening and valuable to play it also cless Rate V.o. has been broughted to play its share cless played to the played to

PATENTS present parameter efficient persons by an Actuality at Law at the interpretation of Policie practical, from a present of all a forms into the management. B. P. Standspring, 2,25 bill this cities. Westpring-

To The New Let From Highway references from the control of the Property of the Control of the Co

the control of the control of the property of the control of the c

to take Bridels & 1972. When a strictly president

per to he repeting the termina quist in encourage in perfect in the form and the second of the secon

I Note to Postal Remarks and Statistics many atthings placed to a Post School of the Statistics before the constant of the Statistics before the constant of the present of the Statistics of the present of the Statistics of the S

printers and total upper a motal Standard orth free sale for grant. The part of the printers of Management Common Management. It is the beauty of the break the forester burget.

The many to the property of th

the property of the state of the property of t

by E committee of the black Westign on E C. species acres on march tall no elect to a part that granter of work and remains Medianals county to Advisor

THE N'T have your driven to be taken promoving Others are not proved for very sense for many sense overs the foliable being a fortest of real edge point to the others and takes to prove the foliable provided as to write a foliable provided as to write a foliable the provided as to write a foliable the foliable that the foliable the foliable that the foliable that

A of a NIR growth of transportation regarders to the protein tight approximately prompted and vide to the protein tight approximately a few productions of your change. The improvery a long plantly for pashed or the transportation of the former of the for

b h M. Turmen, it has no ever W for the last welling in Protein Protein Protein

#### ALBERTY AND VALUEMEN WANTED

, a like of Your Anisotta Reals with the colompation managed annully and means, now to be compared both an explain. If present them, and opened there are a sum of my compared to an area of my compared to the second second should be mean to be found to the second should be found to the second should be found to the second should be found to the second second should be found to the second second should be seen to be found to the second second second second second should be found to the second sec


priority of Trees, known administrative participation them.
Previous plane a we note telephonical distribution interage of any participation to the priority of the priority o

A TATA Stant: Incided Latest instintentially of Ball had a for one founds, of widow explainmentation to each lower to be an are to company the profits beyond greats. Whate or each time is not given been because the control of the c

ACCUMENT Metable from which taking arrived by tag-miliant subtraint independs because of objects making to an four the space large are believed and content pagests must five write to any last making and content of the pagest 1.00 cm pour limitation is space to y. All quantity

RALESMEN Race Present made employedly astroctive, more a security with everywhere P C Rey-

165 f. Words a Green and Appen Averageous may make general informed with included. Memory The Street and Built would prove other than his fewer stame at leavest street moderatings from parties a historical metion of \$ 100 better models \$75 days, day formarily \$4.00 Cm., \$2000. \$600, Tobods. Ohio.



I've done it for thousands of others. I can doubtless do it for you. If I can't then it won't cost you a cent

MEAN just what I say. There's no trick or catch about it. Give me five days and I'll prove that I can get your pay raised for you, I'll do it on a "show you" basis. You get the proof be (ore you pay me a cent.

You've probably heard of me. My name Man Who Makes Men Rich." I don't deny it. I've done it for thousands of people-lifted them up from poverty to riches. There's no sound reason why I cannot do lt for you. So let's try

Now, follow me carefully. I'm going to tell you exactly how to do it. I'm the possessor of a "secret" for which men have been searching since Time began.

There a no need to discuss the whya and the wherefores of this "secret." Suffice it to say that It Works. That's all we care about-11 Horks. Over 400,000 men and women the world over have proved it for

A FEW EXAMPLES Personal Esperiment

Pertural Representation of Power of Will give such mean of utilize here is infinity Superner on Equation (S. Superner on E. Superner Equation (S. Superner on E. Superner Equation (S. Superner on E. Superner on Equation (S. Superner on E. Superner on Equation (S. Superner on Experner of Superner on Equation (S. Superner on Experner of Superner on Equation (S. Superner o

Day's Realing

The result ( com after day's attack better that the ENY resh is sufficient to the ENY resh is required out the statement for all times due to the statement. So, the house of the entire that the entire that

Warth \$25,000 and Hern The tough time been worth their than \$1.5 MO to con 4 Japan 5. Sheeppand

Would be Worth \$100,000

II had only had it when I was 30 years old, would be worth \$100 cold a day it is eastly a hundred course be posce 5. W Ta for The boots Fa Ry Milland Fam.

From \$100 to \$3,000 a Mouth

"One of our bows who rend Provet of Will before he came ever here imaged from \$100 m meach to \$3,000 the first month, and won a \$250 prize for the best materials hip is the State." Private further \$100. A E F France

themselves. Aniong them are auch men as Judge Ben B. Lindsay: Supreme Court Justice Parker: Gov. McKelvic, of Nebraska; Wu Ting Fang, Ex-U 5. Chinese Ambassador, Corernor berries, of Michigan, and thousands of others of equalprotestience Some of the things this secre, has done for people are autounding. would hardly beheve them if I hadn't seen them with my own eyes. Adding ten, twen ty, thurty or forty dollars a week to a man's income is

ten to this:

a mere nothing That's merely playing at it. Lis-A young man in

instantaneous results.

the East had an article for which there was a nation-wide demand. For twelve years be "puttered around" with it-barely eking out a living. Today this young man is worth \$200,000. He is building a \$25,000 home—and paying cash for it. He has three automobiles. His children go to private schools. He goes hunting tishing, traveling, whenever the mood strikes him. His income is over a thousand dollars a week In a little town in New York lives a man who two years ago was pitted by all who knew him. From the time he was 14 he had worked and slaved-and at sixts he was looked upon as a failure. Without work, in debt to his charitable friends, with an invalid son to support, the out look was petchy black. Then he learned the "secret." In two weeks be was in business for himself. In three months his plant was working night and day to fill orders. During 1916 the profits were \$20,000. During 1917 the profits ran close to \$40,000. And this genial 04-yearyoung man is enjoying pleasures and comform he little dreamed would ever be his. could tell you thousands of umitar instances. But there s no need to do this 20 I'm willing to tell you the "secret itself. Then you can put it to work and see what it will do for you. I don't claim I can make you rich over night. Maybe I can maybe I can t. Sometimes I have failures every one has. But I do claim that I can help 90 out of every 100 people if they will let me.

The point of it all, my friend, is that you are using only about one-tenth of that wonderful brain of yours. That's why you haven t won greater success. Throw the unused nane-tenths of your brain into action and you'll be amazed at the almost

The Will is the motive power of the brain. Without a highly trained, inflex ible will, a man has about as much chance of attaining success in life as a railway engine has of crossing the continent with out steam. The beggest ideas have no value without will-power to "put them over." Yet the will, altho beretofore enturely neglected, can be trained into wonderful power like the brain or memory and by the very same method—intelligent exercise and use.

If you held your arm in a sling for two years, it would become power reacted in feather, from lack of use. The same is true of the Will-it becomes useless from lack of practice. Because we don't use our Wills-because we continually bow to circumstance—we become unable to assert ourselves. What our wills need is practice. Develop your will nower and money will flow in on you. Rich opportunities will open up for you. Driving energy you never dreamed you had will manifest fuelf. You will theill with a new power-power that nothing can result. You'll have an inflaence her people that you never thought want it wil come as cast as all are came before. And those are pay a few of the though the series, wild for soa. The secret is fully expusibed in the wonderful book. Power a W v.

How You Can Prove This at Му Ехропае

| know you'll think that I we claimed a lot | Porhape you think there must be a catch suggestions. But here is my offer. You can easily make thousands—you can't lose a proje

Merely clir the Send no money—no, nor a cocoupon and mail it to me. By return that, you fl receive not a paraphlet on the wide secret and in this wonder of book. Park R. Ob. Will. Kerr it for days. Look it over in your home. A year some of its atm a e trackings. If it doesn't show you how you parsing rate you to one many times over-just as it has for thousands of others-mail the book back. You will be out nothing

But if you do (est that "POWER OF WILL will do for you what it has done for over 400,000 athern if you feel as they do that it s the next gr atest book so the Bi or seeks me only \$4.00 and you and re acquainte

If you pass has offer as I'll be out only the small or for on a \$4.00 sale. But you you may easily be out the difference between what you re making now and an income several times as great. So you ace you ve a lot-a whole lot-more to

Mail the coupon or write a letter now you may never read that offer again

Pelton Publishing Company 14-W Wilcox Block Meriden, Conn.

PELTON PUBLISHING COMPANY, 14-W Wilcon Block, Meridan, Conn.

You may send me "Power of Will" at your risk. I agree to remit \$4.00 or remail the book to you in fire days.

Name

Add: 🗪

a GENTS—Make a deliar as how full Mandoux a patrick patch for instabilly projecting leads to all streams. Sample paragraphs: Telesca Mig Company Argu-66 Association, New York

140 to 1 00 a week Pros samples their stres tellows are one my part on withdown Buy Jampane seems offer passered says the Monathe Later Company this a North Late. Threads

A ENTH competing designal, the brediens, con-nous regists, as easily million to the chart start of fitted status Windows at his boundary fident every feature state and 150° profit on every note made manufactures. The Pleasest Corporation, ignal Wings when the street of paragin.

M M and Woman Become independent such years burnished experies a quasi-comment of the Section of

VOLANCE to take three growing and profitable builded, represent one had a territ for a section. It is not been up a super tree trapeparent Company 198 apaid Company 198 and Company

RALES IN Managery or tent seems hear Lacktory stock of my step them. We see you a lift of the Managery and toraid. Witnesses Western the seems with the seems to the seems of the seems to the seems to

Hate We wish of 1900 of a limitational apply new on sent Plant and after age to a commentant in me with the factors that agrees a square with a few with a few materials are self-than a solution of 40 pp. in apply of the materials of 40 pp. in apply of 4

A high such that the second to the property of the property of

Till PR self-to the highest to a Therm Agent 12mm on for the feet and 100 Med septile speker and one 27 piters on tellow ear every price by Western St., he bloom on tellow ear every price by Western St., he bloom feet told 12m to breatherts of the head of the second

It Money and base from Proy's request topy house \$2. There proper charty easy Wirth for part explain and from appearing American Management Cash party 47 Kant Party Property.

A PNTA many Start, profit handling auto facul-gration for part into partition window Start Faculty light and more! signs, actually from different company that he inclines

Man in parts comes to infinite characterists be an finite parametrican by new spectra if it is to be a second of the parameter was a finite company. A company to the company of the compa

PATI NTM W. 10 for Front Hitspreaded square based than the first margin for front aparents of the patient of the parties of the parties of the patient of th

He I riskly W that grachs, for estate and conjunct acceptable programme, decreased large above on softe forces on hand by even made by less into an angle of Parago performances that performs a program of the programme and programme of the performs of the performance of the performs of the performance of the performs of the performance of the period of the performance of the period o

Apart of the long profits Bush and changed the op-letter movies books approved house brings have used the fact total and from plantifile. Wein pany \$1.3 Received & Venues, New York.

Sirah County is represent to in your latelly springwood feld Kampion from 's emiliate Sign integency (regit & Note Note to 1 Intend St. est. Forcets.

RESIDENCE N FP of the set of Beginning Beginning the state of the set of Best and N in the set of t

At \$100 Per Perils for booking of the temperature region.

If the one is a figure of the control for a single profit in the control for the co

pt to bear a melting thereo. Production, 9 time to discoun-tion for few Samples from Taxaner Washington, Site Same Committee,

REGISTER OF Burners for Forestern, Cook and He or Distance.

per more plays for money appearing partermentation, templos.

Special appears the all state to a set to smaller the all states are not a smaller than all states are not a set of the smaller than all states are made and the smaller and states are made as a state of the smaller and states.

William I have been by the course of the post of the court of

MID at I VIVA wall is not receive from it dust being to serve the wall of servers and response of the servers are requested to a server the server of the servers and response of the servers are being a server of the servers of the deligning a very measure of the taken but Typ I limb, dates or a place throughout the middle of the taken but Typ I limb, dates or a property of the taken but Typ I limb, dates of the place of the taken to take the property of the taken but the taken manner place of the taken but the taken to take taken taken

\$10 Will hill of finest taken on pay performs, tolled faters, and on our absence of five to appears or our refused and artistion of the pure \$15 to some Streets. Print.

ACTIVES manufact for noncomplife operations, three this patients patients buy would be employed on every subset a plumped theyber Scoring through a which a set force brooks etc. and estimate Francia Rosensky to New Partners. It becomes been a America, Employed to America and expectations at America, Employed to America.

Life APPPETINES Ask sanday for a copy of the Quest Arthur Advertising Rate Enter I recomme come really inopprints there exists with previous between an two residuals o your It nine to Rev Year as the land, recipied Simplify Productory You it has been advertised a previously produced a previously produced the same of the land of

O'VE outr's day mason 1905 per masch. Pice a day-b fell per topyth. Marvelous new Australia Archae Marvelou retain \$12.50. Nort squair 15.70 more on 1 to your granter Write go et he preferring topy long and 1713 offer Calendaler Comparation, Days, O. Grant Raping, Maringag.

EVER plinated work for increasing them man, clocks, during upon more will not there instead to their mission. Jim want present who can give a min, frig mages mission. Navelly Challey Company II that thereby

to E. N. W. There are the John Registed Respect the capes and access suppression and an instance of every side of the act at a limited of every side per day in the capes of the capes and a standard result to hard the high of the day of the capes of the act of the capes of the c

Af 3 97%, his position or four formance flowers 3 feetings and Rose seatour flowers by new buildings and no formance are been 6 Policie champains birth France Avenue. Re-

of Vi for stores and off on Eatrest new \$35 mosts to make 1 having a fight France, T. 3 to great strong,

of Work hand oranion furt present man agents

A FNT4 day was a face and member policies in from species for the first or to the property from the property of the first or the property of the first or the property of the

a N. Freight has garried and the state of programs can be excluded as a first and the first of the first and the f

Wight By Still his display deal of the house support described by the same of the house of the h

There were higher brought of the party of the property of the party of the same of

AFT mer place has setting a one Proming spice at homes, his right parties and homes, his right parties and matching has been appeared to be beginning against a partie to be beginning against a partie to be beginning against a partie to be t

I has note for Ports for me make their Shaney for refers and day is sumply to the effection of Magain Amounty Windstood Rowsing, Westington, II t.

WATER BUILD FORMAL PRODUCT MATERY BACK.

The got into the ever-brief tarbetter severy because being or of the last of the best and a couple one of the last one from the first one of the last of th

In 1 till approxity onto the Convergette moving of a 40 h 4 h Make \$15 daily 201 Pening vanishing by 17 ng proxity 2010.

TO N 13 of Technical politics were according to contract the latter of the factor of t

that of all the No. Not became only actively resolved by a both the term objects of degree yes form there of the term of the term product of the post of the post of the term of the term product of the term of t Extent may not belo wealther by the

ATR CONTROL OF SHE LAND DATE OF A PROPERTY OF THE CONTROL OF THE C

THE ATTER ATTER A READ OF BRIDE'S CONTROL OF THE EAST OF BRIDE'S FOR A CONTROL OF THE ATTER ATTE

While I apply on a former A discounty taken Your case here to the are I have and descript the set here. There are the are to the set the area of the set the s ther may

It the titl Boyd Moreov Maker I married with the Ball of the second of the second feature Reader that the standard feature Reader the Principles Principles and a

Addition to Travel by automobile to introduce our fine or by previous privat because of forest on The group of the second forest on the second of the second

At the last the presentation the effet profit.

Free satisfies theorems, Professional Man resolve which provides a last many the first terms of the best state to the state of the best state to the satisfies the s

Af PATE We pay 50 a day takend erters for New Kee Island Regard First any stock Started out and No observation or against a figure space time or full time. It like for the less and tracking enough. Thousand Mile. On., Chap like Deprise, Oheo.

AGENT'S stable big housey becomes many may be under in every houses. Our despero sain to become manuschen have no appear that emerce be related. A bright copy of during for overly need. Observe concentrations and good to pittary. North Reage Struck Company, 136 Clark Struck, Pro-Per L. Ellateren

MARIF BOOK meet talanday Epoclerator for Fords arting the Maries Court of Ford Motor off claim. Making any Ford me has a Factard strong staling and hierard For an appear to talant actions. Not halon as today, best am to talantee of day may pipewald preside and sections a terminate of the section of the se

White Park I will be to be the transport of the property of the control of the property of the

1917 PROFESTA pelling Duples Transformers Every name owner reach both Sarie End Indian spark plan Bradder Furty-ave territory Write quick Judden Mile. Company of Statums impairs, Nutrages.

he SI wanted to sed greeness. Setting expensions and informaty. Fine of the War is argued window in integral because expetable over a only one of match and from more to provide the interfer and transity browns in the off on the remains place of greeness parties recipitated for an interfer function, at the expetable recipitated of matches of representative parties recipitated of matches of representative parties. The capital recipitation of representative parties of the second of the seco

TART I WARPING Craws Capping Machines and to every harques to a and in efficient or eligence of poletic the filters. I am a makers. Agrangs, [Assaura, writer Minches, The print Adherical militarians.

At New Assumethment Har News Representative Completes Aprends of the Sea of Season Pages of Season States of Season Season Plantage, Pages Season Sea

from the first term of the property of from the second of the field of

1 no that? Y writing the New Amburnet merekable. Depose and you am his writing between mere for the bestween private of the best and the control of the best and the control of the best and the control of the control

A PAIN manted be mill the fareigns of bequests and important the formal property of the painted to the fareigns of the painted to the part of the painted to the part of the painted to th

At NTN Semestring brand new Lionarip Safety for only All on the band here. De la tiga nempion. A L. Musicon M.C. Stapency Mod Rather Material

half of and women agents watered a self a frequencial actual of which to the major has be applied that the parameter of a self a frequencial of a state of the first in reason in a first in the state of the self and a state of the first and a state of the self and a state of the self and a state of the self and actually a self and actually and the self and actually actually actually actually actually the self and actually actua

AGENTA Special Interprises Transferous All Chies. More Pop Low at Lange Printip Leil par prints. A more Manufacturing Company \$200 North Control

hills & side Fire It And to-day for a report of he Though Crimes & or paper Re a Futber for a recording form of the Resident Fire Resident for the second large and the fire Resident form of the fire R

A 1 NTM Shide this error Literack in it the instant policy process of a project of the first of according to proceed that the process of the same process of the first of the process of the first of the process of the same policy of the first of the process of t

the to the sentent to set our 33 higher severables gain painters of full man entered from a few painters. Therein a few paid reliable. Within Deposed Commercial Minches Allerton Commercial and Commerci

#### RELP WANTED

7 B.S.s. Fib 5th mate high receivery forces detained. Transplant technique architecture is M. e. alle ma Particulary from a temperature deviation forces. 1966 Promittee New Jan.

his a desert on. I wident outsie for a good par-wared where it Ladway 4.16 Wester or Hidy Kennes.

While deale great Play streeting opening Auto bend-tion of the Plane From Clarence Sprinkle, Copt. Martin colomacy IAS Martin Bellinder

The terminate I led out here? Pend stamp for in-refeate Penh and particulars. A Le Delle Sex M7. de tagetes na discusa

117 a Alexand Capara 47 5 D a day nouse time bound of the no capata we their start you making and absence askings from the method from prospectus. W P. Dort from 179 thought Serent Seconds N V.

FIREMEN Probates Barraremen B140-8700, Culture: Protects by Fallbands Protect berry Expellented Communication of Colors (Colors Colors Colors

MEM Age )? to al. Paperturn management ? Quake more in restinations, reports. Salarion ex-Assirtant Provide Laborators Agency, AZL, ell. Zopio.

## Some Amazing Stories of Quick Success

T is hard to believe that a man who has been working for years in a mutine job at small pay could almost over-night step into the \$10,000 a year class. Yet that is just what many men have done and are doing today. That such big success could from so quickly and so easily seems a cost increabble. If I should tell you that one man who had been a fireman on a railroad stepped from his old jub to one that paul him \$10,000 a year, you would be inclined to doubt the truth of my statement

but I can show you the man's own story. And that is only one instance. I ran show you many more. And perhaps the most is reviewing part of it in a that these will were just average near. They came from a walks of hie from a ficiels of work, They had previously been clerks, hookkeepers, mechanics, farm handal Some of them had never parned more than \$60 a minith-some of them had drudged for years at dall, uninteresting work without prospects of anything better in life. And then, in one quick jump, they found themselves earning more money than they had over thought possible Sulfrensy di their frea is of success, post on and financial independence came true

#### The Secret of Their Success

Who, was responsible for their remarkable rise to the runks of the hig opensy makers! What did they do to be behindred out of one pay rut and step to mage Reent entaings!

The answer is very simple. These menderided to get into the great field of Selling—they learned a want the wongerful opportunities in this laser is the property. fewer in waity salesines are always in Jon and why t welve so much more money than it is at at er fleids of week. And they became Star Solcamen

Probably if you had told any one of these men that it was possible for him to become a Star be somen as would have largified at the 10 to you had a do not that it was not once possible

that a send be done in his spare moments at nor e without interfering with his wick he would nave dismissed your statement as being loo abased to be even consciered. For you must a day a experience of Selling that had never had qualifications for So esmanship-no thought of ever becoming Sastsuren.

#### What Makes a \$10,000 a Year Star Salesman?

As a matter of fact, these men who are today reaping such bandsome rewards as Star Sciesores. would probably be working still as clerks, book keepers, mechanics, etc., if they had not learned a out the National Selesmen's Training Agents to be system of Salesmanship Training and here his drythers. Select The stan organication of top-notch Salesmen and Sales Managers formed just for the purpose of showing men



#### Send Me Your Name

I have charge burdeeds of man have to stop from small pery jobs upto the big meany charges over again 1988. Ellipside a poor year and more by peryone in more as a result of writing to go. Just be go need year the whole amounts promi-culturely trees of cost or obligation. J. E. Greenaleda, President, H. S. T. A.

#### Into the Big Pay Class in One Jump!

Etrand 1874 in Fan Weeten 1 has not a surround smoot them 200 a mounth. Last work I closed 1100 and this work 1212. You have done non-deed for you. Gen. W. Kenzen, 197 W. Park Place Obligations City Oblig f Now East on High as \$100 a Day

I took how to reprint two years ago. Was naceing \$15 a much clucking. Any man will be grown of the targest forms to the \$1.5 base exercise to the respect forms to the \$1.5 base exercise to the respect to any position. Our Subta Manager is a graduate of thank \$1. DeBooks, 1939 \$2. Candida Ann Chienge, III.

Erwed 27 300 in Sie Breite As soon as I received a initiar from you and your literature. I brane that I was and your literature I bear that I was an the right track and very reads after I applied for a position or a Salvanian to make of the forms where you and arrived to make make a whom you had response and are whom you had response and so. My marriage for March were new at 900 and wars literature in weeks, while last make my agraduate ways \$150.

wheth the last mank my narrhyge were \$356
The N 5. T A, day man not of a rat where I was enrolled less than \$1.900 a page and phaned may be be to make a make a macross. J. P. Dometroot, Dallas, Tex.

how to become Star Sousmen and fitting them into post our us tray and I as ching Specifical.

The ogh as help home the of men have been able to see so there d. some of hig opportunity, they see, we with and inseptendence. Men without prestone reper ence or special unfolkacions have his red the search of selling that make Stor Substitute - a bar smen are not been but made one are man the rasely maner the prorripter of he summered through he wonderful system of the his more below me a Training Amorutant, Arrone who is infined to loud that the to so lun only to read the st u es of men who tell in their own words what the Association are "one for them. Here me just a few enumpier

J. P. Overstreet of Daslay, Trans. who was a negly on the Capital Police Force of Washington, D. C. states. My menings for March were over \$1,000 and to \$1,000 for he last oft weeks, while last week m) catalogs were \$356. The N S. T A dug me out of the where? was naming less thus \$1,000 g year and showed my how to make a survey.

t W tamper of to endury. Pa we ex My entances in the part they days are \$1.562 and \$2 was 54 and Prize . May be although a up 5 worked two weeks during that month

#### What These Men Have Done You Can Do

It we not cost you a penny to learn now you too, can become a Star Sa reman and take your place among the big money mak to d bus this Whatever your and a top may be \$5,000 \$ 6,000 or more a year fine our about your green opportunity in the wonderful profession of Salesmanship. See how the N S. T A

can open to you the way to a big selling job, to prespect time a real assumating with ravel, contact with influentual men. Just mail the coupon or write, and you will receive, without cost or obligation, proof of what the remarkable systest of the National Salesmen a Trusting Association and to FREE EMPLOYMENT SERVICE can do for you. In addition a great book on Sarsmanship wall be mailed to you without charge be san success that others have achieved and of b opportunities that await you in the field of Man the compon or write lodgy

#### National Selection's Training Association, Date: 13-44 Chicago, III., U. S. A.

Matienal Subscience's Training Association. Days: 95-W. Chicago, (R., U. S. A.


Send me Free Proof that you can make me a Star-Salerman an tell the bow you will help me land a sell no job. Also list showing times of business with resentings of Salermath. This come not obligate meso-ALL WAT

Name

Street

City

State



#### 100,000 High-Salaried Men Needed!

ART you interested in spate his obscatting a big and his access one may bed professions suggested to bout the next of a seal of the Management suffers you a fact, but the hispine. Against a ment affects paint affects take the hopper. According to the state of the year has proof to prove and it may be not extended to the state of the ment again. Such a feather than a self of the ment are ment and others, the has the others of the area are ment at an amount of tartic who has conventing the contract of and have not to compare the case of the tartic of and have no graph part for ment against part for part and are ment of the contract of the contrac obtain one of these fine traffic your roust.

#### Exchange Your Spare Time For A Big Traffic Job

New through he treesboat Lancace Americans for the high of he my of discount in a continue to the high of he my of discount in a continue to the high of he my of the high of the factor of the high treesboar page for the finite patings of the factor of the factor of the high particular as the high particular as the considered of the high particular as the my my man of the high particular as the my my man of the high particular as the my my man of the high particular as the my my man of the high particular as the man page of the high particular as the man page of the man and the man page of the my man of the man and the man and the man and the man page of the man and the der his der bereichtig in ber in eine in der un der Beig bei bij der die der in Michael derfeite all den gleicht interestriere F

Traffic Man Earn Big Meany Because They Save Their Firms Big Money

This may be understand they raffle turn and in upon the days this days because her hind rate on. A braffle man presently in all his connects \$14 000 ner throughout to their days print by the present According on all \$6.5° is shapping 50 methods in the Dayles Art has marred by \$100 methods in the party of a stifferences race on \$1000 met from \$15 minutes in

Tuffe Especto saved an automobile country Chart tent - as parentes. A tentile a copy of one county the franches passed by the flatations coal companies were beautiful even requestly specified by the coal of a finish of the coal of the coal

Is at they weather that the trailer expects who is men they respective to adveloned the made of deligners to frequest therefore and bushes part. For hyperhology can always the annulus managers

MAIL COUPON FOR FREE BOOK

"House programming the given tradition only. [4] of surjects making from the first old programming from the growth for the surject of the sur produces never the front had the policies while the real of given the real of produces and profit access with these had harded the the project and profit or determine an access and made a wife one of all of field of administrating places of the produces are proved and have place on a page of the fig. 100 a produces a convention that otherwiselying profit made to the figgs had well appear principles as a significant of the first produces of the property of the state of the prohat to like move fed protocorn value as move for your less movements to be pay you but thomp for them. A Congress techny

AMERICAN COMMERCE ASSOCIATION Book, 1418, 4842 Donald Hod., Chicago, Ill.

American Com	-	Asses	leties,	
Bant, 182, 4041	Despel	Blod.	Chicago,	E.

Please and you a those shillywood party per built. "A Key Probation, and salt me from I am austra-for Traffic Management.

MIN wanted I want a lew more men to train in draft-gappy | appetrage nich managery | Pattagent start |

List per m-mal and have hig deplace Spirit all appearance nt Listate questal ab home of me mal ton p we manage by the manager of the manager o

ALCOTE No moreon, French place questo. Eury to hear species produc Place from Wear Marie Works. I produce operate Manuary

Hit High after component or only from \$150 to \$200 per from and properties. There is been and \$100 per from the analytic from the first properties of the formation of the forma

PATT NTA Rose for Real earth for five openion of patent de Da . Traiburt & Pathort, 4940 Talbort floship for Washing a. 12 4

He as appet Perman Municipal time des 16 du tet year name exercis your ere and in her take. It write out he from Minus Sept coppers his de Labour Minuscon

NO W WESTERN FOR Detecting there. With the re- or recommend for an in the San.

WHITE Photography Lab goth Friedrich unbereit.

1976, demand for graduate riserired superin Pressure k p was or him . I negliser T seeingth 10, 60 est Mirtholis delatif species of order Winth World L. heads treatment we get heads

his a training firs of the than more work write Wagner | Ad hope Tate New York Price |

NIFY and into the desired about a series from the Mills of the taking delich and heart and delice Mills of the Mills and the Mil

What he should there should have the Written or those in a course and the stage of the blitter 2000 American absence here have

#### BUSINESS OPPORTUNITIES

Parl VII from bre deal street to free organism to highly is nature. Tablert & Indirect, 4s42 Tablest liquid.

patriota is natury. Falture & Salture, 4945 Tattore buying-for P. an or 12 to 12 to

to eligible of the manufacturing personnel market problem of the manufacturing to the manufac

Af a h. h. Mag a Ligarity months of hardest only a lightly of the other moure near that and been about over each time of pressure or lay the state of the state o

ART were extended with the decreed that have made in the post! I have all a start time a lagrance and me start power or training and the polarism of his mercury made against the form of the polarism of his mercury made against the form of the polarism property of the polarism property of the polarism property of the polarism property of the medical polarism of the polarism property of the medical polarism of the polarism property of the polar

PATE TO Prompted Trade blacks Respectively & construction of principal net sign for it prompted by the first prompted by the prompted of the prompted by the prompted of the prompted by the prompted of the prompted by the p

FARSHY Channel will furnish formula and Trade for larger and three Park Commission, Ph II for on Armen Spinston, New York.

A 47 FING Auto Tirm provint and profitable of Plants But of a single from degrapment reports to another the single from t

has a determine Providing approximate good pay

of I till bracky by your back and No months of Particulary from Notes 411 Fam Strik

The property of the property o arana Bheyd

ment the property of the prope

Sign interest to the first wants programmed the comments of th

prosperation response of all knows sold

y M appe out on a sent to the County original material from party and the land of the day of the county of the cou

principle of and a materies 30 National Librar Mag.

The state of the second of the

P PLANE CONTROL PROPERTY OF STREET WITH WITH PARTY OF STREET OF STREET

PARETT NEW quarte group your raining pit or frame, any to raine Will put interfers with your raining cona structure Bereit, but from the U.T. They's, from 1913, Earthterm Wignestein.

ENTER a new temporer hare \$1,000 to \$7,000 years in preferenced took brakets and \$0, as a foot specially specially exemple everywhere with all the Carle year can attend to easily lexited by anytons as because in a few several, at much expense so \$1,000 to \$1,000 to

Will start you in hightness, flyraphyligal enverything Man an eventual 2 to 0.5 of the event in previous out? Man 2 strong specially limits bactures an explorer apportunity flore the like start beat if high-late Company hand Grange New sectors.

The Fig. 41 Manager Wanger is 10000 to 110000 a year the us user man exert of a good upon office us the user is an analytic state of File X and y hother after piece again factory sarrage public the transport of the companies of

P. V. 664 carsing per tired in continue. Trade for covery Purity recipiantes Soil with Frights. Adam witer Mile Co. No. of Louis Missouri.

FIG. 7 may be often 1 on per new business quick as a may be to be the restriction

341 M per there has are informed the testing agents inquirements being problem of the orders and a real of the being free. We find that the heatpile and it and as marking free. So experience testing in Market being the property of the agent of the property of the proper

Pri Ministe and Iterating bles think as no quint lake be builted for the count we easily can bearing that the by the builted to the book to debught Principle district builted at 10 hours of the same bearing the results of the same builted to the

WT tit T & Larry to Bearinson if history there We liber to have been by meantiful, and superposed a supersonial residence on brintsbeam and felect if and the year. Not repiting the recipies the property of the property of

is a 188 for the experience of the state of the second of

off the g classing dyedness and primiting about to prop-own home form product thetatin from 4 A Harmon warm of trans. A national

A NEW for from Local More to Approved by Rocal Colleges Discover Mill of Developes of Nine Obself Lightparating He by managed a decrease of full heaping 4 N. S. Feet Print Louis

He by managered their respect of the price of the price of the state of the state of the price of the price of the state o

The strains institute to prove appears apply a figuration of the strains are such there is more miner of the filled for the strains are such the strains are such that is not a strain of the strains are such that is not the strains of the strains

#### STAMPS AND COINS

At different element along the parties to append (Trige thing are 2 server entered element to app \$1 in U.S. represse perforation gauge agustionelles made estaps parties to be described and re-dependent of the perforation of the performance of the performance

CALLE ON SEA made question then \$70 fits plan have y Magnegati

50 till event ataloga 21 60 200 200 120, 120; approvals.

A impaire Foreign Station Merica War landing Seminaria, "Interfer that of the service Construction at the Present Approval Mississipping of the Page of the Present Approval Mississipping of the Page of the Page

STATES 20 All Histories 5 Courts, Manifest pager Queber 4 super of fatelly thin

By an PATH past for burndowle of sixt motor dated before 19th, for a 19th at a Drive for some little start date entire some of section and the some first some Clarks in a 4, and the long later of Later, it is

of periodical liquidation manager, the files of 2 and questions are at the period to the period of t form per ter of a part of from 170.


art of per 50 surretion. Transvenet Brand Pure. Pube. http://doi.org/10.1000/10.1000/10.1000/10.1000/10.1000/10.1000/10.1000/10.1000/10.1000/10.1000/ or nime Miller of

At the city of the contract that the back of the contract that the contract to the contract of the contract of

brings & at some the Totale Blamp Company Totale.

I'l carea force fall selling estatette of calco for four a stream quelle privat soil for otton ton With on Hemista, 200 A Tremont Street, Southth. ATHER CLIFF

10 11 FERS OF part & highest treach ("chiquest 190 Section of the treath sections Washington Fr. C. STANE a became a Albuma, general for 100 A packet out and anti-rect mamps a wall predately blugger. Millimeter there any high particle blugger. Millimeter there are supplied anti-part for Arbite L. Criman, 600 Section Representation for Arbite L. Criman, 600 Section Bushington for Albuman, 600 mamps be N. Shrever, French Calquing 100, Linus From B. Bibliotary, 713-A become, Lagran, thins.





\$2,500 to \$5,000 a Year

Earn old an a min would production first sum of the data what quality to a be proved to the data when the same follows the provided and stay to resident manual track of the property of the same of t

A councilede d'aft ng per will apecual demonda instrument à managem cur se une audit des men augustes cur les une audit des montes ou contrait des montes de la companier de companier de companier de companier de la compani SIGNAL ENG ME RIMI

Write for Free Book

Without-day or at row by filter the brock on black the state of the st

DEPARTMENT OF SIGNALING Days. \$200: 1524 Seemyands Ave. Cherapo, No.



EN are wanted by the govern-VI ment, police departments corporations banks, institutions and individuals these men must be "rained. Finger Print Men-men who have made this work a profession.

## Big Salaries

and big rewards go to these experts because they solve mysteries that baffle the most experienced ordinary detec-The finger print elew is one that cannot fail because no two people in the whole world make the same mark

## You Can Succeed

mastering this fascinating, big money-making profession by studying in your spare time at home. Common school education is all you need. A brilliant career is before you. Finger Print experts travel everywhere, see the country we in the high bottle and have all superinte that There is a crying found for such input problems in help repetited. Get started at once right now and he one of the highest in the field. Get use I pee book hoday

## Mail the Coupon RIGHT NOW!

Fill in this coupon and mail it right now This may be the big apportunity of year life, so don't waste another minute. When you send the coupon we will send you out

### Free Finger Print Book

Talls visu all about finger prints the big opportun bes in this profession and everyth of you want to know about it. Send the evapon

University of Applied Science

Deck 1249, 1920 Surmyvide Ave., Chicago

Please send me Free Book on Floger Prints and full Insprinction about your course is shady

d. Stereon

Clark pullion.



on four years to become a master electrician. You get patename, individual and processes to proceed any open of the processes to the processes of the processes Amoreus a greatest too best top great Trade School. Master craftemen always at your side to grade you.

**Electrical Experts Earn Big Pay** 

Countest demand for trained Placetracists in America's the tray rept pow filter trades angle two in the great 100 Mg. TRADES 58 BIDGL.

Dearling Machine Picture Oppositions—all is start time, state experts. Make students narroung whose loanering we hose these. We will gradly had you what you enter PEER, I symeth Block of dysportunity Acad for it NOW it will give you want to get tota the dig fixe Chao You'll start get there if you want to find the dig fixe Chao You'll start get there if you want to find the when tride you want to find the whom tride you want to get the want tride you want to get the your want to get the tride you want to get the your want to get the tride you want to get the your want to ge



## STAMMERING

Foresteen and permanent care effecting a page tasks the first and debted at the man or page one of the new territorial properties and training of the care training to the care training t

BENJAMIN N. BOGUE, Prouble .673 Burto Bullding, Indianapolis, Ind.



## Electricity at your fingers ends

Have the Late in Photolity. They may many making and testing position for you. I making Children
follower off your areas is not account Sheller dy

E very topic of an income account Sheller dy

E very topic of an income account account of your
gap and remains a long to about account account a sumplets personal account on the second of a sumdivide by product account on 10 on trains.

Blocks by product account on the second of account account account of the

#### HAWKINS GUIDES 3500 PAGES 4700 PICTURES

These breefs of you of stood

Raghetters Industry I I appropriate Dynamic Restricts Spatiation I appropriate Dynamics Restricts Spatiation I former to the American Restricts Spatiation I former to the American Restricts I former to the American Restrict of the name of the American Restrict of the American Restrict of the American Restrict of American State I former to the American State I former to the American Restrict of the American Restri

Edipped to You FREE

MAN THE FREE COUPON TOWAY

THEO, AMORE & CO., 27 FROM ANN., IL. T. Please substitute for the Proceedings of the Con-tennal Gaussian Procedy mark. Alternative property the 10 april arts from a factories agrees to mark you by writing spring days and in april per made you \$1 may mently until good.

Bushere

6.8.34. (3-39)

OME here to America's greatest institution a of electrical education where for years ambifinds men from all over the would have been

Tarining to a way a rara, mag. Most of a remaindered a care that way be one from wide you at the way be one from white you at the way the one from a very set of the care that a care the care to be an interest to the care that the care that

## ELECTRICITY Offers You Big Success

The seas 4- a trail age. Billion of deligners are presented in the great factors. In the seasons of the factors in the seasons of the seasons

#### Write Quick for Free Book

Shall posted or serve souths for July particulars of the first and loss yet as yet and the serve in the first of the serve and the serve in the serv

#### SCHOOL of ENGINEERING OF MILWAUKEE

America's Greatest Institute on at Electrical Education #19-373 Broadway, Milwauken, Wis.

## Copy this Sketch

and led the side which peop take die with it. Made h we paper of the let he will be to be a first of the let he will be to be a first of the let he will be the first of the let he let Flores aluis your age.



The Landon School of Printer at 4 & Participated in the Landon School met Schoold Bldg. Caroland, O.

If he discretizes at the discretize is a single of the second of the sec

#### Learn in Spare Time to be a CIVIL ENGINEER

Earn \$1500 to \$5000 Yearly

I is one big harrier in the enterior of the first part of the first part of the first part of the grant of the first part of the first part of the grant of the g




## Great Books Shipped FREE

75ca week ( tot been form after have big tenther bounds of the virile TH'A.)

5 at the less 3000 pilets, major, dang after tell and the less the been strong of the confinence of the second section and the second second

Consulting Service Free
A f disting Membership soles and difficulty
problems for a which year life. Ewith the act of backs. SEND NO MONEY JUST THE COUPONS



A did result

Potenture



# "Good Bye, Boys!"

"Today I dropped in for a last word with the boys at the office. And as I saw Tom and Dave there at the same old desk it came to me suddenly that they had been there just so the day I came with the firm four years ago.

"When I started here I was put at a desk and given certain routine things to do. It was my first job and I took it as a matter of course. But after a few months I began to realize that I was nothing but a human machine, doing things that anyone could do, and that I couldn't expect to advance that way.

"So I had a talk with the manager and I'll never forget what he said. "If you want to get ahead, put in some of your spare time getting special training along the line of your work. We want men who care enough about their future not only to do their work well but to devote part of their spare time to preparation for advancement,"

"That very night I wrote to Scranton and a few days later had started studying evenings at home. Why, do you know, it gave me a whole new interest in our business? In a few months I was given more important work and more money. Since then I we had three increases, aix months ago I was put in charge of my department, and now my big chance has come—I'm to be manager of our Western branch at \$5,000 a year!

"Tom and Dave could never see any sense in my studying nights —they said eight hours a day was enough for any man to be bothered with business. They had the same chance I had—they could have been big men in the firm today. But they stood still while I went up to one of the best jobs in our business. It just shows what spate time training will do."

Every day men who have let the International Correspondence Schools help them are moving up to more responsible positions and bigger salaries. Clerks have become advertising, mies and business managers—mechanics have become foremen, superintendents and engineers, catpenters have become architects and contractors, men and born have risen from nothing at all to splended positions of responsibility—because in space bours at noon and at night they have learned to do some one thing well.

If you want to make more money, show your employer you're trying to be much more money. If you want a bagger job, show him you're willing to prepare for it.

There's a simple easy way to do it. For 30 years the International Correspondence Schools have been training men and women right in their own homes whenever they had a little time to space. More than two million have stepped up to not this way. More than 130,000 are studying now. Ten thousand are starting every month.

Can you afford to let another priceless bour pass without finding out what the I. C. S. can do for you? Here is all we ask—without cost, without obligating yourself in any way, mark and shall this coupon.

# INTERNATIONAL CORRESPONDENCE SCHOOLS BOX TOOS-B SCHAMTON, PA. Implain, without abiligating ma, how I can qualify for the parties, and the relative which I loark A. Concrete the property forew which I loark A. Concrete Worns I despite the parties of the parties of the parties which is a partie of the parties of the



# Let Boss Gloves work with you

MAKE them your constant companions in all hand work. Boss Work Gloves are a comfortable necessity in dozens of odd jobs about the home.

In shop or factory, Boss Gloves protect the hands from dirt, grease, and minor injuries.

They are especially valuable to garage men, and all who work around automobiles. Made of the finest quality white canton flannel, Boss Work Gloves are tough enough for the most rugged jobs. Yet, their exceptional flexibility makes delicate work possible.

Sizes for men and women, boys and girls in ribbed, band and gauntlet wrists. Ask your dealer for them.

THE BOSS MEEDY - The world's favorite work glove for odd jobs around the house and garden, and all light hand work. Made of the best quality, medium weight causes flamed.

THE BOSS HEVY — The best bet for all work that requires a strong, went resisting glove. Made of the very best quality, heavy weight center flamed.

THE BOSS XTRA HEVY - The world's cham pron heavy weight handwess for cough work. Made of the finest grade of extra heavy carton flannel.

THE BOSS WALLOPER—This is the super work glove. Strong, flexible and built for rugged work. Made of the high est quality, heaviest weight earten flame!

The Bose line includes highest quality leather-paint, jersey, ticking, and canton flannel gloves and mittens.



## The Boss Manufacturing Co.

Kewanee, Ill.

This Trade-mark identifies genuine Bass Work Gloses

Mark Be sure it is on every pair you bay



# Popular Science Monthly

Waldemar Kaempffert, Editor

December, 1920; Vol. 97, No. 6 25 Cents a Copy; \$3 a Year



Published in New York City at 225 West Thirty-month Street

## Five Miles High in a Tank

## Showing how lack of oxygen produces aviators' brain fag

By Walter Bannard

A CROSS-EYED, one-legged man of sixty may be a good sea-captain; but a twenty-five-year-old dyspeptic will be a faiture as an air-pilot. Because a man has flown a few times he is no more fitted to be an air-pilot than a fourteen-year-old girl who has taken a few plano lessons is justified in competing with Hofmann.

Who is fit to guide a flying-machine through the air? The Germans in the early days of the war used to select their flyers from the cavalry. English athletes and polo-players proved to be good airmen. Some of our best flyers were once automobile and motorcycle racom.

But the rigorous test of war proved quickly enough that athletic prowess and a good physique are not enough. Sometimes weedy, pale clerks proved to be better men in the air than trained athletes who had learned to handle a flying-machine.

As the war progressed it became apparent that recruits for the flying service must be scientifically selected. The fate of an army depended on the character of the men who fought at great heights, photographed the enemy positions, or watched the fail of shells. Moreover, it was an expensive business to train a flyer and then to find him tends.

It is said that it cost the American government as much as \$50,000 to fit a man to fly; but the figure must surely include the damage sustained by the training airplane. At all events, it was known long before we entered the war that the British lost 96 per cent of their surmen, not from bullets, but from physical defects. A taint of epilepsy, the alightest tendency to vertigo, persistent headache, nervousness, and easily induced fatigue were sure to prove the undoing of a brave man in the air

So it came about that applicants for the air service were systematically studied, both psychologically and physically, to discover latent disabilities. Men were whirled in chairs to test their sense of equilibrium; their eyes were examined; their family history was inquired into; their chest expansion was measured; their height and weight were noted. If all the ideals set up could have been met by any of the applicants, Apolia would have seemed an imperfect weakling in comparison. As a matter of fact, many of the men who were rejected



by our own army entered the Canadian Royal Flying Corps and gave a good account of themselves.

Not so long ago the conscience of a United States Army medical officer troubled him because he discovered that the best flyer in his camp had flat feet?

Another flyer of unquestionable ability had slightly defective vision in one eye. Two medical examiners have been known to acratch their heads for half an hour because an applicant, acceptable in every other respect, had a chest expansion one quarter of an inch less than the standard.

Now that we have entered the period of commercial flying, it becomes more than ever necessary to determine the fitness of a man to pilot a flying machine.

What is wanted is not that extraordinary product, the ace, but a high average type.

It is doubtful whether much reliance can be placed on the whirlingchair test. Psychological tests, however, are certainly important. It takes a man from nineteen hundredthato twenty hundredths of a second to make up his mind to carry out an act in an emergency—his reaction time. This reaction time may be delayed by fatigue, drugs, and excesses. On the other hand, it is found to be somewhat lower at times in men who are physically fit than in others.

After a man loses his head there is usually no time for correction in the air. Hence the French may be right in rejecting an applicant who is too slow by even the infinitesimal part of a second.

When a pilot loses his head, he may move the throttle the wrong way he may keep his engine running full speed when he should throttle down; he may switch off the power entirely when he needs all the speed that he can command.

#### Brain Fag Breeds Indifference

Fatigue—above all, brain fatigue may prove as fetal as a poor reaction time

When the brain is fagged out the man has neither the power nor the reason to decide and act. This is probably due to the many impressions received by the brain during flight. He feels alone. He is not afraid. He is simply appalled by the enormity of the enterprise in which he is engaged. Helpless, stupefied, he awaits events

and takes little part in the control of his machine.

It is altogether likely that fast passenger-carrying airplanes of the future will fly at altitudes far above those at which the highest battles were fought in the air. We are told that above an altitude of thirty thousand feet and more the winds are in the nature of planetary swirls into which a machine should be guided in order to gain an advantage in speed and in economy of power

Now, the human organism was evolved to live on the earth, not above it. As a man goes up, the total quantity of air in a lungful decreases. He must breathe faster. At n.netren thousand feet he inhales only one half the amount of oxygen and nitrogen that he breathes at sea-level. At less than twenty-five thousand feet the lack of oxygen becomes distressing.

The human organism has the ability of adapting itself to changed conditions, but only within limits. How far it can thus compensate itself depends on the man. Before the flyer's limit of compensation is reached, he feels dixty. Yet he is perfectly happy, although he has lost his faculty of judgment and has passed into a condition of partial or total unconscious-



This is the tank that is used at the Aerotechnical Institute of Saint Cyr, France, to test prospective air-pilots. On the next page the interior of the tank is shown. In the

background is a pump by means of which some of the airis removed within the tank so in to produce conditions similar to those at high altitudes.



The man who wants to become an aviator takes his seat within the tank. Air is pumped out to any desired degree. Thus the man is artificially elevated to ten, twenty, or thirty thousand (set.

The man in the picture wears an oxygen mask, so that he is quite comfortable, even though he may be in an atmosphere equivalent to that of five miles altitude. Various instruments record his condition

need. "I'm all right," he says as he files along at filteen or twenty thousand feet. But the tests show that every one of us is affected more or less at such heights. It takes longer to judge and to act; it is harder to read an instrument. Positions of objects are misjudged. Pain itself loses some of its poignancy. Excessive fatigue, nauses, and vertigo assert themselves.

For these reasons the oxygen tank has become an indispensable part of the high flyer's equipment. All the recent records of Rohlfs and Schroeder were made with the assistance of oxygen. It is not impossible that in the high-flying passenger-carrying airplane of the future the crew and the passengers will sit in hermetically sealed compartments filled with oxygen supplied from tanks. Otherwise passengers must wear oxygen masks.

Often a pilot crashes at the end of a rapid descent. He has no recollection of what happened; he lost consciousness and was actually asleep. This is highly significant; for this is a state that is induced by an ample supply of oxygen or fresh air at full pressure after a period of degradation. It

is a phenomenon often met with by students of the low-oxygen problem. It occurs in a wide variety of conditions—in miners escaping damp, in city firemen after coming out of smoke, in the older type of submarines on opening the hatches after submergence, in persons who are given oxygen after overexertion on a mountain and after low-oxygen experiments in the laboratory. But in none of these conditions are the consequences so serious as for the aviator

#### The Value of the Oxygen Tank

Oxygen plays such an important part in flying that one of the most important tests of physical fitness consists in discovering how a man will behave when he is partially deprived of it. The man is not carried up into the air to be tested, partly because it is unnecessary to do so and partly because the conditions there are against scientific observation. He is placed in a tank from which some of the air is pumped. Thus it is possible to climb, barometrically speaking, to any desired height.

These tanks are now employed by the medical officers of all armies. By their means the truth about a great many airplane accidents has been deduced

The subjects vary in every concelvable way. The man who has a "weak heart" in usually found at the bottom of the list; he can stand very little oxygen reduction. At the other extreme is the man whose powers of compensation are so good that he can "go up" in the tank to twenty-five thousand feet and show but a slight change in adaptability from the normal.

In these airtight testing chambers, or tanks, from six to ten men can be tested at a time, if need be. Oxygen can be inhaled from a tube, with the result that, although the artificial altitude may be thirty thousand feet, the faculties are normal. The effect of high altitude on the heart, breathing, and nerves without oxygen can be noted. All the effects of a fall are obtained by allowing the air to enter the tank rapidly. Thus the barometric conditions that obtain during an actual flight can be imitated.

## Trapped in a Sunken Submarine

How I drilled through steel for eight hours to save the crew of the S-5

By William G. Grace

Chief Engineer of the Steamship "General G. W. Goethals"

THE bell in the engineroom rang with the
signal to stand by,
which meant that I was
wanted on deck. When I
got there, I found the captain looking hard at a ship
that was standing off on our
sturboard side. To men
familiar with the sea, a ship
is just a ship, but this one
had something strange
about her. It looked as if
something was strung almost upright across her
bow.

"What's that against her bow?" asked the captain, handles me the glasses.

I looked carefully, but the light was none too good—it was getting close to six o'clock in the evening, and the best I could make out from our distance was an object that looked like an airplane strung over the ship's side and resting in the water.

"That's no airplane," said the captain. "She wouldn't have an airplane in that position."

Then, as we drew closer to the vessel, the startling truth became known.

#### An Inverted Submarine

Inclined at an angle between 60 and 80 degrees was the unmistakable body of a submarine, stern akyward! As we came closer, a voice called through a megaphone across the water from the Alanthus, the ship that was standing by the submarine:

"There are forty men imprisoned in this submarine. Come help get them out. They've been in there thirty-seven hours already and can't hold out much

longer Bring what tools you will need. We haven't got anything but a bammer."

We were about thirty miles off the Delaware breakwater, and the sea was calm, though there was the usual ground-swell always to be found on the open water, no matter in what part of the world one may be voyaging. The

William G. Grace, who tells the story of his rescue of the S-5

Chief Engineer William G. Grace, of the General G. W. Goethale, has given the Popular Science Monthly a graphic account of the part he and his assistant, R. McWilliams, took in the rescue of the crew of the S-5.

The Secretary of the Navy has presented a gold watch to Captain E. A. Johnson, master of the Alanthus, the first ship to reach the disabled submarine. Chief Engineer C. Jacobson and Chief Engineer Grace will also receive a gold watch, while Captain E. O. Simson and Assistant Engineer McWilliams are to receive binoculars.

It was a man's job to drill through tough steel the number of holes necessary to make an opening eleven by fourteen inches. Engineer Grace worked with his assistant for eight hours. At about two o'clock in the morning the chisel had cut the space between the last of the holes.

propeller rods and screws of the submarine were high and dry. The captain of the Alanihus had leashed one of the rods to bu ship in case the sunken boat should slip from her present position. A rope was fastened entirely around the body of the sub, and to this was tied a plank, which made a kind of scaffold upon which the engineer of the Alanthus had been working.

As soon as we realized the situation, Assistant Engineer McWilliams and I anatched up the tools we thought would be required We took several chusels, a steel hand-drill, and an "old man " This la just a pet name for the drill-post necessary to press the point of the drill firmly down upon the hard ateel plate. An electric hand-drill without a feed screw would have been unclean: we should not have had the strength to press it down upon this tough steel to cut the holes. McWilliams and I climbed down a ladder from the bow of the Alanthus and took our place on the slanting plank. The rise and fall of the swell made of our scaffold a very unstable place, but it had to do.

#### How the Submarine Sank

Right here I shall stop to tell how the submarine happened to be in such a fix. It was about fifty-five miles off Cape Henlopen when: Lieutenant-Commander Cooke gave the order for a "crash dive." This is a maneuver that follows a long, swift run on the surface, and is merely a practice in quick submerging. It had been successfully tried the day before, but this time it promised to break all records.

Every man was at his place, the batches were closed, and the air ballast was forced out as the water rushed in through the water doors. The submarine no somer began to sink than something was found to be

wrong—the bow was settling faster than the stern.

A quick inspection soon disclosed the terrible fact that one of the ventilators had refused to close and that the water was flooding the forward living spaces.

Every effort to close the air-intake valve failed, and the bow of the



How They Saved the Trapped Crew of the S-5

When the S-5 went down, her how struck the bottom at a depth of '55 feet, and her crew was forced to take refuge in the cramped quarters far up in the stern of the boat. Here they were imprisoned until Engineer-William G. Grace, of the steamship General G W. Goethals, succeeded in drilling holes to make an oval opening eleven by fourteen inches in diameter in the stern.

The gasoline vapors and chlorine tainted air poured out of the holes, almost stifling the men as they worked in the open air. A small hose connected with a pump on board the Almothus was run through the small opening that the imprisoned crew had at first succeeded in drilling, but the amount of fresh air it was able to supply was insufficient. The imprisoned seamen were then hoisted to the deck of the Almothus

boat struck bottom at a depth of about one hundred and sixty-five feet.

Water had rushed into the torpedoroom at the forward end of the boat, completely flooding it. In the controlroom at the center of the boat, and also in the motor-rooms, there was water. Something had to be done, and

that quickly. Finally the mischief-making ventilator was closed, and an effort was made to start the air-solvage system The water had reached the storage batteries, and not only had it put the pumps out of commission, but deadly chlorine gas was being generated. The men were choking with the had air and fumes, though most of them had donned gas-masks. The lights had been exwith the tinguished flooding of the batteries.

flooded in the forward compartments, was tilted bow downward at a sharp angle. The commander figured that, the depth of the water being one hundred and elaty-five feet and the length of the boat more than two hundred feet, the stern must be practically above the surface. Here lay the best chance of rescue. The boat itself was acting like a long buoy, mark-

where it had sunk

Trying to Drill to Daylight

ing above the sen's surface the place

The gradual increase in the chlorine drove the members of the crew toward the stern of the boat. They sealed the bulkhead of the compartment into which they were crowded—forty men breathing the same foul sir, smothered in total dorkness, choking with the fumes of gasoline and chlorine! There was just room for one man to stand above the others in the narrow space at the stern of the boat, and here it was decided to attempt to drill through to daylight

The blast of foul air that came from those holes nearly overcame us as we worked. The odor of gracine vapor indicated that it would have been unsafe to have used an acetylene torch to cut through the steel, even if we had possessed one. Mixed with the hot gasoline vapors was the occasional tritating whilf of chlorine, for some of this deadly gas was still leaking into the engine-room, where the men were standing on the bulkhead partition. Two hundred feet, or thereabouts, of the long boat was below them slanting downward, water-filled, and resting on

the hard sandy bottom of the sea. The temperature inside of the compartment, even when the holes were admitting a small amount of fresh air, must have been close to 110° F

Although quickly exhausted, working in darkness in foul air, by relieving each other at frequent intervals the could they get by this crude device but they imagined they were getting it, and that, strange though it may seem, helped them.

This is how I found them when McWilliams and I crouched upon the plank, trying to cut into the tough steel with a diamond-point chisel. It

> did not make a perceptible impression in the steel, which to me seemed the toughest material I had ever encountered.

> A little later, by holding the drill with all my strength against the side of the plate, I managed to drill through, making a hole large enough to get a bolthead fixed to hold the base of the drillpost.

> With the radius permitted by the arm of the drill-post I was able to bore a number of other holes, changing the position of the "old man" as the limit of the swinging arm was reached.

#### We Break Through

Working hard and persistently from sunset until about 11 p. m., I succeeded in getting two thirds of the holes necessary to complete an oval fourteen by eleven inches.

This was the size of the opening that would be large enough to let even a large man get through. By two o'clock in the morning the sledge-hammer and chisel had completed the task, and the

plate was actually removed.

The growns of the nearly stifled men, the sounds of their vomiting, and the outrush of putrid air, all inspired us to work like mad. With the removal of the plate, the actual work of rescue began

One by one, the half dead, stupefied seamen were drawn out of their torture-chamber. One by one, they were hoisted in a canvas sack to the deck of the Alanhas.

But for the clear-headedness and courage of the crew of the submarine, not one but many of the imprisoned forty would have perished. They have only their coolness and the intrepid guidance of Lieutenant-Commander Cooke to thank for even a possibility of their rescue. To Captain E. A. Johnson, master of the Alanthus, and Captain E. O. Simson, of the General G. W. Goethals, as well as to my assistant, R. McWilliams, they owe their good fortune fully as much as to my own effort.

#### Could It Have Been Avoided?

Could an automatic device have prevented the S-5 from submerging with her ventilators open? Down went the submarine in a "crash dive." But the outboard air-valve from the control-room was open, and the water rushed quickly into the ventilating system, finding its way through the induction valves and flooding the torpedo-room and forward living quarters.

A device that would make it impossible for a submarine to submerge with any of her ventilators open would be the best way to prevent future accidents of this kind. Various devices have been tried without success. The

best alternative is to see that all the ventilators are closed before the boat submerges.

men succeeded in drilling
a row of holes
five eighths
of an inch
in diameter
along a line
seven inches
inlength. For
weary hours

they worked, and then the drill was damaged beyond further possibility of use. Through this small aperture the crew succeeded in poking a rod at the end of which they had fastened a bit of cloth, and with this they tried to signal a ship that they could see through their peephole. Their spirits sank when it passed without seeing them

#### The "Alanthus" to the Rescue

At tast, after being in their terrible predicament all night, the steamship Alanthus caught sight of them and came to the rescue. But the Alanthus had no tools abourd except a beavy sledge-hammer, and with this the engineer of the Alanthus succeeded in deating inward the strip that the men had drilled in the thick steel plate.

Through the hole was run a hose attached to one of the ship's pumps, and an effort was made to pump air into the compartment. Not much alr



## Here Are Some New Jobs for the Automobile Jack



This man did not powers a vise So he made one by adjusting a jack and a block of word in a doorway



Store a seasy but not too heavy to an amountale suck to lift heavy to result the katchen floor, jack up the leg. f your move and use a grow of of your cleaning



Window stuck? Take two thin boards and a jack; adjust there to position shown here and work the handle

## New York's Machine-Gun for Mobs

A NEAT little gun, weighing only seven pounds altogether and measuring two feet in length, is the latest acquisition of New York's police department. The little terror spouts forth huge .45-caliber bullets at the rate of fifteen hundred a minute as long as the magazine holds out.

With its high rate of fire,—higher than that of the fastest of speeded-up machine-guns used on airplanes, -its small size, and the ease with which its fire can be controlled, the "sub-machine gun," as its inventors call it, is without doubt the most formidable firearm in existence.

The gun, as made for use in America, fires the caliber .45 automatic army pistol cartridge. The builet, nearly a half inch in diameter, weighs 230 grains, or eighty grains more than the bullet of the service rifle, and is nearly dauble the weight of the bullets commonly used by the pouce in their revolvers and pistols. The velocity of the bullet is low, and the extreme range when the gun is pointed at a 28° angle is only fourteen hundred yards, but it is far more efficient than the service rifle bullet at the moderate ranges of one or two blocks at which rioting would take place. The recoil is low, and in spite of the light weight of the gun, it is very easily controded

The ammunition is fed to the gun either by a flat box magazine holding twenty shots and projecting below the line of the gun, by a disk magazine holding fifty shots, or by the same type holding one hundred shots. The fire is controlled by the trigger. One By Captain E. C. Crossman

shot can be fired by pressing the trigger and quickly releasing it, or the entire magazine may be ducharged, or any number of bullets in between

The gun may be furnished with a stock and fired from the shoulder, but in its form for use on mobe or other "spray" work it has only two grips, one for the right, the other for the left hand, and it is fired from the level of the waist

The writer has fired one a number of hundred rounds, and, with considerable experience with the two types of weapon, finds the little submachine gun much easier to control in firing pound "light" Browning automatic rafle used by our troops in France. At from fifty to one hundred yards it is no trouble for one at all accustomed to the gun to riddle a man, while the entire front of a mob could be swept away from one curb to the other by a single burst.

The gun has only a dozen parts,

than the better known heavier sixteen-

The gun has only a dozen parts, astonishingly simple when compared with the simplest of Browning's automatic rifles. Any tyro can take it apart for cleaning and repairs without the use of a tool.

The greatest effect of the gun with moha would be through its moral sumson. When it is fired there is simply a roll of shots, a veritable roar. beside which the machine-gun with Ita five or six hundred shots a minute sounds as slow as a minute-gun. The empty cases fly in an unbroken stream from the ejection port. One burst over the heads of a mob not too ugly, and therefore not deserving of sudden death, would result in its instant and speedy dissolution. Fired at an escaping automobile, at which the popping of the average policeman's revolver is as effective as a beanblower, it would riddle the car and those within it.

The gun was invented by Commander Blish, of the United States Navy, and General John T. Thompson, retired, formerly Assistant Chief of Ordnance of the Army, and during the war chief of the Small Arms Division, which gave to the Army the millions of resigned British rifles, known as our Model 1917.



The "submachine gun," recently adopted by the New York police department, spouls bullets at the rate of lifteen bundred a minute, one shot would riddle an escaping automobile

Twins, Triplets, Quadruplets—Why?

Heredity, which plays a very important part in our lives, also affects our birth


HAS environment or heredity the controlling interest in the lives of twins? Let us, consider twins in general. There are two kinds—identical twins and fraternal twins. Identical twins come from one single cell, which in the process of development happened to break in two and continued to develop in two separate halves. Fraternal twins, on the contrary, come from two distinct, unrelated cells that for some reason began to develop at the same time.

Identical twins are very much alike.

They came from the sume tiny parent cell, which so marvelously contains charactertaties and traits of both the futher and mother: Investigation shows that identical twins are not only alike physically, but that they are also alike physiologically and mentally. They often care for the same foods, like the same people, get the sume diseases, even though living in different places. have similar handwriting, elmilar tastes, hobbies, and abilities. The identical twins pictured on these pages all tell the same story Some of them have been hving in different environments all their lives, yet they feel, think, and act

alike. Heredity wins out.

Fraternal twins, who develop from unrelated parent cells, are not necessarily alike. Each one inherits the particular family traits with which his original cell was endowed. They may be of different sex, different complexion, character, size. Once more



You might almost think this a freak photograph showing the same person twice, so shike are these twin brothers. The one on our left is the Rev Edwin C Brown, a Congregational minister

His brother's name is Edgar, and he is a bookkeeper. Both were born with defective eyenight—one in the left eye and the other in the right. They walk alike, have similar tastes and body weaknesses.

The oranges and the girls are tween of from Cabfornia. The only difference we can see between the girls is that one shows a little more of her teeth than the other. They recently entered a beauty contest

three survive. Even in the case of triplets, one or two of them is very apt to be frail and frequently does not survive

The higher the form of animal life, the smaller the number of young at birth Certainspecies of fish lay thousands of eggs at a time. Rats, mice, rats, dogs, rabbits, and games-pags are prolific breeders, producing from three to twelve offspring at a birth. Sheep, cows, horses, and




These are the Grosvenor twins. They divided the highest honors at Amherst. One of them is the builder and director of the National Geographic Society and the other is an assistant attorney-general.

heredity and not environment scores.

Is a woman who is a twin more apt to give birth to twins than a woman in whose family no twins have occurred? Statistica show that twinning is apt to recur in certain families. In some families the proportion rises to twenty per cent. It is certain that twinning is not accidental, but depends on certain constitutional factors of the parents.

Occasionally triplets are born, and there are on record cases of four, five, and even six children at a hirth. But it is very rare that more than



Mrs. Vera De Mott, of Battle Creek, Michigan, and her twin. Which is which we do not know. Though living apart since they were three years old, their characteristics have remained similar

elephants, however, seldom have more than one offspring. It is a case of quantity serous quality. Single off spring are usually much further developed than individuals in a large latter. The young of mice and rate are without any halry covering, whereas the lamb, calf, and foal are covered with hair. Their eyes are open and they are able to walk. Kittens and pups are halry at birth, but they cannot see nor walk.

In most species the number of young

in a litter is indeterminate. The Texas armudillo, however, is fairly constant in the matter—producing four young at a birth. They are "identical" quadruplets, all coming from the same original cell. Man and the armadillo are practically the only animals that give birth to "identical" groups.

Thorndake, the well known psychologist, says that you can't definitely tell by looking at a pair of twins whether they are identical or fraternal. Fraternal twins often resemble each other very closely But at birth the difference is plain. Identical twins are surrounded by a common vascular envelope, fraternal twins have superate envelopes.

Robert and Frank Michel, five-year-old boys, are so much alike that their mother often washes one of them twice and lets the other go unwashed. They are so attached to each other that they are actually unhappy when separated. They become hungry and sleepy at the same time. Both of them are clever acrobate and work for the movies side by side.

The Ploger brothers, of Owesso, Michigan, look althe, weigh the same, have identical voices, similar tastes for operatic music, but differ in their

George and John Seffert, of York. Pennsylvania, are "identical twitte. Thus their heredity is the same that they look alike in readily seen.



They are eighteen years old, and thus far along in their history their likes and dishines on almost every subject have showed no signs of difference

taste for mathematics. Thus one is a machinist and the other a commercial man.

Rose and Louise Briot lived together for the first eighteen years of their lives, needing no other chams. Since then their lives have varied greatly. One is a widow and lives in the West near her children and grandchildren. The other lives in Chicago and has no children. In spite of their different environments, they remain very much alike. As girls they often

voiced each other's thoughts, and now their letters cross repeatedly.

Decidedly different are the Cooper twins, who live in Newark, New Jersey. They are four years old, and yet one of them in twice as large as the other. The larger boy has long, thick hair that needs the attention of a barber His brother still bas a baby-like fuse on his bead.

The American Genetic Association is making an effort to secure greater knowledge of twins by actually studying them. More than six hundred twins have generously offered themselves for the purpose, and the results are most interesting.

Each pair of twins has a tale to tell and many of them furnish valuable physiological information.

## Making the Railroad Crossing Safe

GRADE crossings of railway lines and automobile roads are dangerous enough in daytime and clear weather, but at night and in foggy weather the customary means of protection (bars and light signals) are often insufficient to prevent sectous accidents caused by human carelessness.

The bar-and-light signal of warning shown in the illustration has been tried with success in Germany. The bar consists of a light metal tube long enough to reach across the road. It is painted in contrasting colors to attract atten-


The bar is binged to a post at one side of the road and when not in use is in a vertical position. When a railway train is approaching, the bar is thited to a horisontal position until its free end rests in the fork of the post on the opposite side of the road. In

daytime, if the air is clear, the conspicuously painted bar will give sufficient warning to automobilists to prevent accidents.

The light signal, which is used at night or in foggy weather, consists of a square lantern securely clamped to the middle of the bar. A powerful acetyiene light within the lantern illuminates the two glass faces of the lantern, and displays in strong contrast the crossing symbol in dark outline, as shown in the picture.


The burner of the lantern is connected by means of a small-gage slender tube with the steel tank in which thegas

> supply under high pressure is kept. This tank. which holds enough acetviene for several days, is attached to the end of the tube, together with the counterweight and a device which controls the flow of gas to the burner. When the bar is not in use and therefore in a vertical position, only enough acetylene is supplied to feed the small pilot flame in the lantern. When the bar is lowered, the gas valve to the illuminating burner is automatically opened, the gas enters the burner and is ignited by the pilot flame.



In the daytime the bright colors of the bar warn the traveler of danger, and at night the brilliant light serves the same purpose

## Wireless Guides the Aviator through Fogs



Mailera Publishing CP

Diaming by S. W. Clarentelly

When an aviator files above a log-hidden or cloud hadden landscape the matter of landing becomes hazardous. How is he to find himself?

The radio direction finder comes to his rescue. There are two methods of applying this remarkable wireless device. On the left hand ade of the above picture is seen an airplane asking its position from two ground stations which are in communication with each other and the machine. The angle and intensity of the wireless received from the airplane establishes its distance and direction

from each station. A brief calculation enables them then to inform the aviator where he is.

The second method illustrated by the a splane near the right hand center of the above picture above the aviator determining his position by his own calculations. His instruments tell him the direction from which the ground agnals come. This is accomplished by three loop sensitions more mounted fore, another aft, and the third crosswice along the wings of the simplane. Two ground stations are sending continuous but different agnals, easily distinguished.

## Wireless as an Aid to the Airplane

WERE you ever lost in an airplane, at sea, in a forest, or on the at sea, in a forest, or on the streets of a strange city? If so, you know there are just two ways of finding out where you are. One is to figure it out for yourself by noting the direction of two landmarks, and the other is to ask somebody else to tell you. Before the days of radio you could find out only if you could see the two landmarks or be seen from them, unless you were within calling distance. Now it can be done in a log or above the clouds. The pictures on the opposite page show how airplanes may use either method. The sirplane on the right-hand side illustrates the first method of figuring it out for yourself, and that on the left shows the second method.

#### Both Depend on Radio

Both methods depend upon a phenomenon of radio receiving. If one uses a loop of wire as an antenna for receiving, he will find that when the plane of the loop points toward the station that is signaling, the signals are best received. When the loop is at right angles to this direction no signals can be heard. For all positions between these two the signals

#### By John Stuart

may be heard, and they get stronger as the loop is turned away from the right-angle position.

In the right-angle position both vertical wires are equally distant from the signaling station and are always affected alike. If the current induced in one vertical by the other wave in up, that in the other will also be up. The currents in the verticals then neutralise each other, leaving no current in the loop to affect the detector of the radio receiver. This is shown by the middle picture on the left.

This picture of a direction-finding station shows two fixed triangular loops instead of one that can be rotated. The currents from these loops pass through two small coils in the box shown immediately below. These coils are set at right angles, like the loops. There is also in the box a third coil which may be rotated. In it the currents in the two fixed coils induce a current. This induced current is then led to the detector. The movable coil, under these conditions, acts just like a single loop antenna and so gives an indication of direction.

In the first method for navigating an airplane, the radio operator calls two land stations and asks them to tell him where he is. Each of these finds on his position with a direction-finder and reports his angular position. The upper picture on the left side shows how the radio stations in England operate to locate an inquiring airplane. From the two directions the position of the airplane is known and its operator may be informed.

#### The Direction-Finder as a Compass

The other method has recently been demonstrated in England by the Marconl Company. It is illustrated by the picture on the right side of the page. The radio operator on the airplane finds his own position by observing his direction from two fixed land stations, which are always transmitting but sending different signals, so that they may be distinguished easily. The loops are mounted, one fore and aft and the other crosswise along the wings of the sirplane. The coil-box used on the airplane is of the same type as that for land stations. By plotting his direction from the two stations the airplane operator finds where he is. He may also use his direction-finder as a sort of compast and maintain his flight in any direction.

## Turn Your Car Over with One Hand

## Working on automobiles in comfort means better repairing


and crawl under the automobile to repair it. With one hand you can turn your automobile over! Here is a device that has a track and a small windless to pull the automobile from the floor to the track. It is equipped with simple appliances to hold the machine so firmly that when it is overturned there will be no strain on the chassis. When the automobile is thus in place, a child can turn the handle of a crank that causes the car to

rotate at any desired angle. What a relief to see the workings on the underneath part of one's automobile without having to lie flat on one's back on the floor'

An inclined runway, or skids, lead from the floor to the longitudinal tracks forming the base of the cradle, which may be placed anywhere without being braced or, anchored to the ground.

A small windlass draws the car up on the cradle, and there is a small crane that can be used to lift out the engine when necessary. The entire equipment weighs less than fifteen bundred pounds, it is made of "knock-down" parts that can be quickly and easily assembled

Special jacks are



rotated. The repairman, instead of lying on his back under the car, site down and comfortably reaches the parts that require his attention. It is a scientific fact that a person in a comfortable position is more efficient in any work than when he is straining physically while working. It is ea-

timated that at laust four times more work can be done in a given time by making use of the device that turns the automobile over

The man who works in a garage finds in this new device a preventive of many unnecessary aches and pains.

It is almost unnecessary to observe that liability to accident is considerably reduced owing to the careful inspection made possible by the use of this adjustable automobile rack.

## How Furs Are Made into Garments

They're hard to sew and hard to clean

Preparing animals' thins and manufacturing them into fur coats and muffs and neckpieces has grown into a huge industry requaring a high order of skilled worldwarship. The padding and hrung of a garment must be sewed to the skin and the statches must not show on the outside. How is it done? A special sewing machine needle is used that pierces the skin only half way








is the ay do do a not be to be to a state or a state or

Shahing a fire in an




When your o let had were known as a protection of water and so stiff smooth. Of course, it is all in the way be serule.

## How the Big Searchlights Are Tested

Light is measured by a "photometer": these pictures show what it is and does





This huge scale measures the diameter of searchlight beams. It is bounted 1300 feet from the searchlights. The shed at the right houses a photometer




Laft The front of the integrator. It has a diameter of 110 inches and in provided with an iris shutter, which adjusts the opening to the dismeter of the search light beam under test. The integrator is on wheels so that it can be moved easily

Right: The business side of the integrating photometer at Sche nectady. A photometer measures the candlepower of light sources. The integrator is a reflector which collects the light and projects it into the photometer. The measuring unit of the photometer is at the center of the integrator, where the light from the searchlight under test is collected and its candlepower measured.





Beams of light are directed through these big holes to cut off all the stray light. By "stray light" is meant light that is not part of the beam itself. If this light reached the integrator, it would be impossible to calculate the beam's actual candlepower



A military searchight of the fortification type is above at left. At the right is a sixty inch portable army light. The air of the photometer room is kept as free from dust as possible by suction Jans and as filters. Dust interferes with results

The big lights out of doors for testing under actual operating conditions



## The Man of the "One Best Way"

## How Frank Gilbreth studies men and their ways

TATIL I talked with Frank B. Gilbreth, I never suspected that the ordinary motions we make in going about our every-day affairs could become a subject of fascinating interest.

"All buman activity," says Gilbreth, "is a matter of motions and decisions." All of us, even the experte, make needless motions, or wrong motions. We suffer unnecessary fatigue because we don't perform our usual tasks in the One Best Way.

#### Finding the One Best Way

Frank B. Gilbreth is a consulting engineer. His specialty since 1911 has been scientific management. He probably knows more about human motions and the causes of fatigue than any other man living.

When Gibreth graduated from the Boston public schools, he prepared to enter the Massachusetts Institute of Technology, intending to become a contracting engineer. But he changed

his mind. It had occurred to him that he could learn more about management by getting out into actual construction work than by staying in the classroom. He had an idea that the By Fred C. Kelly

only way to handle problems of management competently was to know a few of the trades with which he might have to deal. So he started in and learned twelve different trades before he called that part of his education complete.

When he began, as a mere youngster, to learn various trades, Gilbreth found that a big obstacle to his plan might be the time required to become proficient in each one. The only way to overcome this was to learn a trade more rapidly than the average apprentice could learn it. One of the first things he attempted to learn was to lay bricks.

Now, bricklaying is one of the oldest of trades—dating back two or three thousand years prior to the birth of Christ. There are even historical data on which to base a belief that bricklaying is at least seven thousand years old. And yet, as Gilbreth noted, in all those seven thousand years it had

improved, as to method, scarcely at all.

Gilbreth studied the methods of various bricklayers—the poor workmen and the best ones, and he stumbled upon an astonishing fact of great importance and alguificance. He found that he could learn most from the lazy man?

improvements in human motions that eliminate unnecessary movement and reduce (atigue have been hit upon, Gibreth thinks, by men who were laxy—so laxy that every needless step counted

Another important thing Gilbreth noted was that the so-called expert factory workers are often the most wasteful of their motions and strength. Because of their energy and ability to work at high speed, such men may be able to produce a large quantity of good work, and thus qualify as experts, but they tire themselves out of all proportion to the amount of work done.


"Men were still working on scaffolds with the bricks and mortar on the same level as their feet," he says, "instead of on scaffolds with an extra row of planks, so that the materials could be level with their hands."

imagine the waste of energy in bending over to the floor every time one picks up a brick or a trowel of mortar, when the entire operation could be accomplished without moving anything except the arms.

#### The Great Inertia of Habit

Why had there been so little improvement in methods? Simply because of the great inertia of habit.

As an example of how awkward it is to make a slight change of habit or method, suggests Gilbreth, try taking a cup of coffee and a doughnut, with the coffee in the left hand and the



doughout in the right hand. If you think such a revolutionary change in habit will not upset you a bit, just try it! Unless you're careful, you'll find yourself with your hands crossed and your brain in a whirl.

So, Gilbreth worked out an entirely new method of bricklaying, which

makes it possible for a men to have bricks served to him at the level of his breast, to avoid the useless bending. A whole book could be written on just this subject of brick aying and how Gilbreth revolutionized bricklay-

ing practices.

Gilbreth makes a motionpleture of a master mechanic, a bandkerchief-folder, a tatter, a champion baseball bataman, or an expert fencer, for example. A specially contrived clock, the bands of which record time down to the millionth part of an hour, also appears in the picture to indicate the elapsing time, which is necessary because the crank of the camera or that of the projector cunnot be turned at precisely the same rate. Gilbroth has only to study a film to tell you to the hundredth part of a second how long it took to make a motion.


The cyclegraph, on the other hand, consists simply of a small electric light fastened to an arm, a leg. or a head. On an ordinary photograph of a man so equipped streaks of light appear as his arm, leg, or head are moved—the path of the motion. The cyclegraph helps out the motion-picture machine; it reveals much that the machine cannot reveal. It synthesizes motions; the motion-picture machine merely analyzes motions.

After years of study, and by means of his moving-picture machine

and the clock with split seconds, Gilbreth has learned that all speed champions, whether typists, bricklayers, oyster-openers, skilled wrappers of bundles in mail-order houses, or scalers of tin came, have certain motions in common. They proceed from one motion to the next with the minimum of changes of direction. They have rhythm where an unskilled worker might have jerks. In short, every good motion is based on two factors; rhythm and economy of effort.

Gibreth has learned the motions of skilled fencers, pianists, famous golf-players, surgeons, baseball - players, and others. And he found not only what motions different experts make, but precisely how much time each motion requires. In photographing different members of the New York baseball team, he learned, among other things, that the speed of a ball hurled at the batter by the pitcher varied from 210.07 feet a second, or two and two fifth miles a minute, to a velocity of two and four fifths miles a minute.

Scientific management, says Gilbreth, may be applied to one's everyday household affairs in accres of ways. Even in so simple a matter as getting



To measure the distances of motions, Gilbreth uses many methods. This picture shows one of his penetrating screens erected in the plane of the edge of a high table. It passes through the arms and head of the man, in this case Mr. Gilbreth himself. Double exposure is responsible for the effect produced. The acrees is carefully ruled, so that motions may be referred to it for exact measurements.

dressed or undressed, there is a wrong way and a One Best Way

"Few persons realize," maintains Gilbreth, "that clothes which are never pressed, but are properly folded, or hung up, each night, will look well longer than clothes which are pressed occasionally, but never folded or hung up."

Gilbreth has proved by actual demonstration that if a man's clothes are laid out in the order in which they



Gilbreth invented the cyclegraph in order to study human motions. An electric lamp is attached to the head, a shoulder, an arm, or a foot. It moves with the part to which it is attached. The motions are photographed. The atreaks of light on the photographic plate, analyzed by Gilbreth's method, reveal just how the motions were performed. In this photograph the cyclegraph is applied to a typist

are to be put on, he can dress himself in less than half the time it will take if he has to stop and hunt each article as it is needed. In other words, it is economical to hunt up "other" clothes all at once, when the mind is on such a search.

Nearly everybody, by the way, falls into definite habits about

falls into definite habits about getting dreased and undreased. Most of us take off the same shoe first every night—and usually, for some reason, it is the left shoe. Watch yourself and see if this isn't true. We unconsciously follow a regular order in taking off our clothes. One man may take off his collar before removing his shoes, and another may do just the opposite. But the point is that he is almost certain to follow always the same acquence.

It is interesting to learn just how Gibreth cut down his shaving and face-washing time from twelve minutes to two. In the first place, he discovered that he can shave more rapidly with one make of safety razor, but more closely with another. So he uses the first razor for "the first time over," and finishes off with the second model better adapted for close work. His most important time-saving method of all

is the use of a brush in each hand for applying the lather. "Otherwise," he eays, "your left hand is idle at your side. If it is employed in scratching your leg or in any useful purpose whatsoever, well and good, but if it is doing absoiutely nothing, why not put it to work?"

Now, Gilbreth doesn't take all this seriously except as an object lesson. He doesn't advocate a Save Shaving-Time Week, or anything like that. Still, the difference between twelve

minutes and two in the morning is not to be sneezed at.

Little items like these do not matter much, of course, and they are mentioned here solely because they serve as examples of the effect of habit, and because they show how possible it is to conserve time even in the simplest every-day processes.

Right here somebody will exclaim: "Goodness sakes, how terrible it would be to live with a man like that —who even washes his face according to a system."

But the truth is that Gibreth is no crank and he wou dn't be bad to live with. He is an easy-going, hig fellow with twinking eyes and a sense of humor, and his purpose in shaving and washing his face systematically is not to save time, but to learn something that he can use as an object lesson, in order to interest people in saving time where it is of genuine importance.



#### The Fountain Principle as Applied to a Brush

HERE'S a new fountain brush which feeds sike a fountain per.

It can be used for cleaning clothes, blacking and oiling shoes, blacking stoves, cleaning typewriters and type-forms, veneering furniture, and many other uses also fall within the scope of this serviceable fountain brush, the handle of which is filled with the polishing liquid

To feed the brush, all that has to be done is to press it against some solid surface. This will release sufficient liquid to do the work.

When taken from the surface, the brush automatically goes back into normal position and the feed-valve closes.

#### Hitch Dobbin by His Own Right Log

No longer need the driver of a rective horse carry a heavy weight around with him to fasten to the bridle when he leaves his horse standing


The photograph below shows a method of hitching which is both simple and effective.

A strap of the right length is attached to the shafts or tongue of the vehicle and is anapped to a shorter strap, which person around one of the front legs of the horse. The horse is thus prevented from taking a step forward.

When not in use, the strap is thrown back into the front of the vehicle

This invention does away with the old weight-and-bridle connection.

The usual way of hitching a home requires either the use of a hitching-post or the cumbersoms carrying of a hitching-weight. The new way dispenses with both, or, rather, with the weight, since this motor-driven age has banished the hitching-post almost entirely from the streets.



#### And All to Photograph a Factory from on High

SOMETIMES airplanes have been employed to fly over industrial plants to obtain suitable bled's-eye views; remarkable kites have been built to take a camera up over a factory for the purpose of getting the "whole thing" in the picture; but this is a tail tower erected to permit a photographer to mount his camera in such an elevated position that just the desired point of view of a certain group of manufacturing buildings can be pictured.

The company's riggers put up a simple structure which resembled the single mast of a ship.

Up to the "crow's nest" climbed the camera-man. Needless to say, there was a funny feeling in the pit of the photographer's stomach when he stood on top of his lofty perch, but it did not prevent him from obtaining a successful camera's-eye view of the immense works



#### All the Keys Cleaned at One Fell Swoop

AN invention for cleaning the keye of a typewriter, adding-machine, and other forms of key-actuated machines, has been patented by James W Pennewill, of Silver City, New Mexico.

It consists of a piece of heavy cloth cut lengthwise through the middle portion into eight strips, each about a half inch in width, and separated from each other by a space of about a quarter inch

These fiexible strips, arranged over the keys and drawn back and forth from side to side, will clean the tope of the keys.

To clean the flat rods under the keys the strips are twisted and inserted against the rods

#### Riding a Bicycle Over a Railroad Track


FRANCE has produced an ingenious inventor who decided to make use of the railroad-tracks when strikes put the trains out of communion.


With the sid of a specially contrived frame and three small wheels he has converted his breycle into a rebrole that will run on the smooth sivel rails, thus giving him the advantages of considerable speed and small expend lure of energy.

The surface of a metal rail offers less resistance than the surface of any but the finest road-surface. The additional weight of the frame and the small wheels must be taken into consideration, but to offset this the inventor has the advantage of a direct line which is graded perfectly. A railroad does not ordinarily twist and turn as much as a road, nor are its grades as frequent or as steep as those encountered in the ordinary country road.

Under normal conditions the law will not permit any one to make use of a railcoad right of way







#### Scraping Paint by Machine

A FTER a summer of hard rain the paint on most automobies looks dult and dead; whereupon the owners often send them to the factory to be repainted. But, before a new coat of paint is baked on, the old one must be removed. Until recently this has been a long, tedious job.

Now there is a machine that will do it in an hour. A gritty paste is first ameared over the paint, and then the machine shows above is moved across it. There are two feet, or kickers, that move alternately backward and forward. They are actuated by compressed air.



IN the days of plenty, before the war, even Puliman cars were numerous. Between the years 1905 and 1915 there was an increase of seventy-six per cent in their number, with a smaller increase of forty-four per cent in the number of passengers carried

But in the past five years the tale is very different. There has been a fiftyfour per cent passenger increase and only a four per cent increase in the number of cars.

This state of things will explain, in some degree, the lack of accommodation on even the best equipped railroads.

#### Put the Wind to Work Generating Electric Power

MOST of our power is obtained from fuel today. But fuel—coal, gasuline, wood, alcohol—is becoming scarce. A french inventor has suggested that we return to the use of wind for mutive power

He has invented a new type of windmill for the purpose.

Instead of using vanes that radiate from a common center, he uses vertical once in cylinder formation. They are set at such an angle that they will always eatch the wind, he matter how gentle it may be. If the windmill has an electric generator attached to it, each time the vanes go round the armature will be turned and a storage bettery charged. Thus on exceedingly windy days enough electricity will be generated and stored to make up for the small amount generated on days when there is little wind



"Get Up!" Says the Record

"BREAKFAST is ready!" You grow wary tired of saying that, your after your, to the various members of your family. Why not let the talking-machine say it for you?

There is now a clock that, instead of ringing an slarm bell when it is set, will release the phonograph lever. A special household record is now made. There are on it all the various sayings which you repeat every day: "Breakfast is ready", "Hurry up—you'll be late," and so on.

When the clock releases the lever, the words of wisdom pour forth.




#### A Safety Wrench for Drop Doors

THE workman who releases the heavy drop-buttom door of a freight-car with an ordinary wrench is always in danger of having the wrench swing back at him and break his wrist.

But there is now a new wrench—shown above—in which this dangerous feature has been eliminated

A ratchet and pawl inside the head of the wrench absorb all the motion. The socket itself is a part of the ratchet member

This new wreach is made entirely of steel and has an average tensile strength of sixty-five thousand pounds.



Posts that Tighten Fances

CRANKING up is all that is needed in order to tighten wire fences when

posts like the one above are used. Ten holes are drilled in the post and the fence wire is run through them. The post can turn, but it is held fast by means of a ratchet. Should the wire sag in the course of time, the post can be cranked up to the next notch at one jerk.

The poets are made both in trop and in concrete, and will last much longer than wooden poets. They may be spaced twenty feet spart and yet give the fence sufficient strength.

### Shakespeare ##. Los Angeles

HUGE volumes weighing several handred pounds each are here shown. They are filled with nothing but names. Names of what, you ask? Names of people who visit Los Angeles every year


The Chamber of Commerce of that city claims that over five bundred thousand tourists visit their city every year,

The number of daily visitors ranges from one hundred to tweive hundred. Each of the big books contains the names of over a million persons on four hundred

pages measuring twenty inches by two feet. The thickness of each volume is about fifteen inches.

And now that the fair city of Los Angeles has all of these names, what is it going to do with them?

Perhaps Los Angeles wishes to show her rival, San Francisco, the exact number of visitors to the more southern town. It is ubvious that she does not share Shake-speare's scorp of a more name.




### Illumination Makes Visible Some Comparisons

RECOURSE to illuminated graphs as a means of presenting its case to the public was taken by a Chicago electric-light company. On a big electric sign over the entrance to its office-building, the changes in cost of food and clothing, fuel taxes, and electricity since 1896 are compared, to the great advantage of the last named commodity

The cost of clothing and food from year to year is represented by the top line, which rises gradually until 1904, when it shoots upward.

Fuel and taxes, big factors in the cost of producing electricity, are also seen to have increased steadily

The cost of electricity to the consumer, however, has had a general downward trend



#### An Old Water-Tower Becomes a Home

THIS man lives high, but he has defeated the high cost of reating. There was an old water-tower that had not been in use for years near the farm on which he lived

He decided to buy the place and fin it up to live in. The picture shows what a good job he made of it

Set in the center of a large flower-garden with its picturesque sinirway and ivyvines, the tower looks like a little castle in some foreign land and very few people would guess right off that it is situated somewhere in New York state.

The platform around the top of the tower is used as a purch. Electric lights, running water, steam heat and all the other conveniences of the modern city home are included in the equipment of this house.



#### One Good Bath Deserves Another

It is necessary to wade through this pool before you can walk up the stairs. People who bathe in the ocean usways carry part of the beach with them into the bathing-bouse

A Western bathhouse owner had trouble keeping his place clean, and ha hit upon the ides of placing a small pool outside the door in which the bathhouse patrons could take a final washbefore entering to dress. This helped to keep the place clean and also to keep the patrons' clothes.

The cement pool is supplied with plenty of fresh water, and means are provided to keep the sand cleared from the bottom. All of the stairs leading into this modern bathbauss have a pool at the bettom.

This arrangement insures a clean bath house, free from the annoyance caused by the presence of sand on the floor and elsewhere. People leaving the piace do not suffer from sand in their shoes, as is generally the case.




It's a Water-Escape Ladder Provided for Deer

AN operator at the power house of the Hetch-Hetchy water supply, in California had an opportunity not ordinarily afforded a photographer. He had his camera tendy just at the right moment to eatch a deer climbing up the ladder installed across the aqueduct which carries the water to the intake power house. Sure of his footing, the animal made his way carefully up the narrow boards, instinct preventing him from making the graceful leap that one might expect of a surprised deer

The ladder is placed in position so that the deer that come to drink and by accident fall into the water, can escape. Struggling in the water, the animal soon finds that he can climb up

on the steps.





#### The Barracuda and the Blimp

WHY sit on board a ship and fish blindly for hours? Perhaps there are some fish in your vicinity and perhaps there are not. In a bump, however you are able to see into the water and you can apple a school of fish without any trouble

Above you see some men blomp-fishing in San Pedro harbor, near San Diego, California. They were saling at a height of forty feet when they sighted a school of barracuda. They stopped the engine, let the bilmp drift, and, as fast as they could, hauled in the fish

#### American Rivalry In Dyes

EVEN in the matter of dyes, American manufacturers are cutting in on German monopolies. Phthalic anhydride, an important dye intermediate, is now made in America by a new process which enables manufacturers to sell it for forty-five cents a pound; Germany charges seven dollars a pound

Atmospheric air is used in making phthalic anhydride from naphthalene in our country; but the German method recentation the use of sulphuric acid and prescury

#### Bottle-Caps Do Their Bit

THE crown bottle-cap, used by home brewers, has a rough, corrugated edge that will cut into the hardest ice.

Nail a bottle-cap to the heel of each shoe, as shown below. When you reach your destination, you pull the cap off



#### Photograph Yourself in a Mirror

GO outdoors and take your camera. Place a mirror with its back to the sun and stand in front of it. Pocus the camera on your image and pull the trigger You will then have taken a picture of yourself at your best. Of course the camera will show, too.

If you suffer from self-consciousness, no one will ever guess it when your picture is produced

#### A Fish-Shaped Padlock

PADLOCKS are not exciting things to make, so it is not surprising that an English lockernith for the cake of variety—made a padlock in the shape of a fish. The keyhole is located just below the gills, and the jaws do the locking. When the fish gets locking, nothing will cure it but the proper key

The locksmith who made the fish bears the name Chuhb. So be simply copied a

F 100 (1 4)

Parish

#### Moving-Day for the Mummies

CHICAGO'S (amous Neld Museum is changing its locality. Dummies, dinomars, butterflies, and sen-dragons were carted away in box cars, motor-trucks, and wagons. A special track connecting the old museum with the main line of the railroad was constructed so that the heavier articles could be bouled away

Although the moving was carried out in an orderly fashion, it presented a scene that looked like the wildest disorder Mixed with the animals were Egyptian tombs, mineral collections, birds, fish, antiques, armor, and statues. Many of the more delicate objects had to be carefully crated so that no harm would befall them in transit

Moving-day for a museum costs many thousand dollars.


Imagine the surprise of a train, and of cown should they cross the path of some wonderful Greek statues or probletoric creatures.


#### Seeing Little Things of the Sea


SOME parts of the bottom of the sea are very beautiful, as the pirture below will tell you

This picture represents a small section of a sea model that has been constructed in the American Museum of Natural Hatory, New York

The model, wonderfully made of blown given and wax, is offeen thousand times as large as the original small section from which it was constructed. It is known as the Bryozoun Group because of the tiny sea mats and mosses which it depicts.












Photo by the Butrati of Matheid

### Straining Sewage before It Enters the River

UP-TO-DATE cities are careful about their sewage systems. They do not let sewage pipes empty directly into the rivers—at least not in Germany

The city of Dreaden has a system by which the sewage water is strained first, so that no particles larger than two millimeters are allowed to escape.

The straining is done by large revolving drams like those above. The sewage water passes over them and all heavy particles are deposited on the faces of the drams. Brushes constantly gross the drams and carry off this residue, which is later shipped to farm lands for fertilizing material.

The water goes on its way and is finally pumped into the river.

#### Hinged Sides and Peaked Floor Quicken Car-Unloading

FREIGHT-TRAINS promptly unloaded would relieve the congestion in many of our large cities and would increase the number of working hours of the trains themselves. But can the work of unloading coal-trains, for instance, he speeded up?

Germany has found a way—her contrains unlosd themselves. Each car is placed over a pit and the side bolts are removed. A lever is turned and all four-sides flare outward. The coal slides off the peak-shaped floor of the car into the pit below and in a very short time the car is empty

This method requires the labor of one man only, and occupies but three minutes of time, thus releasing a freight-car in short order.



#### An Electric Lamp that Has Two Bases

MANY rooms are equipped with but a single electric-light socket—hathrooms and bedrooms, for instance. Thus you are unable to do two electrical things in the room at the same time. The lady who wishes to curl her halr at night must perform this unattractive operation in some more unsuitable place than the bathroom or her bedroom.

But now there is a double-base electric lamp that will pass on some of the current it guts to another implement. The bases are at opposite ends of the lamp, as shown above.

Those heavy lead wires that give the lamp its current enter at one end of the lamp and continue right on through, coming out at the other end. The flament is tapped off from them. There is no tip to this lamp, and so the air had to be exhausted from it by means of a tube concealed in one of the bases.

New electrical household appliances are constantly being invented and there are not sockets enough in most houses to accommodate them all. If you want an all-electric breakfast, you need at least three sockets, and perhaps a light besides. Also in the kitches or laundry sometimes you would like to conduct several electrical jobs at once. These new lamps will help you out considerably.

### The Garbage-Can as a Source of Wealth

A MODERN King Mides, by making use of chemistry, might amass a huge fortune from the waste products of our cities. In Washington, the garbage is collected in demountable wagon-bodies and conveyed by train to the place of disposal

Chemists are studying the value of recoverable products from garbage, not only fata being recovered, but also fertilizer.

Chicago, in 1918, yielded about 4,000,000 pounds of grease, that sold for 11.57 cents a pound. The fatty material obtained from the garbage collected in Washington, D. C., was priced at 18.5 cents, and statistics from the Food Administration estimate \$3,000,000 as the value of grease recoverable from the waste of twenty-four cities.

#### This Gasoline Engine Is Handled by a Chauffeur

THE locomotive below has neither an engineer nor a fireman; nor does it indulge in the use of coal. It contains a six-cylinder two-hundred-horsepower gasoline engine, and is one of many gasoline, coaches used where traffic is light. It can be run by any automobile driver

It is eighty feet long and is divided into four sections. The rear section is for passengers—fifty of them. Next is the baggage-room, then the amaker, and lastly the engine-room. As the wheels rest on smooth tracks, it is


possible for the en-

gine to attain a speed

of thirty inter an







#### A Speed Boat that Looks Like a Whale

BELOW the bend in the river is heard the roar of a gasoline engine working at high power

In an instant a curious object leaps into sight, and the fishermen along the river-bank are amazed to see a large boat, that resembles a whale in shape, traveling at great speed, and apparently just skimming the surface of the water.

This is a new speed boat, a German invention, capable of making seventyeight miles an hour. It is equipped with a 200-horsepower engine

The evolution of swift motor-boats has been rapid in the past decade. Only a few years ago a motor-boat capable of making a rate of thirty-five or forty miles an hour was considered a wonder Now fifty, sixty, and seventy miles are expected of the fastest of these craft Perhaps it will not be long before we shall see them travel at one hundred miles an hour?


#### To Keep the Milk from Boiling Over


A GERMAN inventor has conceived a method for preventing milk from bolling over.

A metal plate, slightly convex, is placed on the bottom of the pan in which the milk is heated, with the convex side up. A chain, consecting the headle of the container with the metal plate, facilitates the removal of the disk

When the milk begins to bull, the plate at the bottom vibrates. If no attention is paid to this signal, the milk will continue to bull, but without builing over

The metal disk prevents the explosive generation of steam at the hottest spot of the hottest spot of the hottest spot of the hottest by absorbing part of the heat and distributing it over a targer surface. When steam hubbest form, they week to escape by rawing the disk. After the hubble has escaped, the dusk drops to its original position until another bubble is formed





#### Testing Dyes-A New Job for the Ultra-Violet Light

DOES the color of your new silk dress endure the test of sunlight? If so, the probability is that the silk was tested for the fastness of its dye before it was put upon the store counter to be sold.

Science has discovered that the short light-waves carry the greater part of the energy that is transmitted with light. The vibrations that are too small to be seen are found in the spectrum just beyond the visible violet. These are called the "ultra-violet," and they constitute one twentieth of the sun's energy. They are exceedingly active chemically, as can be shown by taking photographs with this invisible light. But ordinary glass absorbs much of the ultra-violet, so special means must be employed to prevent this absorption if one wishes to make one of the ultra-violet.

As the rays are quickly effective in producing chemical changes of a certain kind, they can be used to determine the lasting quality of dye colors.

A special type of mercury-vapor lamp, which transmits as much as seventy per cent of the radiations, has been astisfactorily employed in testing the colors of silk in a few minutes it accomplishes results that could otherwise be obtained only by days or weeks, even months, of exposure of the silk to sunlight. Only dyes that resist the action of ultra-violet rays should be used in coloring fabrics.

#### Monoplane Wings Support Twelve Men

ENTERFD in the recent Gordon-Bennett Aviation Cup Race, in Paris, was a little monopiane whose wings are exceedingly strong. It was the Dayton-Wright entry. It carried a 250-horsepower motor with which a speed of more than two hundred miles an hour was attained

One remarkable feature of this monoplane is the absence of all struts and wires, thus insecting its rematance to the air. The curve of the wing provides great lifting power. The contestants in the race demonstrated the marvelous speed that can be attained by single-seater machines. These are the "hornets" of the air, calculated to dark with incredible speed here and there, harasting the enemy in serial warfare.


It is difficult to bring down an ordinary war-plane traveling at one hundred miles an hour: these ultra-rapid targets will exactly double that difficulty.

### Illuminating a Line of Type for the Typewriter

THIS is a clever idea—very clever. Gures again—you are wrong. It is not simply a device with which to copy one line at a time. It is an attachment for such a device that illuminates each line.

This attachment does not reflect the light directly into the atenographer's eyes, its inventor, Robert M. Searle, of Rochester, knew far too much of the science of light to make such an error as that. It merely illuminates the line, which is seen through a long, thin magnifyingglass. A tubular electric light of special construction sheds its rays on the line to be copied. A ray-filter prevents the harmful red rays from reaching the paper. No matter what the time of day, this lighted line is always on duty

Not only dom it relieve aye-strain, but it also increases production. Human beings cannot work faster than their eyes will permit. Better sight, better work.





The main span of this gigantic bridge across the Hudson river will be feet in danneter. The weight of the metal in this bridge will be so

## Connecting Manhattan Island

# Gustav Lindenthal's splendid promises to bring to reality a

UT two million eight hundred thousand people on an island, give them houses, subways, surface cars, factories, stores, and all the equipment of a city-but fail to provide a means of reaching these people with the materials with which their factories can work, fail to give them fuel and food—and the vast population of the isolated island will perish. The means of conveying material, food, and fuel to the citizens of the wlandcity is of utmost importance. Manhattan is and must be hooked up to the United States, and many plans have been suggested to accomplish this ambitious purpose.

The great arteries of circulation, the railroads, extend to the shore across the river, but, with only one exception, they do not bring their trains of freight and passengers directly into Manhattan. All the material carried by these outside lines must be transferred and rehandled before it is conveyed across the river to be distributed. This involves expense which is reflected in the cost of living. Long Island and Manhattan are connected by bridges as well as tunnels. Why have we waited so long before attempting to bridge the Hudson?

#### The Man with the Vision

In the city of New York is a man who for thirty years has held a vision so splendid that few have had the imagination to appreciate it. He m Dr. Gustav Lindenthal, consulting engineer Ris vision centers in a solution of New York's transportation problem, one feature of which is the building of a great bridge across the Hudson river It is an undertaking which offers far greater difficulties than were en-

countered in building any of New York's present bridges.

The Hudson river flows screnely along the western edge of the island of Manhattan. From the north it comes, and the early settlers called it the "North river." To build a bridge across it in the vicinity of New York would be a simple matter if the bedrock bottom of the wide stream were not so deep. To reach the basic underlying rock the builders would have to bore downward through from 250 to 350 feet of ailt and mud.

To build a pier in the middle of the stream would be an impractical task, owing to the great depth to which the construction would have to go before reaching the rock base. Besides, government regulations would probabit an obstruction in an important waterway. A feasible alternative is the construction of two piers, 800 feet high, one on each side of the river, resting there on the easily accessible rock. These piers will carry the cables to support a great span, 3200 feet long and about 200 feet wide, twice the length of the main span of the Brooklyn bridge. The weight of steel in this bridge would be enormous. In fact, the weight of the main span of more than haif a mile is such that the beavlest toad crowded upon it is a mere nothing in comparison. Mr. Lindenthal has remarked that the string of heavily loaded trains and vehicles crossing the bridge would be no more, as an addition of weight, than a procession of flies walking along a heavily loaded clothes-line.

#### Railway Tracks on a Double Deck

The chief purpose of the bridge is to bring the New Jersey rangoads into the heart of Manhattan. Fourteen tracks on a double deck would accomplish this purpose. Eight of the tracks would be used for freight and passenger trains, while six of the tracks would be used for trolley-cars or traction trains. Besides, there would be two broad driveways for motor vehicles and two promenades for foot passengers. The weight of the rails for the tracks on the main span alone would amount to scarcely less than 1200 tons, but this again is insignificant compared with the weight of the steel girders, trusses, and cables. Four wire cables, encased in non-corrosible envelopes eight feet in diameter, would be required to suspend the massive framework of the bridge. The cables supporting the Brooklyn bridge are but fifteen inches in diameter

To say that the span of this huge



3200 feet long. It will be supported by four steel wire cables in cylinders eight enormous that all the traffic that can be crowded upon it will be negligible

### with the United States

### bridge to span the Hudson vision of thirty long years

bridge is 3200 feet in length does not convey a good mental picture of it. The Woolworth Building is the world's tallest building. It is 792 feet in height—a tower of steel encased in masonry and concrete. Stand four of these structures on top of each other, and you can form a vague idea of the massive steelwork required for the construction of the main span of this titanic bridge. Instead of carrying its own weight skyward, this colousal load of metal must be suspended by cables in a horizontal position.

The bridge itself is but a factor in the scheme to relieve congested transportation in the port of New York. To complete the chain it will be necessary to connect the bridge terminal at Fifty-ninth street with a terminal at the Battery, the tip end of Manhattan island. This would constitute a beltime of elevated railroad tracks over which the trains could pass on their way back to New Jersey through a proposed tunnel at the Battery. A great central union station is also a part of the plan.

Ten thousand cars of freight could be moved over this route every twentyfour hours, and six million motor vehicles could cross the bridge in a year. The suggested system of financing the whole enterprise does away with the necessity of delaying traffic to codect tolls. Automobiles would have an easy access to Manhattan from New Jersey, and by making use of the present East river bridges would have a direct passage to Long Island. No less than eighteen tunnels under the North river would be required to accommodate the traffic which would pass over this single great bridge, and the cost of that number of tunnels would be at least two thirds greater than the cost of the bridge.

#### A Montanent to Our Age

The building of a massive structure of steel across the Hudson would be a fitting monument to our Age of Iron. Its completion would mark a new wonder of the world, ranking as an engineering undertaking far above the construction of the Pyramids. Its service would be to the humanity of future generations, though nothing could be more appropriate as a monument to the heroes of the late war.

In ancient times bridges were built as monumental structures. Why not have this modern enterprise a "Hudson River Memorial Bridge"? Massive arches of sculptured stone forming the bridge approaches would carry out the idea and visualize the part our country took in the world war. Hidden within the bridge structure would be the arteries of transportation, reaching from beyond the Palisades and bringing into the heart of New York the materials necessary for the life and industry of its millions of inhabitants. What could be more splendid than a "living monument," rather than one purely ornamental and lacking a vital contribution to humanity?

But how is the money to be raised for such an enterprise? That is the question which has been the chief concern during the thirty years since the idea was realized to be a mechanical possibility.

#### How the Project Is to Be Financed

Mr. Lindenthal's scheme is as unique as it is feasible. It overcomes what he considers to be the greatest obstacle in the way of accomplishing the actual building of the huge suspended roadway across the river

"The communities on each side can pay their share in the form of yearly rentals," says Mr. Lindenthal; "so also can the railroads. The respective shares can be adequately determined to cover operation, interest, cost of maintenance, and taxes." A separate terminal organization would act as agent and trustee for the Federal Government, while private capital, realizing the advantages to be conferred, can be relied upon to come forward with the required funds for building, equipping, and operating the vast project. Cooperation between the railroads, the city of New York, and the communities on the New Jersey side, and the Federal Government, will assure this method of bringing to life the vision of thirty years.

## Your Four Million Pain Spots

### How you can locate them by simple tests

By Latimer J. Wilson

SET before a blindfolded man a busin of ice-water; tell him that the water is very hot, and that he must quickly dip his finger-tips in and out. He will actually believe that he has plunged his hand into hot instead of cold water

Place two needles about one-quarter of an inch apart in a piece of cardboard

and lightly touch his exposed skin without permitting him to see how it is done. There are spots on his body where he can not tell whether one or both points are being pressed upon his skin. By separating the points, or making them closer, his ability to tell whether one or both points are touching him, will vary through an astonishing range.

Cold, warmth, touch, and pain, are the four sensations produced by nerves whose "receptors" lie in the skin, or just beneath it. Some nerves terminate in bulb-like bodies which differ in form, those of one type being receptors for cold, while those of another type receive the stimulations of warmth, though the sensation of warmth arises from the effect upon the cold bulbs, as well as upon the receptors of warmth The free nerve ends which do not terminate in these bulbs or masses are those which convey the sensation of pain. The sense of touch is also carried by a separate nerveending.

The nerve-endings are distributed over the whole body in microscopic dots, forming little groups in a given area. It is estimated that there are between two million and four million pain spots on the body, while there are five hundred thousand spots of cold and an equal number of touch spots. There are only thirty thousand warm spots, and since one depends upon them for the sensation of exterior warmth, he must stand close to the fire on a cold day.

#### Cold Spots Predominate

The five hundred thousand cold spots also respond to the stimulus of warmth, but their response is that of cold and not warmth. This curious fact may explain the confusion which often arises in attempting to distinguish between hot and cold, particularly when dipping the finger-



An instrument like a balance scale is used to measure the amount of pressure required to produce the sensation of pain

tips quickly into ice-cold water and as quickly removing them.

The free nerve-endings which receive the sensation of pain are distributed widely over the whole body. But there are areas which are more densely "spotted" with them and where pain is more keenly felt. The pain spots are particularly numerous in the cornes of the eye—the transparent surface that covers the iris and pupil of the eye. The smallest aplinter of metal or bit of glass that finds its way into this covering produces the greatest pain.

#### Comparisons in Body Sensitivity

Measured in numbers by which comparisons can be made we might say that the top of your head is about eight times more sensitive to pain than the back of your body. Numerical "weights" rate the forehead's sensitivity to pain as 1.3; the right temple, 1.0;

"weights" rate the forehead's sensitivity to pain as 1.3; the right temple, 1.0;

Youch the skin of the forences with one or both proogs of a harrpix and see if the person can tell whether one or both is used. Pressure on a hair is strongly felt.

left temple, 13; right thigh toward the abdomen's surface, 4,3; left hand, palm side, 6.2; right heel, on the side of the sols, 70; and the back, 8. Thickness of skin and the extent of the sub-cutaneous tissues largely determine these differences. But the left side of the body is generally more sensitive to pain than the right.

Special instruments have been devised for finding out the spots of touch and those of pain. Electrical methods have also been used for this purpose, but the results obtained by electrical means do not agree with those of mechanical methods.

One of the simplest "pain-finders" is a small scale-like device by which weights can be added to press a sharp point into the skin. Difficulty has been encountered in making the subject discern the difference between mere discomfort and actual pain

The pain threshold, that wavering uncertainty which barely marks the merging of consciousness into pain, increases in definite realisation in curious proportion to the area of the skin exposed to the stimulation of pressure. Thus an instrument which affects a minute area of the paim of the band and which produces consciousness of pain with a small weight, would with nearly five times that weight affect

similarly an area twenty-seven times as large.

#### Variance in Sensitivity

The tips of the fingers are particularly sensitive to touch, but the degree of sensitivity varies considerably in different people. A man whose hands are rough and whose finger-tips are thick, feels touch less keenly than a pianist. Fingering the strings of a violin tends to make the tips of the violinist's left hand less sensitive than are the hands of a musician who plays an organ or a piano.

Each finger differs in sensitivity, and there is often a considerable difference between the fingers of each hand. On the inside of the cheek little pain can be felt because of the lack of the pervefiber endings. Spots of cold are particularly numerous on the inner surface of the eyelids, on the white of the eye, and on the forehead. These spots guickly

respond to the sensation of falling

temperature.

The hairs on the body might be compared with levers exerting pressure on the skin, thus increasing its sensitiveness to touch. Lightly press the tip of one finger upon a clear space on the forearm, then barely touch a hair near this spot and note the difference. The single hair irritates a smaller area than the finger-tip and thus

a lesser pressure is required to stimulate the end of the nerve. A light pressure with a needle-point is more effective than the pressure exerted by the end of a match, because the latter affects a larger

#### Some of the Experiments

In this connection it is interesting to consider the experiments which have been conducted with the aid of instruments to determine the curious effect known as "dual cutaneous sensitivity." Two fine points, two needles in a cardboard support, or the fine points of a small hairpin spread about one-quarter of an inch apart, serve to demonstrate the effect. When these points are gently pressed upon the skin of the arm, forehead, finger-tipe, or back of a person who cannot see them, he may not be able to distinguish whether one or both of the points are used

In some places the sense of

touch is so keen that the points may be barely separated to be felt separately. In others, the points will have to be very wide apart to be distinguished as two separate centers of pressure. The results differ in individuals, and the tests are used in psychological experiments, especially in criminology.

A sudden increase in temperature causes pain, while the same degree of heat if gradually attained causes no



The back is tens sensitive than the forearm or the forehead. It is often difficult to detect the impression of one prong of the hairpin from that of both prongs unless they are wide apart.

pain. It is just the opposite with pain from pressure. The sudden impact of a bullet deadens the sensations and no pain is felt, while the gradual pressure of a knife causes pain.

#### Emotion Deadens Pain

A nervous impulse of emotional character also deadens the sensations of pain and this explains why

one may receive a wound during emotional conflict without knowing it. Such a condition is accounted for by the fact that the nerve-ends receive the stimulation, but the nervous impulses do not reach the seat of the nerve to convey a conscious condition. This is illustrated by lack of senbility to pain during hysteris.

Why is it that persons sometimes feel pain in an amputated hand or foot? Such are called "propagated" pains. They originate in the trunk of the nerve, but are felt in the nerve ands.

Some pains are associated with parts of the body to which they may not be accredited. This is due to a transposition of the "nervous impulse," and can be illustrated by "pain in the knee caused by toothache," or pains in the head from intestinal trouble. In this case the false effect is due to an excitation of the brain areas that are aroused usually only from the sensations received at the ends of certain nerves.

### Why Aren't We Killed by Hailstones?

THE hallstones shown in the accompanying photograph did not break any records, and neither, so far as we can learn, did they break any beads. This leads us to propound a question that has fretted us for many a year: Why don't these aerial bullets kill people?

One answer, of course, is that they do. We have searched the literature of meteorology, and we find that Sir

John Eliat, late director of the Meteorological Service of India, once published descriptions of all the bailstorms recorded for a long period of years in that country, which seems to be more nub; ect to severe visitations of this character than any other part of the world. In about half a dozen of these Indian storms human beings were killed by hall. In one case, in the Moradabad district, May 1, 1888, it is said that 250 persons thus perished. But such occurrences are, apparently, almost peculiar to India, and very rure even there. There is only one record of death by hall in Europe. We do not know of any in the United States.

The velocity attained by a falling hallstone can be gaged by the fact that, even when falling obliquely, hallstones have been known to pierce a pane of glass with a clear, round hole, like a bullet-hole, leaving the rest of the pane intact. They have also been found imbedded in the soil of a mea-


A severe haikstorm that prevalled in Maryland, June 22, 1915, was remarkable not only for the fact that the newspaper reports considerably understated the size of the stones, very many of which were actually as big as a baseball or an orange, but also because —again the mystery!—nobody was killed or badly hurt. Describing the storm as it prevailed at Annapolis, Dr. O. L. Fassig, of the United States Weather Bureau, wrote in the Month.

ly Weather Rectew:

dow to a depth of a foot and a half.

"It is rather remarkable that such a shower of stones lasting from fifteen to twenty minutes and passing over a city with a population of approximately ten thousand, should have caused so little personal injury. The writer heard of only two men who received scalp wounds of sufficient severity to require hospital treatment."

More than "rather" remarkable, we should say; it requires elucidation.



Hailstones that fell at Lake Minnetonia, Minnesota. Some of the stones were lifteen melies in circumference some looked like clusters of crystals—some like round, smooth balls. Most of them were shaped like a tomato

### Killing a Bear with Electricity

An adventure that might have been disastrous but for quick thinking

By C. B. Horsley



It was a lonesome place. Yet so little was there to fear that there was not a cartridge in the house at the time, though Egerton was to bring some back with him. There was nothing to steni, and an for wild animals nothing bigger than a rabbit had been seen in the neighborhood for three months.

Everything about the plant was running as smoothly as clockwork, Green took

out a book and sat down by an open window to read. It was the first warm day since a hard winter. Suddenly the air became warmer, and Green heard slow, heavy breathing.

#### Outside the Window

"Even to this day," says Green, "i have wondered why, after I distinctly perceived this, I waited nearly a full minute before looking up. Perhans I was so interested in my book that I imagined it was the horse I was reading about that was breathing so close to my face. But, whatever I imagined, my thoughts suddenly changed when I looked up and saw a huge grizzly bear standing outside the window, not two feet away, with his head pointing directly at me.

"Fortunately—very fortunately for me the windows were barred and the door was closed; but I was so taken by surprise that it took me a few min-



The bear coared, coming down with his front feet on the Iron bars. There was allence so every muscle instance, then the bear fell in a lifeless heap

nediate danger. The bars were extra
heavy and the door was also heavy,
with a strong latch on it. When I
realised that I was safe, I began to
laugh at my fright, for I had knocked
over several chairs and a table in my
hurry to get away. The bear, however,
did not go, so I at first expected he
would, but began walking up and
down in front of the building. He even
put his front feet up to the bars of the
window in his attempts to get in "

The affair now took on a more serious aspect—that of a siege; especially since the bear seemed greatly infuriated when Green tried to frighten him away by throwing things at him or by making a noise.

At the end of an hour the bear seemed as little inclined to leave as Green was to go out and make him. Green began to get worried.

Egerton was due back very soon, and he carried no gun. Moreover, he

would come by the back of the house and would not be able to see the bear until he practically upon it. Something must be done. There was no way for Green to warn him, since there was no opening or window of any kind in the back part of the house.

As the time approached for Egerton's return, Green's samety increased. He searched frantically for some kind of weapon that would kill the bear, which was striding testlessly up and down outside the window. He could not take a chance on anything that would merely wound the animal, for in that case it would be doubly dangerous to any body within its reach.

Finally Green decided on a plan. Although the house was built of

brick and concrete, the bars of the windows were entirely embedded in wood. This would serve very well as an insulator. He connected one wire, leading from a terminal of one of the transformers, with the bars of the window, and the other wire he grounded.

#### The End of the Adventure

The next time the bear came in front of the window, Green seized a bamboo fishing-pole and started poking him with it. This maddened the animal to a fury. He let out a roar, and, rising up on his hind legs, came down with both of his front feet against the iron bars.

There was not a sound, not a whimper. Every muscle in the bear's body went tense for a fraction of a second. Then he relaxed and fell limp to the ground. Such a terrific electric current was too much for any grizzly to endure.


Homemade Kicks

And the law allows you to use them if you don't show any after effects

If you tell a little boy not to get his feet wet, he'll run for the nearest puddle. Grown-ups are just the menemany people who never drank beer and wine now do a rushing between Instincts in their own kitchens










That bottle of lemon extract has unlimited possibilities. Empty it out, except for a tempoonful, and then fill it up with nearbeer. See if you don't get a shock





Souff is in vogue once more. If you chew some until it becomes a soft paste, and keep it under your lip, you will soon feel as you did when you drank wine like water



Wines may be made at home, provided they are kickless. Here's a recipe builten pounds of tipe dates forty-eight hours, put the junce in jars, and bury the jars for twelve days. Then see what happens







#### She's a Brute for Strength

JUST - think of eighteen straining horses lib's new, and you will get some idea of the power carried by this boat. It is the Maple Leaf, one of the English contestants in the recent international motor-boat races.

Although this best carried four engines, it less the race. Miss America, with her two angines, was an easy winner. Engine trouble prevented the Maple Leaf from winning the race.

Four engines are all right when they are running; but they are worse than only two when they go wrong. It is a case of more engines, more trouble

Mass America gave very little trouble, while the larger, bust needed attention.

#### Electricity Stuccos the Walls

the old method of laboriously putting on the stucco by hand. They make use of a recently devised machine, that weight only thirty pounds, but that has a capable motor, and that can be connected with any light-socket it puts the stucco on a wall at the rate of one and one half square yards, one quarter lach thick, in one minute!

Not only is it a useful device for builders, but it serves as a life-saver in mines, where the rough surface is made more safe by a protective coating applied with the ranchine.

This machine also stope leaks in minechafts and air courses





#### A Scrap-Bucket in the Floor

THE floor-sweeper in this machine-shop has an easy job. When he aweeps up the valuable metal scraps left by the boring-mills, lathes, and grinders, he does not have to stoop to accop them up. He sweeps them directly into this huge bucket, which is placed in the shop floor

When the bucket is full, along comes a crane, picks it up, and takes it to the scrap-metal car, where it is dumped

Such a bucket effects a great saving in shops where several carloads of meta acraps are salvaged every week

A very beavy cover is placed over the bucket when it is in position, its rim flush with the floor, so that the factory trucks may past over it without doing any injury to either the bucket or the trucks

The bucket is large enough to hold the sweepings of several days before it is necessary to dump it. It has a capacity of several tons

Although very substantial, the burket is not heavy

#### The New Baby Crane

A SMALL crane that can be rolled around a shop to pick up heavy pieces of metal or other objects has recently been invented.

It gets its power from a storage battery that it carries around with it. A chain is placed around the object to be moved, then two hook-blocks, attached to the crane by cables, are booked to the chains. Next the motor is started

Slowly the cables wind around drums and the burden is lifted off the floor

In this way one man can handle weights that would otherwise require many men to manipulate

#### How to Thew Frozen Pipes


INSTEAD of running the risk of setting your house after with a blowtorch when the pipes freeze, it is now possible to thaw them with electric power

Here is a device as simple as an electric iron, which uses just about as much current. By merely attaching it to the frozen section it soon heats the pipe sufficiently to start the flow of water

It is possible to thew out pipes fifteen feet in length

The base of this "pipe-thawer" is made of cast from and the cover is of pressed steel. It is easily carried from piace to place.

Every up-to-date plumber should have the useful article among his equip-



### Don't Tremble; This Is Not a Bomb

No, then is not a bomb, although it may look like one. It, is a protective case used to transport radium.

The radium is placed in a hole in the center of a thick lead erucible. Why lead? Because lead does not permit the passage of the radium rays and in this way the person in charge of the transportation of the substance is protected from injury.

Certain of the rays from radium produce a peculiar and dangerous burn, resembing an X-ray burn, which is practically incurable.



#### ds th

A SHOTGUN would be much sealer to carry if it could be folded. And why not fold it? The picture shows one method of doing it

For the Canosist-the Gun that

Folds Up


The barrel and stock are hinged together and may be doubled up so that the muzzle rests against the butt-plate. The gun remains in a fixed position, however, unless a aide lever is pressed.

You will notice at once that the stock

of the gun has been hollowed out. This reduces the weight without weakening the weapon. The gun can be instantly awang into position when game is nighted.

It was invented by a canonist who was in the habit of going on long cruises. He had already tried various kinds of shotguns, but had found them all unwisldy. The one he invented has a twenty-four-inch half-octagon-shaped barrel and it shoots a forty-four-caliber shot cartridge with surprising force and accuracy

This new shotgun is entirely practical for small game or for miniature trap-shooting. The side lever that is used for folding the gun also controls the loading or extracting of shells.




#### Hark to the Voice of the Thunder God

THE giant horns arranged around the top of this speaker's stand have loud-speaking telephone receivers at their small ends.

The voice of the speaker below is directed into a special transmitter. From this point it passes through an amplifying apparatus before it reaches the receivers at the top of the stand, where the articulation is flung for and wide to the great crowd.

In this way a single speaker can address as many as forty thousand people in a single gathering. The importance of this new device as an aid especially to politicians and other orators cannot be overestimated.

Abe Lincoln was satisfied to get upon a stump and address a few hundred people. But times have changed and present-day stump speakers demand huge audiences.



#### A "Wordometer" for the Typewriter

EVERY time you hit the space-bar on a typewriter you have written a word. The little counter shown in the picture was two ords the number of times you take space-bar, and in this way counts the number of words that you write.

It is claimed that the little device never makes a mintake

It is just the thing for short-etery
when they have finished a tory
One on the have to go through it shoriously to count the words they have the
result at their elbow when the last word

is written.

The "wordometer" is not foolproof, however. If the space-bar is manipulated for paragraphing, it will record the movements as words.



#### This Electric-Light Plug Fills a Great Need

HAVE you ever tried to put an electric plug in the socket with a small glass shade attached to 117

If you have, you will certainly be alies to appreciate the usefulness of this little device which has recently made its appearance on the market. It saves time and temper, and costs only a small amount of money.

It is one of those things that have been

needed for a long time, but no one seemed to have the ambition of the inclination to manufacture it

It is really an ordinary plug with an extension. It can be used in connection with an electric teaster, Iron, motor, heater, or vacuum cleaner. In such cases, it can be attached to the cord after removing the old plug

A few minutes' labor with a jackinife and a small acrew-driver will provide you with this time-saver. Without it, it is oftentimes necessary to remove the light shade before the plug can be inserted. This is not only troublesome, but there seem to be few people who succeed in getting the shade back in its place before they drop and break it.



#### Four Legs for the Vacuum Bottle

SINCE nothing in ' or granted by register to apply the a sure and a sure and a sure and a sure apply to apply t

The stand is a fourlegged metal device which is fusioned around a bettle with a leather strap. It can be adjusted to fit bottles of adverses

To drain the buttle, fasten it upside down in the stand

Such a stand as this will also be of incetimable value to campere, automobile parties, and fishermen

#### Twine that Is Part Paper

A HARVESTER will start across a field of wheat and in a short time leave behind it a trail of wheat stalks bound qually in sheaves. It clips them, stacks them binds there, and drops off the finished bundles

For the binding process the best quality of twine must be used. Twine that is rough and not sufficiently strong is very apt to hold up the whole job. But the best quality of twine is very expensive to-day and farmers do not like to pay for it.

Now, however, there is a machine for twisting paper into twine. The paper gives it the necessary amouthness without impairing its strength. For this purpose the taugher fibers may be used, and in consequence the twine made from it is cheep





WHEN the fair beroine of a motionpleture looks out of her window in the play that is being screened, she may be looking at a giant photograph instead of at a real scene. It is often less trouble and expense to obtain a photographic enlargement from a small "still" negative than to travel a distance to get a suitable background, or to have a background painted

Mr. Shipman, of Los Angeles, California, has devised a way to make huge enlargements from anall films or plates. His method is not disclosed, but it is very successful, as can be seen by the illustration, which shows a girl standing beside one of the enlarged photographs. A brilliant source of light is required, unless a very sensitive emulsion is used, in making ordinary enlargements of great size.

#### Where's the "Old Man"?

"THE superintendent's wanted on the

What's the best and quarkest way to spread this news when the "old man" has lost himself in the factory?


In England signaling by lights is favored, it is more "refined" than the noise system used generally in American factories.

In an English factory, when Mr Smith is wanted, a switch is turned on and a red light glows in all departments of the factory; other men have other colors

The scope of ears, however, is greater than that of eyes. We can bear noises that come in all directions. If Mr Smith is wanted, why not make a noise that is different from the general noise of the lactory? Give bim one ring; Mr. Jones, two rings; and so on

### Slices of Bread

Cutting Uniform



By adjusting a stop at the end of the wooden base, you are able to vary the thickness of the slices.

#### The Gun that Shoots Gas

"HANDS up or I'll shoot?" You level your pistol at the astonuhed burglar. But suppose he failed to hold up his hands and made a dash for safety—would you ready shoot him?

Most people are filled with horror at the thought of killing a human being; they would rather let him escape. And burglars take advantage of this.

But now there is a pistol that shoots a sufficienting gas instead of a builet. You sim it at the burglar, pull the trigger, and paralyse him completely for the time being. The gas is held in the handle under high pressure, and, when released by pres-

sure on the trigger, will shoot.

The pintol was invented by a French-man named Trousson




#### A Portable Kitchenette

WO rooms and kitchenetteyou pay dearly for that kitchenette these days. Why not supply your own? Here is one that comes in the form of a handsome cabinet, adding to the appearance of any dining-

When you open it-top and front-you find on the top shelf a fireless cooker and two plain cookers, al. operated by electricity supplied from a regular housephag.

A rhoostat enables you to control the amount of heat that goes

into the cookers.



#### Making a Tiny Circua


MAKING a tiny elecus, complete la every detail, is the hopby of Arthur Thorpe, of St. Louis, Missouri. He is shown below in the midst of some ministure animal wagons that he has sirendy completes

At present there are slaty of these pieces, but he intends to reuse the number to eighty-five before the year 1921 is post.

He has made all the necessary tents. Bosides the Big Top, there is a horse tent, three dressing-tents, a blacksmath shop, a cookhouse, and a din ng-room.

The entire circus, from tents to sawdust, in located in a corner of Mr. Thorpe's back yard

C Karlel and Herbert





#### Germany's Porcelain Money

ERMAN marks been so depreciated in value that the silver in them is practically worth more than the come themselves.

In consequence of this, the Germans are considering the use of percelain in future mark-making. A five-, a three-, and a two-mark porcelum coin, submitted to the German government, are shown

A percelain factory in Memors, which formerly manufactured beautiful vasce and dinner-cets, has been making porcelain coins for the city itself, and has also on hand an order for three hundred thousand twenty-plennig pieces for the railways of

This factory is perfectly well equipped to meaufacture coins for the entire #prefriment

#### On the Trail of a Drill

URING the war, the geophone. s hatening instrument, made it possible for our men to determine the exact position of German mine-workers.

The instrument has been used in coalmines for locating entombed miners. It can also be used for getting the exact location of a diamond bit when deep holes are drilled. When the bit has reached a depth of a few hundred feet, it is hard to tell whether it is following the exact path laid out for it. By using the geophous, however, it is possible to find all three dimengions of a hit with fair precision.

#### The Hair-Cut Electrical

THE barbers' across of halrcutting need not worry you if you can get an electric hair-cutter-

No great amount of skill is needed to operate the muchineand your wife could cut your hair for you.

Unfortunately, the machine was invented in Germany, and it may be hard to get.

Below are some German children having their hair olapped in the most up-to-date manner.



#### New York's Volcano

FIRE that had all the earmaries of a A volcano was raging recently in New York city. It ocupted in some filled-in land near Van Cortlandt Park. Hall burned coal and makes were used as the filler and the accumulated gases underbeath exploded.

In spite of beavy raine, the fire continued to burn for weeks, giving off strong sulphur fumes all the time, to the mystification and alarm of passers-by and pear-by flatdwellers. The newly laid sidewarks became red-hot and the fences were burned The bod of coals burning fiercely gave of tremendous heat and made many a man with a coalion cellar very sad







D Kuyetsker VI

#### Up to Ita Tubs in Ice


A STOVE almost completely submerged in ice is a strange sight. How would you feel if you visited your summer home in winter and found your stove in such a plight?

That was the experience of some people who had a cottage near Old Orchard Beach, Maine. The pipes had burst and the water flooded the entire first floor Sofe-pillows, pots, pans, and various other household furnishings were caught in the flood and held fast in the ice, which was several feet thick

From the appearance of the tubs, store, dining-room chair and table in the picture above, the rooms look as if they were arranged for legious occupants

#### Newspapers from Slot Machines

THERE is a certain exclusive cuburb which does not approve of newsboys. They're too nowy, you know—might disturb the baby or the cat. So the exclusive residents buy their papers from slot machines placed on various corners. The required number of pennise are dropped into a slot at the side of the particular paper wanted, as is shown below. This action releases a grank and the paper drops through an opening in the bottom. When a paper is sold out, a sign tells you so. If you haven't the correct change, the machine will make it for you





#### Combining the Driveway with the Walk

ONCE a Los Angeles man bought a new Colonial house with a small garage at the rear. There was neither a driveway leading to the garage nor steps leading to the house entrance. The house was so new that only the lawn in front had been finished.

It was up to the owner to finish the job. But labor and building materials were costly, the owner was not a rich man, and he had already spent several thousand dollars on the venture.

So he developed an entirely new scheme. He built his driveway and sidewalk together, putting a flight of short steps, two and one half feet wide, between the driveway strips, making the whole a solid piece of cement work. At each side he built a retaining wall to hold the laws earth in place.

At the top of the steps a sarrow walk branches off, leading to the front porch of the house

The general acheme is decidedly effective, and the owner says he saved considerable money in labor and material by building in combination rather than by putting in a separate driveway and walk A picture of this driveway with steps in place of the usual grass strip is shown above.

#### Buy a Tree and Save a Forest

"Do your share to preserve our forests,"
easys Mr. A. Kraft, of Oakland, California. And then he tells one way to do it
by using the combination Christman
tree, hat-rack, and clothes-rack that be has
unvented. Just one tree-trunk is needed
for all three and it may be used for years


Several small holes are hored in it. When you use it as a kat-rack, you put short pegain those holes. On washday you take the short pega out, put in long ones, and hang your wet clothes on them. When Christmas comes round, you "procure" some pine branches from somewhere and fit them in the holes. One tree, only, need be secrificed for all your household hanging operations

#### A Shoe-Shine in Your Vanity Bag

First aid to dusty shoes may now be found in vanity bags. Possessed of such aid, a woman, after crossing a dusty road, present a button at the side of her vanity bag and out jumps a felt pad at the end of a wire spring. By bending over alightly she is able to brush off her shore, and proceed on her way rashined. She compresses the spring of the pad-in-the-box and tucks it out of sight.

"Where are these dusty roads?" you sak in England: the invention is an English one. But it will undoubted y find its way to this country





#### A Little Scent Sweetens All the Air

He RE is a decourage de signed to hang on the wal. In it is placed a sweet ameling voiatile liquid that continually evaporates, filing the air of the room with a pleasant odor. The liquid lasts for severa days. When it is echapted, the supply can be represished from a bottle factuated with the decolorizer. A stopper placed in the opening will prevent evaporation if the room gets too sweet.

When the houses is as country cabbage or when Lumburger cheese is on the

menu, this device will be more than welcome. A New-Yorker who uses the subways during the rush hours suggests using deadarizers as a means of making travel more conflictable.

#### Here's a Duplex Book

"A LEVER is shown at A in diagram 7". When you read it, you start looking through the book for diagram 7. It may not it may not be on the same page. How much simpler it would be if diagrams and reading matter were always in front of you at the same time.

In the new double book shown below, invented by a German engineer, this is the case. The pictures and diagrams are in a book by themselves

This book, together with the book of reading matter, fold inward and become one when not in use.



### This Beautiful Arch Is Made of Bamboo Trees

THE Botanical Gardens in Rio de Janeiro are the finest in the world. Not only are they very beautiful, but in them there are many strange growths of great interest to scientists

Among these interesting phenomena is a remarkable arch of hamboos. The trees grew so rapidly that they were unable to stand erect and they bent over in the form of an arch

Just beneath this arch of bamboos there is a bubbling brook with a path at its edge. It is a charming apot, and is visited and enjoyed by people from all over the world.

There is another famous arch in the Riv de Janeiro gardens. It is formed by two rows of enormous palms that bend toward each other at a height of one hundred feet.



#### He Made His Own Stop-Watch

SWIMMING champion C. J. Cooks, of Washington, D. C. wished to time his faily swims in order to see how blaspeed improved. But nearly every time he award, there was no one around to hold a stop-watch. He couldn't very well take it with him, so he named a clock that would serve his labor.

took an old alarmthe removed the spindle that held the what quest of the recapitation was as I put in its place a much longer apindle. The wheel's revolu-

tion speed was thus changed and the minute-hand became a second-hand. He noted the time when he plunged into the water, and again when he came out of it, thus keeping his own time.

#### Chess-Playing by Wireless


CHESS-PLAYERS aren't the least bit accepte. If one were in Berlin and the other in The Hague, they could conduct their game just as well, provided that each knew the other's moves.

By means of a new device, two champion players tried this recently. A piano keyboard with white and black notes, representing the squares on the chessboard, was connected with a wireless sending station in each city. By pressing down a key that corresponded with a certain move, a wireless signal was given, and this was sent on to the player in the other city

d. Mirmon







Like a trolley-car this huge electric incomotive, which hads trains over the Carcade and the Rocky mountains on the Chrcago, Milwaukee & St. Paul Radway, can be controlled from either end. Hence turniables are not required at division points

The electric locomotive needs no tender fixed with fuel. It can run one thousand miles without overhausing for there are no ashes to dump, no fixes to clean, no builers to inspect. Its horsepower is about 3500, so that it does the work of four steam lucomotives

In front of the engineer, at each end, is an "apparatus cab," filled with resistance cods, through which passes the 3000-volt current, controlled from the engineer's levers through solenoid switches. The front section of "apparatus cab, is closed when the engine is running. If a man were thrown against the coils while the engine is running a curve, he might be killed. The central passage accommodates a man, who can make repairs when the locomotive is side

### Over the Rockies

THE steam-locomotive bodiers of the country generate, all told, \$0,000,000 horsepower. One quarter of all the coal mined in the United States is thus consumed. This total horsepower is just about equal to the water-power that is going to waste. Hence, if water-power were used to operate railways 150,000,000 tons of coal would be saved annually, and an army of mine and railroad workers would be released for other employment.


Despite these well known facts, the electrification of our railroads has been a slow process, due chiefly to the fact that the problem of substituting electricity for steam involves not merely the employment of another kind of locomotive, but the adoption of a fundamentally different method of train propulsion

Railroad electrification has received an enormous impetus now that the Chicago, Milwauken & St. Paul system has bankbed atesm entirely from its Pacific coast division. The total electrified main-line trackage is 700 miles, so that the United States becomes the possessor of the longest electric railway in the world. The road extends from Harauwton, Muntans, to the Pacific coast, crossing on its way two mighty mounts a ranges the Rockies and the Cascades.

Fifteen water-power stations make available a combined electric horsepower of 410,000, so that, in a sense, you are carried by a waterfull as you travel over the mountains.

Electric operation has reduced by twenty-two and one had per cent the number of trains and by twenty-four and one had per cent the average time per train. It has improved operating conditions, so that nearly thirty per cent more tunnage can be handled electrically in eighty per cent of the time formerly needed to handle the lesser tunnage by steam-engines. The capacity of the road has been thus increased about lifty per cent

Of the locomotives that have made these marvels possible fifty-one were designed and built for the Chicago, Milwausee & St. Paul railway by the General Electric Company. There are sixty-one of them all told, including passenger, freight, and switching cogines. They have released for service no



It hould a 960-ton, twelve-car passenger-train on a two per cent grade at twenty-five miles an bour; the steam locomotive would make only twelve miles. On the level, the electrically hauled train makes an average speed of staty miles an hour

The ever-all length of the locametive is 76 feet, its total weight 200 tons. Between the leading 3-aids trucks at each end are two 5-wheel driving-trucks. The train hauled by the locomotive is heated not electrically but by steam from an oil-fired boiler

### on a Waterfall

fewer than 162 steam-engines and have effected an annual saving of 300,000 tons of coal and of 40,000,000 galloes of fuel oil


The electric locomotive takes its current from an overhead wire I ke a trodey-car, not with the usual pole and wheel, but with an ingenious double trodley, called a "pantograph" after the drafting instrument of the same name. The pantograph always insures perfect contact. The locomotive never "gets off the trodley"

Current at 3000 volts—the highest direct-current voltage employed in railway work anywhere—is taken from an overhead wire. But the huge electric locomotive must not be regarded as a magnified trolley-car. It embodies so many new ideas, both in railrosting and electrical engineering, that it marks a new epoch in transportation and in locomotive building.

The low-tension currents used on a street-ear (600 volta) can be handled directly by the 'controller' of the motorman. But in the case of this 3000-volt current the controller in the engineer's compartment operates certain "banks" of electromagnetic nextches sciencid switches), and these in turn feed the current to the motors.

The electric locomotive returns power on the down grades. The speed electron. The motors (not the brakes—for they are not needed) assert their control. The grade becomes steeper As the engineer scans the dial before him, he sees the trembling pointer slowly reverse its motion—creep, point by point, in the apposite direction. The motors, now converted into generators, are giving back current to the power line! The air-brakes are used only to stop the train at stations and in emergencies

'Regenerative braking," as it is called, is not electric braking. It is electric speed control. The motors on the down grade produce an electric current when the armstures are revolved, and the recovered current is restored either to the railway's power has or to the power company's transmission line. In the latter case, the restored current automatically sets back the power company's meters and credits the railway with the amount of the regenerated current. Electricity keeps its own books!



From the overhead wire the electric current passes to the engineer's control levers. A glimpse of the interior seems bewildering, with its ammeters, gages, and speed-indicators. Campared with the devices required to convey the 3000-wait direct current to the motors, the "controller" of an ordinary trolley-car is an a safety pin to a watch for complexity. Yet, to the engineer who presides over the "colemoid switches," through which the current is relayed to the motors, all this is like reading a thermometer

### Rocking Wings for the Airplane

So, Lanzius would mimic the birds!

#### By Stanley Yale Beach

I NSTEAD of traveling around the earth in eighty days, it will be possible soon to make the trip in eighty hours if airplanes are built according to the latest discovery. The practical result of the discovery that F. Handley Page has made by means of wind-tunnel experiments concerns the "acrofolls," the wings and air-surfaces of the machine, showing that these can be driven through the air more than twice as easily as heretofore with only one third the horsepower.

An albatross will soar along behind a ship for days, hardly ever dapping its wings. How it manages to find support in seemingly still air and keep up its gliding flight is an unsolved secret

that the Association Francuise Assistance is smilduously trying to discover.

#### In the Early Days

The Wright brothem performed their first glides at Kitty Hawk, North Caroline, in a stiff breeze that was blowing up their inclined surfaces—a veritable sliding downhill on the air. Finally they made a motor sufficiently light and powerful to push the machine last enough against the wind to keep it in the air and at the same time drive it forward over the ground. Instead of sliding downhill and gradually losing elevation, as it did when gravity was propelling it, the method of


flight was reversed and the planes or wings (aerofoils)—set at an angle of seven or eight degrees—tended to run up an incline on the air.

As this inclined plane of air was not solid, it was constantly pushed down as the machine passed over it, and the latter followed a horizontal course. By depressing the tail, the angle of the wings became greater, causing the lift to increase and the machine to ascend an inclined plane of air

The power of the motor is exerted through the propellers to overcome the head resistance, or "drift," of the machine and its wings, and hence to push or pull it forward against the wind.

When the angle of the wings with the horizontal is reduced, the head resistance becomes less and the machine flies faster. In starting and alighting, an angle of ten degrees or so develops a great lift as well as hig head resistance, and causes the machine to take off quickly on the one hand, or to land at a low speed and soon come to a stop on the other. When in flight, by reducing the angle to two or three degrees, the drift drops off and the speed increases rapidly. Instead of the power required to drive increasing as the square of the speed, the latter may be very appreciably

This may be one solution of the Handley Page discovery. At any rate, its value has been demonstrated by the airplane of George Lanzius, of New York, who built during the war several machines which the United States government failed to use. Equipped



The Lansius biplane, whose wings rack upon steel tubes passing through their ribs, thus changing the angle at which the wings are directed in flight. High speed can be obtained with low borsepower when the angle of incidence is small.

with a 400-horsepower Liberty motor, a 84-foot-spread biplane of this type took off with a two-degree angle merely in a run of but 500 feet, and kept steadily rising as it traveled faster and faster on a straight course. It covered two and one half miles in thirty-five seconds. This without using the increased angle of incidence to start.

#### Varying the Angle of the Planes

By an ingenious arrangement, the angle of the planes of the Lansus machine may be easily varied in flight. It may be reduced to zero degrees, and even be made alightly negative. In this way the head resistance may be progressively reduced and the speed increased. With higher speed, less area of supporting surface is required in the wings.

There have been a number of schemes to reduce the area in flight, but none have been operated successfully to date, so far as the writer knows. Professor Langley always maintained that the law of the square of the speed did not hold, and that the

higher the speed and less the angle, the less the horsepower required, or that with the same horsepower one could fly at tremendous speeds.

The steel frame of the Lansius biplane. The wings turn

slightly about the long and

short steel tubes upon which

they are mounted at the

center of pressure

#### Other Experiments

Henry A. House, who performed the Maxim experiments in England twentyfour years ago, agrees with him, and maintains that if a plane falling to earth from a great beight develops a speed of three hundred miles an hour or more under the pull of gravity, it is also possible to make it do this horizontally when pulled by a propeller. The latter will have to be of the variable-pitch type to cause

it to pull constantly at continually increasing speed, but by seeking high altitudes where the air is lighter—at 33,000 feet it is about one half the density—the head resistance is so cut down that extremely high speeds are possible.

Experiment has shown that the shape of the engine is highly important as regards head resistance, as is also the proper pointing and streamlining of the nose of the body. For great elevations an airtight body resembling a submarine will be used, in which the pressure will be kept at atmospheric. This will contain the engines as well as the people.

Mr. Lansius has designed such a craft with many sets of his variable-angle planes on each side. It is a ventable air leviathan, capable of flying around the earth in eighty hours instead of in the eighty days required by Jules Verne.

### Thirteen Billion Suns— Living and Dead

### How astronomers measure the universe

By Abbé Théodore Moreux

Director of the Observatory of Bourges, France

#### When You Look at the Stars

From the days of the ancient Chaldeans. astronomers have wondered not only how many stars there are, but what is the underlying plan of distribution.

Abbé Moreux takes up these two questions in this article. He is not only a practical astronomer (he is the director of the Observatory of Bourges, in France), but he is one of the great French popularizers of science.



The astronomer Proctor placed the san in the center of the great galactic circle

COOK at the sky on a moonless night. There arches the Milky Way, a broad, phosphorescent ribbon that encircles the whole sky In the telescope it appears as an accumulation of stars that defice our imagination. But, even with the naked eye. It is easy to distinguish what enems to have escaped the ancients that the number of stars in the bravens.

Increases as we approach the

Milky Way

Sir William Herschel, the first astronomer to make use of truly powerful telescopes, capable of grasping the light of the fainter sturs, found the Milky Way literally composed of clouds of stars. He wondered what might be the sun's relation to such a vast assemblage of stars. He believed that we were placed in the middle of a universe shaped like a disk

Through the effect of perspective, these stars in the disk appear to be in greater number

if we observe them diamet rically across the plane of the disk. As our eyes turn n a direction away from the plane, the stars deningh In number. The whole seemingly lantastic conglomeration is what we call the universe, and it is composed about one bilhon stars, all suna like ours. and ell in a

stage of evolution that is more or less advanced

In addition to the stars that seem to crowd around the plane of the Milky Way, telescopes show other objects no less interesting. Globular swarms of stars and strange, musty shapes which we call pebulae are also found near the plane of the galaxy. Do they form part of our universe? That question

Skr William Herschel decided that this was the shape of the universe, the sun occupying a place in the great amemblage of stars

confronted scientists for more than two centuries-and still confronts them.

At the time of Hemchel, nebulae, like star clusters, were considered too distant to be defined into separate points by the existing telescopes. Both were thought to be masses of stars like the Milky Way. As telescopic power was increased, many of these misty ob-

> jects were seen to be composed of myriada of stars, and this led to the conclusion that perhaps all nebulas were thus constituted. Thus originated the fantestic theory that these bodies were other universes, or "cosmic islands" in the vest ocean of

But in 1864 it was discovered that a large number of the socalled nebulae were gaseous bodies, vast masses of material destined to form worlds. This induced astronomers to adhere to their original theory that the nebulae belonged to our uni-

> verse. But an the number of these musty patches of light incremed more powerful telescopes were used, it was found that the greater mass of them seemed to be corrected at the points of the heavens remote from the Milky Way. The stellar clustera, however, were found in tbe regions near the plane of the galaxy.



A chart showing the distribution of stars, clusters, and nebulae in the universe. The large dots remote from the Milky Way represent the spiral nebulae



### The Abbé Moreux, Theologian and Scientist

Abbé Théodore Moreux, director of the Observatory of Bourges. France, early became interested in the stars. Though he is best known as an astronomer be is also distinguished as a geologist, a chemist a mathematician, a physiologist, and a physician. With all thes profound knowledge, he is yet simple and modest.

He was one of the first scientists to conclude that the sun is the great weather-maker of the earth, and that solar disturbances are directly connected with the earth's cataclysms. He predicted the great earthquake that devastated the region about San Francisco, and has since made other important predictions. His early investigations disclosed many strange facts about surrepote, those gigantic disturbances that are known to affect the earth a magnetism.

He tells us that the stavene is vestly greater than was imagined by the ameents. "We know "he says, "that among the bright stars are many that are comparatively dark. These semi-extinct mass, in the dark censelery of space, counted with the estimated number of bright stars, provide a grand total of tweive or thirteen billions of living and dead suns."

The relations of the star clusters and nebulae to the Muky Way become evident by their distribution in space. The mystery seemed to clear away when rough estimates showed that some of the nebulae, like that of Andromeda, were nearer to us than the most distant stars.

According to Simon Newcomb, the eminent American astronomer, the disk in the midst of which we are placed is so enormous that light rays have to travel from ten thousand to fourteen thousand years to traverse its diameter, traveling at the rate of 186,000 miles a second!

The spectroscope, an instrument that apreads the light of a bright body into a ribbon of color, was then invented. Not only did it permit us to analyze the substances that glowed in the stars, but it indicated in which direction the stars were moving in our line of sight. Light, somewhat like sound, travels in "waves," or oscillations. When the hody emitting the light is coming toward us, the waves are crowded toward the blue end of the spectrum. When it is going away from us, the waves are drawn out toward the red and. The effect is lliustrated in the approach of a swift automobile when a continuous blast of its born is sounded. The pitch rapidly rises until the automobile passes, then the pitch falls. The short sound-waves of high pitch correspond to the short blue waves of light. This is talled 'Doppler's principle."

Measuring the amount of change in the spectrum of a star, its speed of approach or recession can be

determined. The ancients considered the stars as "fixed" in space! Their average rate of motion is 22.5 miles a second. But there are some stars, such as the bright Arcturus, whose motion is greater than a hundred miles a second. The power of attraction of all the stars in our universe would not be sufficient to account for so high a rate of motion. That being so, whence came these stars? If they came from other universes beyond, then the old astronomers must have been right

The nebulae farthest from the Miky Way are of a spiral form, somewhat resembling a burning pinwheel. More than half a milhon nebulae have been disclosed by photography, and many of these curious masses are traveling through space at a speed equal to that of the stars. This would give new weight



A rich region of stars in the Milky Way. Dark rifts stretch across the glittering background in a singular and perplexing manner


to the theory of cosmic islands. Our own galaxy probably resembles these spiral nebulae as seen from remote regions. The sun occupies a place com-

paratively near its center. The speed of our "cosmic late" is 1040 miles a second!

Recently Dr. Shapley, of Mt. Wilson

Observatory, has measured the distances of clusters and nebulae, and has shown that these mysteribus objects are farther away than the Milky Way. The nearest star cluster is at a distance of 20,000 light years, and the most distant more than 200,000.

From these recent discoveries we' find 'that we must expand by a vast degree our former estimate of the size of the Milky Way, which the astronomers of the nineteenth century had enclosed in too tight a circle. According to modern conception, the siderest universe forms an enormous aphera 800,000 light years in diameter. The poles of this aphere are occupied by the spiral nebulae. The equator is occupied by the disk containing the stars, around which are massed the star clusters—our solar system among them, about 60,000 light years from that gigantie formation.



Abbé Moreuz places the sun near the center of the great star masses. In the margin can be seen the constellations through which the galaxy extends in its gigantic circle around the beavens

### Bread without Flour

### The grain, robbed of its husk, is made directly into dough

BREAD has been the staff of life for thousands of years, as the Bible testifies. But in the passage of centuries no one has attempted to change the general process of bread-making. The grain has been ground to flour and the flour has then been turned into dough

This intermediate flour stage is unnecessary, says Mr. Gross, a German scientist, whereupon he brings forth a new and startling bread-making process which entirely eliminates the flour stage. And what is more, the dough contains the valuable albuminous matter found in the bran without containing the indigestible cellulose husks.

Goats are the only animals that can digest cellulose; that's why they'll eat everything from newspapers to nuts. When a human being eats bread which contains these cellulose husks—and most bread does—he is trying to do as the goats do. He falls to digest them, however, and as a result his system is irritated.

And, now for the huskless process itself. The grains encased in their thin shells are dropped into a trough conBy Dr. Alfred Gradenwitz

taining hot water and are given a strenuous shaking for about half an hour. By this time the shells, or husks, have been detached from their grains and are ready for separation. Whereupon the entire contents of the shaking-trough are dumped into a reservoir containing a continuous supply of clear cold water. The heavier grains and albuminous matter drop to the bottom, while the indigestible husks and all impurities float on the surface, forming a dark layer.

Compressed air in turned on. It stars up the hunks with such violence that they are carried away by the ever moving water. At the end of ten minutes they have completely disappeared and the grains can be seen at the bottom of the reservoir through the transparent water.

#### How the Grain Becomes Dough

A trapdoor in the bottom is released and the grains drop on a rolling-mill below. They pass over a series of granite rolls and are crushed till they form a fine homogeneous dough, ready to be made into bread. Salt, leaven, and water (if necessary), are added to the dough. But in most cases the grains have absorbed enough water in the husking process to make the addition of water unnecessary.

The dough is now ready to be kneeded. This is done by means of the usual mechanical mixers. A special machine cuts the kneeded dough into pieces of the proper weight, and a molding-machine given them their shape. They are baked in quantity in an electric oven. One man can manage this entire process


himself; in fact, one man can take care of a large-sized plant.

The loaves of bread made by this method took just like ordinary loaves, as is shown by the picture to the left. But your digestive system will know the difference.

#### It Took Twenty Years to Perfect

Mr. Gross, the inventor of this flouriess process, spent twenty years working on it before he perfected it, and the results have been even better than he expected.

Not only is the bread highly digestlbie, but a greater quantity of it can be
made from a certain amount of grain
than can be made by the old process.
From one hundred pounds of grain
one hundred and forty pounds of
bread can be made by the Gross
process; whereas only one hundred and
eight pounds can be produced by
the usual grinding process. And the
time of dough-making is greatly reduced. Half an hour after the grain
is dumped into the shaking-trough
it emerges in the form of dough.



This back removing machine consists of a shaking trough and a cleanuing reservoir. The trough is filled with hot water and the grains are thrown in shaking loose the backs.

The buskless grains are crushed through a series of granite rolls shown here, coming out at the bottom in the form of a fine dough, ready for use

A special machine cuts the kneeded dough into pieces of uniform weight. Another machine molds them and, when baked, they are all of the same size, a method followed by most bakeries

This is Mr Gross, the German who invented the new method of handling grain. He spent twenty years working on the process before he perfected it

### Sharpening Drills by Machine

THIS compressed-air forge is capable of doing the work of several blacksmiths and their helpers.

The new machine is largely used in sharpening bits used in rock drilling. A short time ago this work was done by hand. Where large excavations or tunnels were being made, several blacksmiths had to be on hand to keep the bits sharp. One man and one machine now sharpen the bits as fast as they are dulled.

The bit is heated in the forge and



placed under the plunger of the compressed-air machine. A blast of air under high pressure forces the plunger down to reform the busy less end of the bit

The drill ends can be sharpened with this machine as fast as they are heated in the force

With one man watching the forge and another feeding the machine, the work of seven or eight blacksmiths can be performed

Where extensive excavations are being made, there is always an abundant supply of compressed air to operate the sharpening reaching.



It is obvious that the rap worn by the girl above is both sanitary and a precaution against accident to hos long lists

This is a compressed-sie drillsharpener. By its use two men can do the work of eight black souths. It clus trates the cluss sy old time forge

# This girl's heir was caught in a machine and pulled out by the roots because the work no cap while working at her machine

### Safety Caps Protect Factory Workers

MANY of the thousands of women who went into factory work during the war are remaining because of the good wages.

One look at the picture above will explain why some form of cap is necessary for every woman factory-worker. The girl in the lower picture did not wear her cap. As a result a handful of her hair was torn out by the roots. If she had worn her cap, she would have saved her hair and avoided much pain

Yet the usual cap is uncomfortable,

hot, makes the hair fall out or turn gray, and causes severe headaches

To overcome these disadvantages, a self-ventilating cap has been devised. It weighs only one quarter of an ounce and is, made from a combination of large and small cotton mesh instead of the closely woven material generally used. It is carefully patterned and cut so that it will fit over the head and hair easily and will always keep its shape.

This cap may also be laundered, and it is furnished in white for candy and food products factories, bakeries, and the like, where it lends a decided air of cleanliness and efficiency; or it may be had in brown, a serviceable shade for machine-shops.

### The Paint-Sprayer that Can't Spatter

PAINT-GUNN and paint-sprayers are constantly being invented, and yet we continue to see the hand painter on the job, complemently drawing his large wages each fair day.

Why is it that the sprayers and guns do not flourish more rapidly? One reason is loss of paint; another is the

apattering on surfaces not to be painted; and, besides, the paint is apt to get a chalky consistency due to the evaporation of oils while still in the air

There is, however, a new paint-gun designed to overcome these objections. The nozzle has two openings -a central one for paint bauers one relucing as bae It for compressed air, whose pressure is sixty pounds per square inch. This surrounding air carries the paint to the surface and is so powerful that the paint can't break through it. Thus it is neither lost nor apattered. The paint is released in bulk. Hence the oils in it do not dry before they should.

The wall of air that completely surrounds the paint guards it against wind and dirt, while it also guards the surrounding territory that does not need paint.


Even in the heaviest wind this paintsprayer can be operated successfully. And when there are dirty surfaces to be cleaned, the painter can use the compressed-air jet for the purpose.



There are two openings in the notice of this point sprayer a central one for point and an another one for compressed air

## New Jobs for the Phonograph


### It whirls other things just as easily as records




This man made some wooden candiesticks, when they were stained and ready to be possibled, he placed them on the phonograph turntable and held the polishing brush firmly in his hand




Why pay to have your nails polished when you can shine them yourself without expending any energy? Samply attach a circular buffer to the turntable and pull the starting lever




Place a glass containing a drink on a stand fitting over the centur pin. Attach a stationary arm with an adjustable lever to the phonograph. The lever will starup the drink as the glass revolves



The cleaning of silverware is always a bugbear to the housewife. By uncaring the turntable with point the phonograph can be used to shine all the knives and form



"Help! Help!" shouts the record when a burglar opens the door. A string is tied to the door-knob and the release lever of the machine. When the door opens, the record yells for help



You can buy plain white dishes and some gold paint. Place each dain on the turntable of your machine and hold the wet brush against the edge when you turn on the power.

A four legge chance herenames such a superesting when examined by the X rays. This chicken was five hours old when the X ray picture was made by Cox-Cavendish

### To See What's Inside

### Have an X-ray photograph taken

X-rays can now be made in a second or two, unstead of waiting twenty minutes for their aght to affect the photographic plate. Helow is an automobile tire with the X-rays shiring through it, contributed by the Cox-Cavendish Electrical Company to the Rontgen Somety's recent exhibit in London. The canvas fabric can be seen through the rubber trend







You can have an X-ray picture made of your watch to see what is wrong with it, as this one by Coa Cavendah shows X-rays penetrate every substance except lead




Of special interest to hotamets were these radiographs of roses, fuchsize, fern leaves, and other leaves, made by Dr. Robert known of Landon. The application of the rays to plants forditates the diagnosis and study of plant discuss



A radiograph (by the Cox Cavendish Electrical Company, of I in ion of a case of chocol at showing pieces of wire and a staple in the cake for X-ray purposes and not by accident



Here is Dr W F D Chambers' X-ray photograph of an ammonite. Although a foundized ammonite apparently consists of a homogeneous mass, the says discriminate between the shell and the filling material



portant. This picture and the a steel bar, showing imperfections are a many. The want area are air spaces. The rays can penetrate half an inch of steel.



The Card Tells the Price

IN order to keep the customers' memory informed of the rising cost of milk some dealers are now using a clever device

The information is printed on a strip of cardboard in which a hule is cut at one end. When a bottle of misk is left at a house, one of the cards is slipped over the neck of the bottle. The customers have no excuse for claiming that they did not see the notice, for they must remove it from the buttle when they take it into the house.

### When an Airplane Collides with a House

WHILE trying to get into the sir after weeds in the field through which a metal airplane was taxi-ing" acted as a brake when the machine otherwise would have been but or out to the nir to clear a rear as constant, a series of temphone with and a house loomed just ahead The result is shown in the photograph reproduced below

One wing of the feat, and was comaged and its running gent was ton if Captum "Eddie R here a set was was one of the massingers was the common burt. He described his injury as a 'severfracture of the straw had



ANY man who walks along a dark country road at night needs both a stick and a flash-lamp. The man who rides in taxicahe or on the top of huses naeds a light when he looks for change to pay his fare. Here is a walking-stick that combines its natural advantages with those of a light.

A small flash-lamp is fixed in the handle of the stick. The handle is hollowed out to accommodate the battery, while the lens and the small electric hulb are fixed in the tip of the handle.

This same principle might be applied also to umbrelles, as a convenience on dark, wet nights.

#### A Self-Closing Two-Way Gate

HERE is a gate that swings on a central post which has a short fron rod inserted at top and bottom, the top rod passing through the lintel of the gateway, the bottom rod working freely in a block set in the ground. The gate is hung by two chains to the lintel, the fastenings being on each side of the center post of the gate. The center post rices as the gate opens.

The principle of gravity could scarcely be more satisfactorily applied to a simple contrivance for every-day use than it is in this contrivance.



He Makes His Rounds on Skates

AKING the round of inspecting fire hydrants, the policeman who has to cover a long beat may find himself slipping on his job when the etreets are covered with ice. A policeman in Columbus, Ohio, got around the difficulty by directing his slipping to a purpose. With skates on his feet, he found that he could make better time covering his rounds than when he walked on a dry pavement

If, by chance, he should most a thief, he would have the advantage in a chase over any payements.

#### How the Thrust of a Propeller is Messured

THE air-screw or propeller of the airplane, while far from being in an experimental stage, is still subject to scrutiny by inventors. Not only are improved methods of manufacture being studied but the shape and power of the propellers are also being examined and tested, in the hope of reaching greater efficiency

One method of testing is that shown below. The organic is attached so a per which may make that offer the east received to an an and are terreb cost on the propeler to be sometime to measure. This resides it possible the company or specients of different types.





C Mirtael Boye



#### A Penholder Support for the Beginner

HERW you me a penholder support that teaches you the proper way to hold a pen.

It is made of spring wire and has a loop at each end. One loop fits over the little finger which rests on the table, and the other fits over the holder. The length of the wire between them is sufficient to keep your fingers from becoming examped.

You are forced to hold the penlocally and thus you write smoothly. The loop that is placed about the penholder can be adjusted to any position you desire, thus changing the angle of the holder.

is there anything in that idea of one's penmanship indicating character?

#### Irrigation by Horsepower in the Holy Land

DAMASCUS, one of the oldest cities in the world, is far behind the amalient American desert town in the matter of irrigation. Instead of using a pump for raising the water from the river, a team of horses aided by a windless does the work

A leather hag is lowered into the river, where it takes on a lead of water. Then the horses are driven forward. As a result, the ropes that are attached to their harness and passed across the windlam draw the bag up to a level with a trough that leads to a ditch. The bag is tipped, the water runs into the trough and into the trigation-datch



### Down Comes the Steeple to Thrill "Movie Audiences"

LIGHTNING has always been a great stremy of church steeples. A glance at this picture would tend to make one believe that the simplene will also do its share in destroying steeples.

Not so, however, since this picture is of another "movie" thriller. The church steeple is constructed of very light material, so that there can be no danger of damaging the airplane. In case of a real argument between a real church steeple and a real airplane, the airplane would be sure to lose.

This stunt was not accomplished without any danger, however. Few movie
stunts are. When the sirplane struck
this steeple it was traveling at high
speed -probably from sixty to seventy
miles an hour. At this tremendous speed
the aviator was taking a great risk by
allowing his machine to strike snything, no
matter how Irail or delicate. When a
machine is traveling at this high speed,
it does not require much to upset its
balance and dash it to earth with its
occupants.



#### Neatly Bringing a Soft Collar Together

MORE and more do men wear soft collars the year round. The enft ones are comfortable, easy to put on-but they do not look as well as the still ones. Some people object to buttons and buttonholes that hold down the ends. There is now a slip-on featener that clasps both ends firmly and holds them down close to the neck-hand.

The fastener consists of a slightly curved bar with a double loop at each end. The space between the sides of the outgoing loop is so small that the collar edge can barely be slipped through it. Once Inside, the edge is held firm.


These fasteners have been made in various metals and designs to suit every taste.


#### An Automobile Made of Luggage

STAND a hatbox on its side and it looks not unlike one of the disk wheels with which some cars are adorned. Then there is the trunk with the curved top; does it not resemble the hood of an automobile?

The proprietor of a Berlin leather goods store noticed these similarities, and decided to build an automobile out of his wares. Hathores, suiteases, "gripe," and satchels were used chiefly. One small satchel made an excellent tool-box and was placed on the running-board.

When this luggage-made automobile was finished, it was placed in the window of the store and attracted growds,







A Motor Snow-Plow for Sidewalks

EVERY one is familiar with the small gasoline - engine laws - mover as it specify travels around the large lawss of city parks in summer. We may wonder why such a device has not before been adapted as a snow-plow to clear the sidewalks after a winter storm.


The man who has to swing a shovel in the hard work of getting the snow cleared away from a long stretch of pavement will certainly appreciate this invention. Emplayed by a traction company, it serves well to clean off the street corners where the cars stop, making a wide path for the passengers who are waiting for cars.

Easily portable and easily controlled, this hand show-plow can combat the heavy masses of a formidable snowbank, and in cleaning sidewalks is very efficient.

#### Rover Makes a Clever Caddie

A N Airedain will make a very capable caddle if he is trained to carry the golf-sticks and to "stick" around. Golf is such a lessurely played game at times that one's caddle may stray away and not be at hand when most needed. A dog is more likely to stay close to his master, and as the burden of sticks is not a heavy one, the animal will not be inhumanely treated if he is required to make himself useful instead of merely lapily present.

This particular dog enddie actually has become an enthusiast of the game. At every shot his attention is on the alert, and he watches the play with the keen





One of Our Bird Veterans of the War

CARRIER pigeons won distinction by her service in the great war. Some of the bird member of a section of the highest Curps were kalled or wounded in charge of the twelve thousand pigeons were twenty of services and her enlated to

The national minute speed of the bathenabled them to convey messages from inscendible piaces. ....

At St. M mel, 567 American homers were used. Twonty-four out of 202 were killed when released from tanks in action

One of the homers used in tank work, "President Wilson," with his leg shot off flew through fog and rain, and heroirally won official commendation. This hero was one of the veterans exhibited in St. Louis at the convention of Rexall drug gists in September



The Wood Used to Make a Sunday Paper

THE principal cause of the present paper shortage is the fact that no satisfactory substitute has ever been found for spruce wood

It is said that one great New York newspaper devestates binety acres of aproce timber every day

Ten years ago the United States produced all its paper pulp. Today it imports two thirds of it, and our spruce forests are dangerously near axtinction.

The big Sunday newspaper above weight nearly two pounds, and the approximate amounts of the materials in it are shown beneath it. They are one ounce of bleaching powder, two pounds of coal, one ounce of sulphus, one and one half ounces of unstacked lime, red and blue dyes, and three pounds of spruce wood. If the paper is to have a smooth finish, rosin and other materials are added as "sixing."



A Headlong Flying Leap on Skates

LAKE PLACID, in the Adirondacks, holds a peculiar charm for the winter sporteman. The hills afford an opportunity for skiing and skijoring, while the smooth surface of the frozen lake invites such games as curling and bockey. But skating meets the all-round popular deroand, and to Lake Placid in midwinter come the world's champion los-skaters.

Stants such as jumping, dancing, and ice-acrobation are much enjoyed by the crowds of visitors.


The photograph above shows Earl Pairsec, of Plattsburg, New York, in the act of making a daring jump over three barrels. This took place during the contests for the international championships From the attstude of the skater's body the "landing" tooks precarious.

#### Good Tope Make Good Barrele

DiD you ever try to get a harrel-ton off without making kindling-wood of the barrel? It is a trick that most people cannot do with an ordinary barrel With the barrel shown below it is different. It is not necessary to use a sledge-hammer on a barrel with a wedge top

The top is made in three pieces. The middle piece is wedge-shaped, and when it is pushed in between the other two pieces, they





#### Setting Small Jewels in a Watch

WHEN it is necessary to use a magnifying-glass to see distinctly the tiny jewels that every good watch contains, one is naturally curious to know how such minute objects are set properly in their places.

These tiny jewels must be ground in precise geometrical forms and exactly set, to be useful.

A jewel-setting tool, the invention of Carl Culman, of Maplewood, Museum, is a device to help the watchmaker. It is so constructed that one jewel may be set in without interfering with another that is already in place.

In appearance the jewel-setter resembles a grow between a surgical instrument and a pair of piters, but it is like neither. It can be used in various operations in repairing a watch or a clock, where very small objects and delicate work must be handled.

#### Mesers, Winter and Water, Nature Sculptors

DURING the cold weather a water-main broke and sent up a spout of water about eighty feet in the air. Of course, the water had to come down. It fell and quickly froze in beautiful featoons along the limbs and branches of the trees in the neighborhood, making grotesque shapes of ailvery whiteness.

In the morning sunlight, the ice glittered and sparkled, and the sight of a group of ice-trees in the heart of a city attracted crowds of visitors.

It was the extraordinarily intense cold that caused the water in the main to freeze and the expansion of the water caused the pipe to burst. But the pressure of the water in the main was too strong for the resistance offered by the les-plug—so the spouting water shot high above the pavement.



A Clock that Literally Tells the Time

HAVING studied the matter for eixteen months, Vincent Pinto and his son Joseph, of Philadelphia, invented a clock that talks. The old saying that "time will tell" in now a reality. The clock speaks that time instead of striking the time at certain intervals.

It can be made to speak at any time during the day; but for convenience the model
clock has been regulated to speak every
quarter of an hour. A few seconds before
the minute-hand reaches the quarter bour,
the mechanism is set in operation and announces the time with an appropriate or
humorous remark. For instance, in the
morning it serves as a reminder to get up.
At seven o'clock, besides announcing the
time, it can be made to say that breakfast
is ready. At four thirty is the afternoon
it will remind mother to prepare dinner.
At eight is the evening the children may
be reminded that they should be in bed

The entire mechanism of this useful attachment may be condensed to fit into an ordinary table or mantel clock



#### Rubber Tire Patches Make Good Rubber Heels

MAKE your own rubber beels and toes from tire patches. All you have to do is cut down the patches to fit, and glue them firmly to your shoe, and they are all ready for service.

You will probably never want to use the patches on your inner tubes, anyway—it is so much master to pay a quarter or a half dollar to have a tube patched at a garage than to do the job yourself.

Too patches have become quite necessary since women have taken to long-pointed shoes. After a few weeks of use the points become dul, and worn to a water at the extreme point, and either new shoes or patches become necessary


These tire patches are likely to be useful in verious other ways around the house. That lenky hot-water bag can be made whole; likewise the hose of the bath-spray or the garden aprinkler


#### Now Is the Time to Make Your Own Ice

A TRESTLE carrying a device similar to a lawn-sprinkler, so that the water is aprayed across its top, makes a satisfactory midwister fee-machine. The water will freeze in successive layers as it trickles over.

When ion may be properly stored, there is no better way to take advantage of winter to obtain a fresh, clean supply of it. The swinging or rotating motion of the sprinking device will distribute the flow of water so that it will not form the ice all in one spot. The ice shapes that are created from such tiny particles of water may thus be made serviceable when stored away for next summer

When a fine, misty rain freezes upon the branches and huskes, the garden and the woods both become places of beauty. Now it is possible to create artificially the same effects.





#### A Steel Punch and Bender

Tite man who would punch holes in a steel bar, or who would bend strips of metal, needs a machine that has great atrength of construction, and that can be easily manipulated. Here is a steel punch and bender that can be changed from one to the other without loss of time. Hand levers apply the pressure to the bars holding the various toos.

If the machine is to be used as a punch, just slip the punch and die holder with the boil in the slot, and from all sides the punch is visible to the workman. More than one punch and die may be clamped in the machine at one time.

#### A Sted that is Propelled by Hand

IN some parts of Europe farmers use apikes to provide a means of motive power for grade sleds. The spikes are dug into the ice and thus a man can propel himself over the smooth surface of the ice.

The device is a simple application of that now employed by arctic explorers in motor-driven sleds. There the smooth runners enable the vehicle to slide with least resistance, while fron-spiked wheels, or "caterpilars," propel it along by engaging the ice in a firm grip.





### Safety First for the Man Who Oils the Machinery

DID you ever beer about the man who tried to oil machinery while it was running, and who stood upon the top of a stepladder to do it? Well, the ambulance got him first, and then the undertaker came for him. The ladder slipped on the oily floor and the machinery did the rest of a disastrous job


To prevent such accidents there is an oil-can having a long extension which enables a man to stand upon the floor and reach every part of the machinery that requires oiling. A long spout connected with the can, arranged to send the oil up to the top of the spout, is the handy equipment that should be installed in every factory

#### The Coal-Stove Unadorned

A COAL-STOVE should be as plain as possible. Isingless windows and mekel-placed trimmings simply admit sky through the joints. As the air seeps through the joints and cracks, the best within the stove is decreased.

A coal-stove, chosen at random, was tested by one of the members of the American Society of Heating and Ventilating Engineers for the amount of carbondioxide directly over the flame and in the chimney. Nine per cent of it was found over the flame and only four per cent in the chimney

In preparation for a subsequent test, if the air leaks were then scaled up with cement. The second test revealed cloven per cent over the fire and eight per cent in the chimney.



#### A Spring Hanger for Clothes

A NEW metal clother-hanger upon which one can quickly dispose of the garments in a closet has been invented by John L. Lyman, of Easthampton, Massachusetts. This hanger differs from the ordinary clother-hook in that it embodies a device by which the article placed upon it is held in a spring grip. It takes up the minimum of space and permits a number of garments to be hung upon it


The device consists of a single piece of wire having a suitable amount of resiliency to grip the garment by spring tension. It can be placed in the panel of a duor or attached to a shelf.

#### Bobsledding When There's No Snow

IN Switzerland many people have put wheels on their sieds and enjoy all the thrills of coasting down hi is even though no mow has fallen. In fact, many sleds are made originally with wheels instead of runners

The chief objection to snowless constant is the danger of spilling. You land on hard, dry, resisting dirt, and are very apt to bruise yourself or at least run your clothes. Snow, on the contrary, is usually harmless, unless it is frozen bard





#### No Fire on This Locomotive

"A Nodd-looking locomotive," you will say. It is a locomotive without a fire. How does it run? By steam, of course.

The steam is not generated on the locomotive, but in a separate belier located in the yard. The belier of the little locametive is used only in storing steam.

Steam is pumped into the locomotive under considerable pressure. This finds its way into the cylinders through a valve which reduces the steam pressure to about one third the pressure in the boller


This method of locomotion prevents the buildings about the yard from getting dirty and also eliminates the fire risk, which is most important.

#### Hercules in the Locomotive Shop

WHEN locomotives are repaired, it is no longer a case of getting out and getting under. That is too much trouble. The modern method is to raise the locomotive.

Hydraulic pressure is used in lifting the locomotive from the floor of the shop. A large locomotive can be placed on the lift and holated up a distance of five or six feet in a few minutes' time. This hydraulic hoist is capable of lifting a weight of two hundred tons with ease.

Holsta of the same design, but having six posts instead of four as shown, are made to lift a weight of three hundred tons without grouning. The six-post hoists are used with long locomotives, so that no strain will be imposed upon them.



#### A New Tower for the Man Who Repairs Overhead Wires

HERE is a new way to get into the air to repair overhead wires for trolley-cars. This tower is comparatively light in weight, but it is so constructed that several men may work on the platform without danger of it collapsing. It is trusted in the manner of a bridge. When the tower is not in use, and during transportation, the upper half is telescoped into the lower half and the whole thing is allowed to drop slowly until it comes to rest on the bottom of the truck carrying it. In this way it can be carried from place to place without trouble.

The whole structure can be brought to position by one man. It is necessary only to control the motor, which motion is transmitted to the tower through a train of grans. When the tower is brought to an upright position, the upper half is raised by power to the height desired

#### A World's Champion

LOOK shows and you will you the world's featest typist. She has popied one hundred and fifty-one words in one minute. This is a speed of more than two and one half words a secund


Attention must be given to details to attain such a record For instance, the typewriter about he fastened securely to the deak without the drop-bed feature. The drop-bed tends to increase vibration, and this interferes with high speed The typist should have a fixed back chair with her knees braced against the deak to keep her the proper distance from the machine.


#### This Is a Busy Little Car

THE car pictured below is used in a great chemical plant. It is kept busy measuring out large quantities of the different ingredients that enter into the process. It is driven electrically and runs about the yard measuring out so much of this and so much of that

The large kettles carried on the upper deck of the car are the measuring units. They are filled up and lifted off with the electric derrick mounted on the top. While this may appear to be a crude method of measurement to those who are accustomed to smaller units, it is accurate enough for use in the production of large batches of various chemical products.

This car is used in a by-products coke plant,





## Fighting the H. C. L.

By exercising a little a few hours to home other ways of reducing


By drilling a small hole in the nearest steam-radiator, threading the hole, and from it conducting a pipe ending in a sained arm to the kitchen sink, Hagh E. Westfield, of Rockland. Massachusetts, obtained hot water all winter at small cost. The flow of steam is regulated by a valve above the swivel arm.



Left With a coal or wood burning stave in the cellar Charles &. Upton, of Le Pargeville, New York, defies the coldest winter blasts. He conducted the stave-pape through the kitchen floor, carefully protecting the wood work, and connected the pipe with that of the kitchen range, is meant greater economy.

Right Three or four sheets of newspaper foided once and then rolled tightly and twisted together make a good substitute for wood in kindling a fire in the stove or grate. William J. Albin, of Oncland, California, who suggests this method of saving fuel, finds that paper rolls burn slowly and give much best





Percy L. Anderson, of Wilmington. Delaware, saved foel by transforming a small cost stove in his cellur into a hot air furnace. He put a tin box around the stove, conducted a hot air pipe through the floor of one room, and put a register around the smake pipe in another soom.




From an old railway-car stove H. M. Beach, of Fort Plam, New York, improvised a hot-air furnace. He surrounded the stove with a tin jacket in a walled in space 6 by 6 feet. Around the pipe he placed a drum communicating with the room above

#### at the Cellar Furnace

ingenuity, and devoting tinkering, you may plan your living expenses

When the hot air furnace in his cellar is un use. Jacob A. Ruof, of Philadelphia, saves much coal by heating the water for hitchen use in pipes which form a loop in the fire-box of the furnace. At such times the gas-heater connected with the water-tank is not required at all







Left By utilizing the waste heat in the channey, William H. Morin, of Oxford, Massachu setts, achieved a considerable taving of coal that would have been required for heating the water for hitchen use. He placed the water pipe in the channey connected the upper end with the kitchen faucet and the lower end with the supply pipe.

Right Por the purpose of saving fuel. C. L. Meller of Fargo, North Dakota, set up a sheet from drum in his laving room and conducted, the hot gases in the chambey through the drum by connecting it below the floor and near the ceiling of the room with the flue.





With a discarded rain-pipe, eight feet long, and the flame of a gas-burner in the living-room, William L. Wray, of New York, kept his family warm when a rold day found him without coal. By filing a bole in the lower part of the burner be made it a Bunata burner



By connecting the hot water tank in the kitchen with a radiator in the room above by means of pipes, Arthur Johnson, of Ironwood, Michigan, heated that room comfortably without extra expense throughout the cold season, when the kitchen range was in constant use

### Fresh Fish from Sea to Door by Motor-Truck

To make the motor-truck serve your business efficiently make a study of the handling and transportation problem

OTOR-TRUCK transportation is so new, as compared to the other forms of rail and water transportation, that the prudent business man will do well to make a thorough study of his transportation

problem before he installs trucks in place of horses, or aubstitutes highway for rail or water shipments. The need for this study is due to the fact that the motor-truck cannot be run on horse-pace methods and achieve its greatest degree of economy

#### A Truck Must Give Double Service

On the average, truck equipment will approximately double the horsewagon outfit to carry the same load. Therefore, at the outset, irrespective of the higher operating costs. the truck must do twice as much work as the horse in order to perform the work at the same cost per ton, lond, or package, an

the case may be. Owing to its inherent speed, the truck, in ninety-nine cases out of a hundred, can do twice the work of the horse equipment-provided it is kept moving and used as a vehicle instead of a warehouse on wheels.

Only an advance study of the trans-

#### By Joseph Brinker

portation problem will enable the business man to decide whether trucks can be made to save him money in his haulage or delivery. If the first analy-

will speed up the truck, cut the idle time to a minimum, and make it not twice but three or four times as efficient as the horse-wagon.

Again, it may be that demountable bodies will solve the problem-bodies

> that can be rolled off the truck chassis or lifted off by a grane or derrick.

> Although it is not often considered, the method of handling the goods just before they are loaded on the trucks or unloaded from them has a great deal to do with the efficiency of truck operation.

#### Study the Loading Problem First

For example, if the goods have to be moved on hand trucks over a long distance from the point where the load is made up to the tailboard of the truck. there is liable to be considerable delay in loading. Meanwhile the truck is standing idle, thereby reducing the amount of work


Similar delays are caused when the loaders have to lift the goods in placing them in the truck body. Delays of this nature may be avoided by the use of small industrial electric trucks to move goods from the points of pick-up to the tail-boards of the trucks. These

#### The Difference between Horse-Wagons and Motor-Trucks

Too often business men attempt to install motor-trucks in their businesses on horse-pace methods. The trucks simply come in when the horses go out. Because motor transportation and horse haulage are inherently different, the greatest economy of trucks cannot be secured if the merchant simply introduces the new form of delivery for the old without other changes that will speed up the handling and loading of the goods to the same degree as the truck speeds up the actual delivery.

In this article, the sixth of the Popular Science Monthly series on truck transportation for the business man, Mr. Brinker shows what exceptional economy may be secured by the use of trucks if sufficient study is given to the particular haulage problem under consideration. Rapid loading and unloading means demountable bodies; to secure the utmost efficiency the use of trailers may even be necessary.

> ais of the problem shows that the , that it can do in any given time. trucks will be standing still for the greater part of the working day, some means must be provided for reducing the idle standing time. Sometimes it may be self-dumping bodies for unloading, and overhead hoppers with chutes for loading bulk material, that



The latest plan to deliver fish to the hitchen involves the use of 11/2 ton tracks. Loaded from the local warehouse, the fish are peddled from house to house. The trucks have glass doors, so that the fish inside may be seen



The hatchways of the fishing-amack between the foremast and the mainmast are so arranged that four truck bodies can be carried in the boat to the fishing banks. Doors at the tops of the bodies are opened, and the fish are pitchforked directly into the truck bodies

small electrics carry much more than a man can push on a hand-truck, are speedier, and are not subject to human fatigue.

#### Various Ways to Speed Up Loading

If such vehicles are not suitable, spiral gravity chutes may be employed to get the goods quickly from the upper floors to the shipping-room from which they may be moved directly to the truck without lifting by gravity roller conveyors.

Industrial trucks and roller conveyors may also be used successfully to get the goods off the trucks quickly and back from the edge of the platform, so that the next truck in line may unload without delay. Trailers may be employed to advantage in many instances, permitting greater loads to be carried on each trip, with only a small increase in initial investment and operating expense.

Then again, besides the auxiliary equipment, it may be a combination of all three—quick-loading cranes, demountable bodies, and trailers—that will solve the problem most effectively. This proved to be the case after a thorough study of the distribution of fish over the highway, as told in the accompanying story and illustrations.

At the present moment the distribution of fresh fish for short distances by motor-truck is but the germ of an idea, which, however, must be worked out in greater detail before perfection can be reached. It has certain advantages under favorable conditions, especially at a time when the railroads are unable to move goods quickly because of terminal or other congestion. The sponsors of the plan do not claim that the motor-truck can compete with the railroads for the distribution of all fish.

#### Where the Motor-Truck Is Valuable

In their own sphere of long-baul shipments under ordinary conditions, the railroads are supreme. They can move fish or other goods much more economically than any other means known. For short-haul shipments, especially in periods of railroad

embargoes and other delays, however, the motor-truck has certain advantages, the principal ones of which are to get the fish delivered quickly and to save handling.

In the saving or reduction in the number of handlings, the opportunities of the truck are enhanced by the development of a new form of refrigerator body in which the goods carried never come into actual contact with ice, but are kept cool by means of cold brine circulated through pipes inside the truck body. By this body it is possible to keep a load of five tons of Iresh fish at any desired temperature by the use of not more than two hundred pounds of les a day, whereas several times this amount of ice would be required were the fish packed in between layers of ice in the usual

A st.il further reduction in the number of handlings may be made by the adoption of the demountable unit-body idea, which has been used with such great success in recent years for the delivery of groceries, paper, and other commodities.

### Truck Bodies in Fishing-Smacks Save Time in Handling

The whole plan, from the time the fish are scooped out of the water in nets until they reach the table of the housewife, is shown in the accompanying illustrations. The first new idea in the proposal, outside of the fundamental one of using trucks, is to change the hatchways of the fishing-smacks between the forement and the mainment, so that four of the truck bodies may be carried in the boat to the fahingbanks. The fish caught, doors in the tops of the bodies are opened and the fish pitchforked directly into the truck bodies. The latter are arranged longitudinally and side by side, with horizontal partitions or shelves in them, so that the fish on the bottom are not crushed by the weight of those above them.

Since each body can carry five tons, the small fishing-smack will be able to bring home twenty tons of fish to the catch, although it is probable that a future development of the idea will result in the design of a boat that will carry eight or more bodies simultaneously

When the catch is made off the New England coast, and it is desired to ship fish west to Buffalo and points beyond, the boats would find it most convenient to run to Boston, where there are through rail connections to the West by way of Albany. If it is desired to ship to New York, however, the boat may make some nearer port, where the filled

bodies may be lifted off and shipped directly by truck over the high-

In either case, some unloading means must be provided, such as an ordinary derrick, at the point of call, so that the bodies may be housted out of the hull and placed on either a railroad flat car or a truck. The bodies are so proportioned that two of them may be loaded upon an ordinary freight platform car. Only one body can be loaded on a five-ton motor-truck, but a second body may be carried on a trailer behind the truck, so that for long hauls the total load will be ten tons.

So far, one handling is avoided, the fish having been transferred directly from the boat to the freight-car or motor-truck. Under the present scheme they would have to be first, unloaded into an ice-house and then into a refrigerator freight-car or the truck body.

At the end of the haul, another handling may be saved with the new system in that the truck may proceed directly to the place of business of the consignee, or the bodies may be taken from the freight-car and put on trucks without having to pass through an ice-house. Meantime, the fish have been kept fresh without leing, and are just as good as when taken out of the see.

Up to this point there have been no steps in the truck distribution scheme that are at all impossible. But what about returning the bodies? When salt-water fish are shipped West by rail, it is intended to use the same bodies to bring back fresh-water fish from the Great Lakes, so that the bodies will be working in both directions. This would of course be impossible with the bodies mounted on trucks that run along the Eastern seaboard; but even these bodies on the ceturn trips may be utilized to carry canned goods, which cannot be contaminated by fish odors in the body ttself.

### Carrying Fish from the Sea to the Housewife

The last step in the plan to get the fresh fish to the kitchen of the consumer is to employ smaller trucks of from one to two tons capacity. From the local warehouse, these trucks may be loaded and the fish peddled from house to house.

As can be seen in the illustration on page 74, these smaller trucks may have glass-sided doors, so that the fish inside can be seen. Such a plan would help to popularize the service, since every one who saw the truck would know that it was carrying fresh fish.



#### A Pulverizer Plant More than One Hundred Feet High


CID phosphate fertilizer is one of the essentials of modern agriculture. The designers of the gigantic mill shown in the picture below decided to employ

gravity to convey the pulverised phosphate rock through the last step in the process of producing acid phosphate by lifting the powdered rock up through the pipes to the "cyclona collactor." which is more than one hundred feet above the ground.

The bucket - shaped machines are the putverising male that reduce the phosphate rock

to powdered form, after which it is forced up to the top of the plant by means of several blowers.

Each of the pulverizing muchines has a minimum capacity of four tons of pebble rock an hour, reducing it to a fineness that allows it to pass through a twohundred mesh screen.



The world's largest pulverising plant employs gravity in the process of producing acid phosphate



Jersey City a water supply pipe, which rests on the bottom of the Passaic river, in process of construction

#### An Under-Water Water-Pipe

TERSEY CITY'S water-pipe line lies twentysix feet below the surface of the Passaic river. The submerged pipe has an inside diameter of six feet and is more than four hundred and fifty feet long. It weight about a ton a foot. How did it get there?

First, a trench was dug on shore and a launching-way laid on it. As the pipe was built it was supported on cars that ran on tracks in the trench. When the tracks reached the water's edge, two parallel trestles were built, and the pipe was further supported by cars that ran on top of each treetle. When the pipe was finished, it was sunk and weighted down with cast-frop blocks.

#### The Telephonic Eye Betrays the Burglar

THE newest forler of burglars is the "telephonic eye," invented by Dr. Oscar Hannach


What makes the telephonic eye so sensitive and efficient is the fact that

no mechanical agency is required to operate the apparatus The faintest beam of light is sufficient to set it working. In fact, the vital organ is a sele-

When a burglar enters a darkened room and operates his flashlight, or even lights s match, the telephonic eye will be affected and will flash an alarm to either the police station or the telephone exchange

nium compound cell of truly unequaled sensitiveness to variations of light.

It infallibly signals the presence of any undesirable visitor, as well as the



The new telephone eye is made of sele nous and is very sensitive to light changes

outbreak of fire, at the telephone exchange or police station

All you have to do, on leaving home, is to let down the blinds in any room to be especially protected, and to turn the switch of the telephonic eye. Unable to operate in the dark, an intruder must use a lamp or lantern. But, even if he burns only a match, the apparatus automatically throws a

series of current impulses into the telephone line, thus lighting the subecriber's call, group, and pilot lamps at the telephone exchange. The telephone girl on duty notes the signal

> and immediately transmits the alarm to the police station.

> The same apparatus, however, lends itself to a multitude of combinations and applications. An electric bell may alarm the porter or guard; a fleshlight may photograph the intruder: an automatic device may, at the very moment the alarm is given, bolt all the doors and windows and light all the lamps in the bouse.

Should a mischief-maker cut the wires, he would obtain a result diametrically opposed to his ptention.

The apparatus is set in operation automatically by any accidental or voluntary disturbance. The slight glow of an incipient fire obviously has the same effect as the lighting of a match or lamp, so that the apparatus is also a fire-alarm,-DR. ALFRED GRADENWITZ.


### Housekeeping Made Easy



Many a woman has fallen and been burt while hanging clothes on the line. Don't take any chances buy one of these extension pulley lines which enable you to do the hanging indoors. You can remove the extension arm when you're finished, and close the window



When you put ment into this chopper, you don't have to press the ment down with your fingers. There is a pressing lid operated by a handle. This chopper cuts and grinds



How tired your hand gets when you hold an egg-beater steadily for several minutes. Why not bolt it to a bracket on the wall when you use it?




The bulb form of atomiser has a German rival. The bollow handle is a pump which, when raised, will suck up the liquid, and when lowered will force it out.



Heretofore ash trays and tracking stands have ignored pipes, while providing parking space for eignrettes, eigers, and matches, this stand has accommodation for a pipe



As gaslight at threat aside by electricity, many gas-mantle protectors are without jobs. Fill one with bits of soop and attach it in the hot-water faucet when you are going to wash dishes



The carpet sweeper is father to the new table-cloth cleaner shown here. It is made of silver, has an abony handse, and carries a small revolving brush beneath

#### Keeping Up with the March of Science

#### Facts for the man who wants to know

#### How Airmon Use Oxygen

WHEN an airman ascends to beights greater than twenty thousand feet, he is aura to use oxygen. He carries it in liquid form in a vacuum tank provided with a mechanism to control the evaporation

The liquid may be electrically heated to accelerate evaporation, or a heated rod of copper or aluminum in the liquid may be used, or the liquid may be siphoned out into an evaporating chamber from which the gas is conducted through tubes to the airman's mouth.

#### Flowers that Serve as Food

A REMARKABLE tree in India is known by the natives as the moura and by ourselves as the "Bassia tree." Of its three varieties one produces the butter-seeds that have been much used in the manufacture of margarine, soap, etc., in Europe.

Another tree of this interesting family furnishes a flower that is rich in sugar. The natives in the central provinces use it as a regular food. The flowers of the "butter tree" are not safen, but a syrup in prepared by boiling them down, yielding a sugar of about the quality of date sugar.

The flowers of the mowra are globeshaped and of a pale cream color, and are collected when they fall upon the ground in the early hours of the morning. A Bassia tree will give about three hundred pounds of flowers in a year, and from a ton of the dried flowers chemists can produce amety gallons of ninety-five per cent alcohol.

#### Have You Euphoria?

IT takes a doctor to give a high-sounding name to a well known phenomenon. "Euphoria" means "feeling fit." It is as much a physiological fact as scarlet fever

Nature makes it worth while to be alive simply through suphoria. The joy of making a good tennia stroke, the delight that a woodsman gets in the open air, the artist's rhapsody—all are due to suphoria. Why do we drink alcohol—when we can get it or smoke tobacco? To affect suphoria When a lunatic thinks that he is Napolson and demands the homage due an emperor he has suphoria in its worst form.

Too little is known about suphoria. Since it can be affected by drugs and chemicals, who knows but it may have its seat in some gland?

#### A Rival of Acetylene

A NEW gas has been developed from the manufacture of alcohol which can be compressed to \$500 pounds to the square inch and stored safely in steel tanks. It has a pleasant odor and has no barmful effects of its products of combustion, and it also gives better cutting results through thick metal.

The high temperature reached by a

flame of gas used for cetting metal depends largely upon the power of the gas to liberate heat faster than it is absorbed and conducted by the metal to be cut. Of course, the gas must have also a high heatvalue, which it is able to maintain. Carbon, not retarded by some other element in the process of cutting, is the chemical agent in a gas which produces the most rapid combustion.

The successful cutting gas should contain a large percentage of rarton, should be unsaturated, should be combined with the lowest proportion of slow-burning gas, and should have a high rate of combustion. The new cutting gas meets these conditions second only to acetylene. It is obtained from processes in the manufacture of sloobs. A temperature of 6200° F, can be reached with the new gas, compared with 5300° F, for acetylene.

#### What New York Eats

FIFTY thousand care of eight leading fruits and vegetables are consumed annually by the seven militan people who live in the metropolisen district. These cars would make a train three hundred and seventy much long - from New York city to Rochester

New York consumes about fifteen per cent of the total quantity of apples, potatoes, cubbage, onlone, tomatoes, strawberries, cantaloups, and peaches shapped each year

In the four-years from 1966 to 1909, inclusive, 195,364 cars of these products were received at New York terminals. This is a yearly average of 48,338. These quantities do not include the vegetables brought into the city by trucks.

#### Coal-Mine Explosions

THE power lines that supplied one of the mines in the Pittsburgh district needed repair, and it consequence the mine shut down over Sunday, a in the meanwhile the lines were repaired. As soon as the power was restored the rentilating fan was turned on, and shortly afterward the switch that controlled the underground sections was thrown in. There was a designing roar—the gases in the mine had exploded!

The cause of the explosion will always remain a mystery. But it seems probable that a short circuit on one of the lines caused a spark when the power was switched on. The guess that had accumulated while the fan was not in operation readily ignited

#### Keeping the Subway Dry

UNDERGROUND passages are always difficult to keep dry. Water from various sources seeps in. In New York a large sum of money is spent yearly to keep the subways dry. Automatic electrically driven pumps are used.

Water that leaks in collects in a sump

which is provided with float switches. When the water in the sump passes a certain level, the float switch closes the electric circuit and the motor is started.

Where the subways pass under the river, emergency motors connected to high-capacity pumps are used to prevent flooding. These pumps are also automatic in their operation,

#### Earthquakes in Panama

POUR hundred and fifty-seven earth-quakes were recorded by automatic instruments installed in the Canal Zone from 1906 to the end of 1909. This is not so alarming as it may seem. Even a Northern city like New York has its tremore every year, authough they are too slight to be felt.

The most important disturbances, as far as the lathmus of Panama and the Canal are concerned, are those that originated less than two hundred ralles away; but these no one noticed

#### Tin, an Abused Word

Tin is a loosely used word. Sheet metal of any kind is usually referred to as tin-from "tin" cans to "tin" listies.

Pure sheet tin is not in general use, and never will be, because the metal is not shundard enough. The tin caus used to hold food-stuffs are really made, of sheet tron. Iron itself rusts when exposed to oxygen. Tin is not affected in this way To make sheet iron cans safe to use, they are immersed in a both of moltan tin in this way a thin dim of tin is caused to adhere to the Iron, protecting it from rust.

At present tin sells for about ten hundred and fifty dollars a ton. If care were made of tin they would be too expensive for general test.

#### The Poisons of Animals

ORE progress has been made in studying plant poisons than animal venoms, obviously because plants are fixed and cast be gathered in great numbers. As many as twenty thousand serpents had to be captured by a single explorer in order to obtain enough venom of the species to make all the analyses required. Similarly, the examination of hee poison means the capture of 200,000 been and the isolation of their venomous juices.

As a result of these modern researches, it is now concluded that there are two great classes of animal venoms—those that contain nitrogen, and those that are free from nitrogen. There is a close resemblance between non-nitrogenous plant and animal poisons. Cantharides ("Spansia fly") is found in a few bugs and in some plants. Some serpent poisons find their chemical counterpart is plants.

It has been proved that animal possons do not belong to a new class of chemical

compounds. Some day they will be made artificially in the laboratory for medicinal purposes. In some shakes a venom is found, for instance, that has an effect on the heart like that of digitals.

#### Making Garbage Profitable

In these days of stronuous conservation. New York city calmly spends three million dollars a year for slumping five million dollars' worth of garbage into the sea. And yet, methods of garbage reduction have been improved until now it is possible to obtain a high percentage of valuable products from garbage.

It will yield at least four per cent of gresse and fifteen per cent of tankage. At present prices gream is worth about fourteen cents a pound, and tankage is worth fifteen dollars a ton

If New York would build a reduction plant, garbage would become profitable

#### Oil from Corn

FEW people know that corn contains oil.

A valuable cooking oil is now being recovered from corn, it is really a by-product of the manufacture of certain stable corn products.

With the great earn crops in this country, tremendous quantities of corn oil can be manufactured. This oil is a very good substitute for cuttonseed oil. Many bakers now use cottonseed oil because the production of corn oil fluctuates.

#### How Lightning Kills

NUMBERS of cases of death by lightpling have failed to reveal any direct effect of the passage of an electric current through the human body. The evidence indicates that death was caused entirely by shock. The result is psychological rather than physical, the shock inducing heart failure or other organic disturbances.

Sometimes strokes have been fatal to a mother although the child in her arms was unharmed. Persons under the influence of a drug or intoxicated seem to escape. This seems to indicate that the psychological element is an important consideration.

#### Making Soles of Rubber

THERE are about one thousand shoe manufacturers in this country and their average daily output of shoes is rated at more than two million pairs. What a huge supply of leather is demanded, if all of these shoes are to have leather soles! But in the past five years attempts have been made, with more or less success, to find a suitable substitute for leather. Soles made of fiber and rubber, molded to the desired shape, give the most promising results.

It is estimated that there will be a daily demand, for at least 686,466 pairs of rubberized soles, if the desires of the public are met by enterprising manufacturers. Only about three and one half per rent of this demand is now being met

Various fiberized soles have already

demonstrated their worth, both in army and in civilian life. The man who would walk on a smooth roof without slipping, who would climb rocky ledges, and who would find comfort in walking can testify to the value of the composition sole compared with that of leather.

#### Noxious Gas in Mines

WHEN an explosion occurs in a mine, there is often the urge of immediate rescue of men who have been imprisoned Following the catastrophe, some parts of the mine become choked with nozious gases, and through these the dangerous trail of the investigating party may lead. It is then necessary to equip the men with an oxygen-breathing apparatus, and the maximum distance that can be traveled with the best supply is five thousand fact. That is, one can travel safely two thousand five hundred feet and back on a level stretch unencumbered by obstructions.

But danger lurks for the men who try to go farther than their limited supply of oxygen will permit. These miners were recently killed in trying to travel two thousand four hundred feet on a supply of oxygen that was intended for a duration of forty-five minutes. The slope down which they lugged the forty-pound apparatus had a twenty-five-degree incline. They probably made good time going down, but the climb back with their heavy outfit was too much and the supply of oxygen was exhausted before they could reach from air.

#### Are There Other Universes?

IS there one great universe at least ten times larger than was formerly believed, or are there numbers of island universes similar to that to which the sun belongs? Astronomers are staking the answer. Some contend that the Milky Way contains virtually all of the stars, star clusters, and nebulae, forming a gigantic circular disk \$9,000 light-years across and \$000 light-years thick. Light travels 186,000 miles a second, so that a "light-year" is an enormous distance.

Modern investigation seems to indicate that there is a galaxy of stars ten or more times larger than the Milky Way, and that beyond this galactic universe can be dimly seen, through the largest telescopes, incumerable other "bland stellar systems. These distant universes are no remute that only a more trace of them can be discerned.

#### Fruit Butter by Vacuum

WE are all more or less familiar with apple butter, but apprect, peach quince, and grape butter are known only to those of us who have lived abroad. Furopean immigrants coming to this country hanker after these frust butters, and the demand for them has led to the development of a new vacuum process for making them.

Undersused or overripe fruit is used for the purpose. It is washed, crushed, pitted, and then sent on to finishers, who remove the skins and tough fibers. The resulting pulp is diluted with water, and is pumped into storage-tanks, whence it is fed to a subcrical vacuum-tank

The tank is filled and then closed. Steam coils within revolve and agitate the watery pulp, while small brushes attached to the coils scrape the bottom to prevent burning Because of the heat the water constantly evaporates and the hutter forms. The vapor passes off through a pipe at the top of the tank and the butter is drawn off at the bottom.

#### The Crows in Oklahoma

THE cawing black crows prevalent in Oklahoma during the winter have recently been the subject of extensive investigation to determine the extent of the damage they do.

It was found that during the fall and winter months the birds feed principally upon grain, peanuts, and pecans, when these are available. At other times animal offal, weed seeds, and insects are their dist. It is estimated that at least ten million crows remained in the state during the winter and that one bushel of grain daily was consumed by early thousand of the birds. This makes a grand total of \$1,200,000 loss in grain during the winter months.

A number of methods of getting rid of the birds have been contemplated, one of which is shooting them as a winter sport.

#### On Which Side Do You Sleep?

ACCORDING to Professor Hans Guenther, 22,5 per cent of us sleep on the right side, 22 per cent on the left side, and 14.5 per cent on our backs. When we lie prone on our abdomens, it is, as a rule, because we are sick. The same holds true for other unusual positions.

Why do most of us sleep on the right side? Probably because the stomach can empty itself better in that position.


If the habit is formed of eleeping on one side, it is probable that in time the body will lose some of its symmetry. Barbers know that the growth of the hair on the head and the chin is retarded on the sleeping side, presumably by pressure.

#### A Prehistoric Niagara?


ENGINEERS conducting the work of excavation for the new Welland chip canal have uncarthed what seems to have been a prehatoric Ningars. The ledges that have been uncovered in a width of 400 feet are in steps of about 25 feet total drop. Then for one handred feet the rock has a sharp downward slope to what must have been the brink of the ancient waterfailust seventy-five feet below the creat of the uppermost ledge. At this point the great current lespest into a chasm hundreds of feet below.


I amistacable signs of wearing through the action of water are indicated by the surface of the rock. For countiess centuries this prehistoric Niagars must have cut its passage from Lake Eric to Lake Ontario, and then for countless years must have remained bursed under the accumulation of ages.

### Multiplying Man's Power by Machinery




This automatic lathe, with one setting up of a pair of magazine tool-holders, will make as many cuts as would five machines with but one cutting tool each






Placed in position, this automatic subricator for the flanges of locamotive or car wheels will protect them and the rails from excessive wear in rounding curves




Two men operating this dumping truck of forty three cubic feet capacity handle as much coal in a given time as was formerly handled by six laborers, each using a wheelbarrow with four cubic feet capacity







This electrically actuated souting machine is employed for culting the groover for steps, shelving, window frames, and other purposes. It does as much work in a given time as a small army of men with sows and chiefs




What the yard locometive is to the freight yard of a ratiroad, a truck like that shown in this picture is to the factory shop, or freight depot. It is strong, easily operated, practically fool proof and will haul big loads



Spot-welding machines were introduced during the war rush at the shippards. They increased the production of ventilator cowls




Automobilists will be interested in this new timer grader driven by hand or engine power. It weights only seven pounds and may be easily attached either to a shop bench or to the running-board of an automobile.



A most useful help and time saver in a shop or mill, especially where heavy loads must frequently be moved, is a platform truck, equipped with a small, powerful crane operated by a small motor

### Do You Own a Car?

There is always something everywhere inventors are



It seems almost incredible that the small caterpinar cart in the small caterpinar is a little of the small and the small and the small area of the small and the small area of the small area of




\*P W \* D \* D \*

e for trace





Take a test take of a say to tap a few man of a primary man and war a gastane and war a spart was have a spart plug eleaner. But the plug against the spensag of the tube and abase it



This in a to the the permits of a series and can accome as a series as heart hours



Carry it most horseshoe

If a y a part

had y as to be to e

est a an if es of e

t a to y it a

line where assay represent



Throughout Great Britain gasoline—or "petrol." as it is called there was until recently obtainable only in two-gallon tin casts like those shown in the picture. Americans are now introducing modern tank stations




you may carry either one tire or two on the rear of your automobile



How much did you pay for your car? Never mind how much! Now, took at the magnificently equipped automobile shown in the picture. With all its accessories, it cost its owner a trifle more than \$25,000

#### Find New Ideas Here


new in the automobile field; contributing novel features




This fan - belt is made of their learner and into-The make of ter and metal bear the strain of the pull, wone the leather lakes care of the friction



In any or his man parade in THE MANTER VIENT THE tings a 175 to be Steel tope one entire a men ent lives ter a tot age area / B teop 6. e gets a eve aml. e og apal) a manare




A tool chest that say he car to I on the current was so the et mere melW , who pring their any sected by browns forces



with a person pe

An the conforts of home, including electing glanters to their master and will be ton are a figure to treat a treatment on a good for overland tours




This picture shows a new tire vulcanizer recently placed on for a little of the steel a un and winging the copporatus is effective and dorable



a convenient work-table

Tools fat he become greatly and doty when awd in repair work, way be quickly cleased by placing them on the grating of an even and burning off the produc



Mere is an emergency repair truck, equipped with lathe, drill press, grinder welding apparatus, forge, a separate motor, and all necessary tools it is used by big concerns to repair trucks that have become disabled



reverse position and clamps on the emergency brake. The our can neither be driven nor towed without breaking the



With this hand reacust you can true up the bearings of your crankshaft on the road if necessary

#### An Emergency Reamer

EVERY automobile repairman has a demand for a portable tool with which crankshaft bearings may be trued up in an emergency in the car or on the bench. Truing up a set of crankshaft bearings by turning on a lathe is a more costly and slower method.

The hand reamer shows in the illustration consists of a handle and split locking-ring in which the cutting tools are forested.

inserted

Its maker claims that with the tool an average mechanic can true up a worn or out-of-round crankshaft bearing to within an accuracy of less than one thousandth of an inch in approximately twenty minutes.


#### Watermarking the Radiator

AMONG the newest innovations in the marking of automobiles for identification is a "watermarked" radiator. The process by which the watermarking is accompashed was invented and patented by L. G Hanmer, of New York city. The watermarking is done by increasing the size of certain predetermined cells in the radiator by an expansion process after the cell structure has been assembled ready to be dipped into solder. This difference in the sizes of the cells gives the impression of the light and dark cells that make up the trademark or monogram. In the actual expansion of the cells, only the front half inch or

so of the cells is expanded, the remainder or back half of the radiator structure being entirely homogeneous.

Undercertain light conditions and from certain angles, the watermark is scarcely discernible, while under other conditions it appears very clearly.

One is enabled to judge for himself of this alternate visibility and invisibility of the watermarking by moving the illustration quickly from one angle of vision to another at different distances.



Have your radiator front marked like the one shown here to make your automobile more attractive and easier for you to identify

#### Saving Time in Coupling Tractors and Trailers

In the four-wheeled trailer the entire trailer load is carried on the four trailer wheels, with none of the trailer load supported on the framework of the pulling vehicle, as is the case with the two-wheeled semi-trailer.

The loss of time in connecting the four-wheeled trailer has occurred in backing the truck up to the trailer, so that the bolt or jaws of the connecting drawbar might fall or lock into place. This operation has required two men, the truck-driver to back up his truck, and a helper, to guide together the drawbar attached to the trailer with the locking member on the truck. There was always danger of the helper

being masked between the rear end of the truck and the front end of the trailer if the driver were careless or there was any misunderstanding as to signals.

Both of these objections can be overcome by the adoption of a new form of safety coupler, as shown in the accompanying illustrations. The new feature of this coupler is a lever pivoted to one side of the truck frame at the rear. The length of the lever is such that when it is swung toward the center of the truck, it carries whatever is fastened to it directly into the jaws of the waiting coupler.

Instead of having to back his truck to within an inch or two of the forward end of the trader drawbar, and then have a second man make the connection, the driver merely backs his truck to within twenty inches of the proper coupling distance. Then he diamounts, places the front and of the drawbar coupling link over the stud at the and of the pivoted lever, returns to his


seat, and backs his truck. The lever automatically carries the coupling link into the jaws of the coupler on the truck, which lock. The lever is thrown free from the coupling and held out of the way by a spring.

The whole operation may be completed in about two minutes' time by the truck-driver.

While the ability of any wheeled or other vehicle to pull more than it can carry is well known by the every-day examples of the railroad train or the tug-boat, the application of this principle to the motor-truck and trailer has not always worked out satisfactorily because of the loss of time in connecting

and disconnecting.

This problem has been solved in the case of the semitrailer by the adoption of the seif-centering fifth wheel and sımlar devices. It was not, though, until the advent of this new coupler that any apparatus had been devised to cut the loss of time in connecting and disconnecting a fourwheeled traner.



When the coupling is completed, the crawbur is automatically disconnected from the guide lever

This shows the drawbar engaged in the lever which guides at to the coupler

#### This Oil-Cup Works Automatically

ONE of the latest designs in oil-cups is automatic in operation and yet occupies no more space than the ordinary greass- or oil-cup. The cap is hinged, not to the side of the cup, as might be expected, but to a central valve inserted in a cup-shaped puston.

In outward appearance the cup is much like any other. As soon as the cap is removed, the difference

becomes apparent.

When the cap is opened, the piston is forced upward by a coilspring underneath. This unseats the center valve and permits oil to be injected into the space below the piston from an ordinary oil squirt-can. When the cap is closed. the piston is forced downward against the compression of the spring by the center valve by reason of its being hinged to the cap. This forces the oil down into the bearing to be lubricated at a pressure of between two hundred and three hundred pounds to the aquare inch, or authoient to force all foreign matter from the bearing.

The oil is automatically fed through the center valve by a felt wick at the rate of a few drops a day, thus assuring constant lubrication, even though the cup is not touched from the time it is first filled until it has become empty.



When the cap is opened, the oil reservoir can be filled. When closed, it leeds oil to the bearing mutomatically under 91446930



In one minute you can change your touring-car to a limousine, protecting you from wind or rain

#### Convertible Automobile Body

PROMINENT English aviation expert has developed a unique type of convertible automobile body. This body is simplicity itself. Aside from a folding top, the rear quarters of which are closed, it has a three-section glass part that completely encloses the sides of the body, when unfolded. This glass portion folds into the space of the center section, just as the familiar triple mirror does, and then the three plates swing down into a compartment provided for them in the side of the body between the doors. When unfolded, each glass panel fastens securely in its respective

position, the side sections to the doors and the central part to the top.

It is claimed that the transformation from open to closed form or vice versa. can be accomplished in about sixty seconds.

#### The Paving Machine with Caterpillar Traction

THE latest adaptation of the raterpillar type of creeping trend to a commercial product is on a streetpaving machine. Because the creeping trend is interchangeable with the ordinary wheel traction, the machine takes on a dual purpose in that it can be used in countries having alternate dry and wet periods.

The change from one form to the


other may be made readily.

The treeping tread is of the triangular type with three wheels inside, two at the ends and one in the center at the top, where it serves as a tightener.



This combination tool may be used for tightening automobile chains or for removing a tire-





This new type of street-paving machine can be changed from a wheel drive to a creeping tread drive in a few musutes

#### The Tool that Tightens Anti-Skid Chains



SOMETIMES, when a motorist has put his anti-skid chains on the tires of his car, he finds it a most difficult matter to close the two ends of the chain without getting out every screwdriver or pair of pliers he has in his toolbox. This is because the chain must be stretched evenly around the tire and fitted fairly snugly before the snap fastener can be closed.

The new tool shown herewith was designed for the very purpose of making this task easier. It consists of a handle with two pivoted jaws at one end. The ends of the chains are slipped into the slots in the ends of the jaws, and the handle given a twist, when the two ends of the chain are brought together for easy attach-

Aside from this use of the tool, the curved end of the handle may also be employed to remove a tire-casing from its rim.

Insulator in the Dark-Conductor in

the Light

N insulator is a substance that will not permit the A passage of an appreciable amount of electric current, A few substances are perfect insulators in the dark, but

The rapid rise in temperature causes the thermostats to ring a bell before a fice in the room gains a dangerous start.

#### Trapping Fires Automatically

AGES ago primitive man worshiped fire. In the A world to-day there are the remnants of a fireworshiping race, but to the civilized world fire is both a

blessing and a curse. When it gets beyond the control of man, 🥂 it is a demon of destruction. Ten thousand lives and \$250,-000,000 in property are annually sacrificed to the fire demon in the United States. Another \$250,000,000 is annually spent to keep up the necessary apparatus to fight fire.

A spark, scarcely visible, may start n conflagration that will sweep away / a whole city. A fire detertor that promptly sounds the alarm would enuble a quart of water to mecom-

plish what scores of powerful streams from the hose might full to accom-

phah a few hours later An automatic fire-alarm that works upon the principle of the rapid increase in temperature due to a fire in the room, instead of depending upon safficient heat to cause the fusion of soft metal alloys, has proved itself valuable in giving notice of a fire before it gets beyond its easily extinguishable stage. Ordinarily a fire-alarm depending upon alloys, soft solder, bimetallic compositions, etc., requires a rise of temperature of from 110° to 250" F. By the time a hre has raised this degree of heat it is an agent of destruction.


With the instrument shown here, the burning of a newspaper in a room baving a floor space of five hundred aquare feet is sufficient to cause the alarm to be given. It operates the instant the air close to the ceiling becomes heated at the rate of 4° F. a minute.



The light-sensitive the illum compound to mounted in a glass tube. It is far more sensitive then selection and should prove of great value in studying faint variable stars photo-electric properties. The element selenium has very marked photo-electric properties. When it is caused to form part of an electric circuit, no current will flow while it is in the dark. Immediately a light falls upon the selenium, ita resistance la lowered and current flows Advantage has been taken of this property in the perfection of burgier alarms and the transmission of photographs over wires.

A mibstance has been discovered that a far more sensitive photo-electrically than melenium. This substance has

been called thalofide. It is composed of the elements thallium, sulphur, and oxygen. It was discovered by T. W. Case, a physicist, living in Auburn, New York. The thalofide is mounted on a quarts disk and placed in an evacuated fed glass bulb. So sensitive is this cell that its electrical resistance will drop fifty per cent when it is exposed to a light source of one candlepower at a distance of one foot. If its resistance were ten thousand ohms in the dack, it would fall to five thousand upon exposure to this small amount of light,



He wan't be hust if he is thrown off the step. He is harmened to the ear

#### Harnessed to His Car, He Won't Fall Off

F you are a trolley-car traveler, you will appreciate the hardships and risks of a conductor's lot. He must climb around a step full of people to collect his fares, hold on by one hand, and constantly run the risk of being thrown off

But John Udall, of Weston, Ontario, has invented a protective harness that should do away with the dangers of a conductor's job. This harness is strapped around the conductor's body and then attached to a chain.

The chain has a small carriage at its upper end that moves in tracks. As the conductor walks along the step the chain moves with

Should he be hurled off the step, he will awing at the end of the chain and remain unbarmed.


The heat unflates a thin

diaphragm that closes an electric circuit, which

hary heating of air in a

room will not cause false

minerane.



WHAT is this New Idea that myes \$65 and brings the Encyclopsedst. Britannica easily within the reach of thousands of new homes? Think of at \$65 saved on the very latest edition of the genuine Encyclopaesia Britannica-the famous Reterence L learn you have always wanted. Yes, this tremendous saving is made possible through this New Way in Book Making!

For this New Way has produced the "Handy Volume Issue"—just as hand-nome, even more handy—and page for page, pirturn for picture the same as the "Cambridg I niversity Issue—yet at \$65 less. But this one saving is not all. Just \$1 brings this great 29-volume work into your home. Small monthly payments (a rounting to may 14 cents a day) make the real easy for you. So that now, through the New Way in Book Making, the wonderful Encyclopaedia Britannica is within reach of everyone!

Only #1 down brings thre world-famous Reference Library into your home. The into your home. The Encyclopendia Bristantiches from white are arreseding fearlier on any enorest ation —generally a latenting

the whole we at hences, and who tells you, elearly, already and the oughly best what you want to know. The Britannica area you the answer to the thousand and one questions that consequence, less turns, sermone and books promot in your mad-If helps your parch you self about to you bustness and after given you requested othermation on busi-nesses with eight yours. In an atmost 1000 inter-perant causes are the facts that you, while sen need in them want are always asking for the puts you in them with the interesting scaple of the world, while their world, and the state of the world. with their work and their ideas. I makes every-Hung you see read and hear more interesting and given you hard redu of live topics to talk about In short, the Encyclopaedia Britannica offers put

#### Now Easy to Own the Britannica

No need to bestlate use locate about the Britishmica! No longer need you deprive yourself of the famous reference work you have beard about since only not have always wanted. Nothing the tute and decimitation on all a chair towedy allocaty of handles has det are little but a process, business, business, beauty county from the county step, color dear observations, and the languages, physics law, politics, march occurs - ever training

And now you can marth corn the very latest edition of that tame as reference we keep a sorm this mould do honor to a militariant of library! The right the New Way in Back Making this "Handy Volume Issue 1850s you \$63.

#### Why 140,000 Families Are Proud Owners!

How does this New Way in Book Making give How they the same edition page is not patient from the period of the same edition page is not partiage for the period of the description of the could be used to the period of the description of the same of the same of the same and states are also form into 20 beautiful. Hands I olumes which altogether weigh only 43 pages.

No type was not for this . Randy Valume Jame " They was empressed a sail on which have been

process a set a at the digit of was thurst of each place at the at the large paged. For is the digit if the att and the same that the same terminates at the same terminates at the same of the same at the same a water of the 18th tells to differ the first time from the first four times and the first time the first carried winds. a da tished loss aims photospharden. And the strate was not the cital discountry job of second and the cital discountry job of second and the cital was the first second by the limit was only one of the newlogs brought by the New Way!

#### Enormous Paper Saving—Other Costs Cut

Arent wire as many Unity Volume pages Camby Volume 1990 of itarroes from puper was named for मल वर्ष In half. The occases we could to print be Handy Volume listing pages at one day consider instead of only to if the one oning there are ally some pages. The hig sax age were more. At every turn the noise is against out. Through these love in the roots is a new to some With no types they could be paged from take the like true with less tend to have been paged from take the like true with less tend to have been take the list true with less tend to the list through the more are an analysis to the list of the action. Easy represents you have always wanted—at a paying of \$65. The seemes we emule to print Jr. Handy

## Only \$1 Down

that presented capability of talking, thinking and acting from solid facts which no person run dispate.

#### Mail Coupon for Booklet

Send to money to us now Let us se postpand, our interesting broklet rapid song how early it is now to own the very latest editions the elements of the Encycle, and a Richardica. The course it all you tend tend fore!

Whether you are a business man, howev clerk, housewife, butteress woman or teacher- so matter what your held of endeavor her old you are or where you live- you and the Encyclopersian Britantical

Learn new how you can save \$65 on the "flundy

Volume Jaron" through this New Way in Book Making, Leavy how \$1 puts he enter 29 mltime set into some frome. But maximized the least bow can make small more to a property of a property of the only 16

Mail Coupon for our interesting 136-page Mus-Do it union

Since, Residuch and Co., Dept. 58t. Chicago, 18t. Gentlemen: Pience pend me contrapt your laterenting ributtated 136-page latent telling stood the Handy Volume later of the Lact lapacities is teacher—and about pour \$1.00 down, estall quantities payment plan.

This request obtained not in no way.

Name

Postedice

Sears, Roebuck and Co., Chicago



Gliding over the frozen and amouth surface of a large pond, lake, or river with lightning speed in a slod with motor driven peopeller is a fine winter sport indeed equally delightful for young or old

#### How to Build an Icemobile

#### Make your iceboat independent of the fitful power of the wind

By L. B. Robbins

HE ice-vacht is in its element in a brisk wind, when the air is calm it has to remain at a standstill. That in the one disadvantage of sail-propelled hoats operating upon either water or ice. But for the man who can procure a small engine, the freakishmus of the elements can be descounted, and high speed attained upon the ice-"blow high, blow low." Independence from atmospheric conditions adds to the pleasure derived from this sport.

A typical ice-boat body is used for the foundation of this idemobile and an air propeller is utilized to drive it. . The air propeller is used for many ressons, because it climinates the problem of traction upon the ice, gear-shift and differential complications, and offers a almple means of driving directly from the engine. With a propeller of suitable proportions and an engine capable of giving sufficient speed, much exhilarating sport may be enjoyed on smooth ice.

Common sized lumber and standard iron pipe, as well as the standard Ford supplies and specifications, are designed to be used throughout. This menns that the cost is kept low and parts are readily obtainable. The engine is the only costly part. But if the second-hand automobile market is watched closely, engines possibly past road usefulness may be purchased at a trifling cost. They may be used in this craft to advantage, in spite of small defects that would render them undesirable as automobile engines. Of course, the better the engine, the better the results.

The drawings are made to the

specifications of a Ford engine, but any other engine may be used. The engine-bed and power-transmission arrangements will have to be altered somewhat. However, thus is not diffi-


It is best to purchase the propeller. on most amateurs will find it a surprisingly difficult task to make one.

#### The Backbone

This is the foundation of the entire craft and also serves as the engine-

The main part is composed of two lengths of clear spruce or white pine 15 ft. long, 8 in. wide, and 2 in. thick. Five it, from one end, taper the two pieces down to the opposite end, so they measure 4 in. wide.

Next insert a piece of clear grained



Don't you think that the icemobile of which two views are here

oak or ash 20 in long by 8 lp. wide by 2 in, thick between the two 8-in, ands of these backbone timbers, and secure It by two 8-in. lag-boits inserted through the aides of each timber. The cak piece should come flush with the bottom edges of the long timbers. Reenforce their union by bolting a metal plate to each piece at both sides (underneath). This is shown in Fig. I, and leaves a space for the radiator 5 ia, deep.

Five feet in the rear of this front cross-piece insert a second plece A 20 in. long and 8 in. wide, fastened by lag-screws in the same way.

Now cut out a wedge-shaped piece of hard wood 2 ft. long and of suitable shape to fit between the 4-in, ends of the two sides when they are sprung together against it in the rear. The small end of the wedge should be about 2 in, thick. Bolt the sides to it as shown.

Three feet back of timber A insert a third piece (B) of hard wood 8 in wide and 2 in, thick and long enough to spring the sides out in a gentle curve toward the rear without forcing them apart between the two front crosspieces forming the engine-bed. lag-screws to fasten this also.

Bore a 1 in, hole in the wedge block 18 in. from the rear end for the rudderpost to rotate in.

Next build a platform of matched boards 5 ft. long and 3 ft. wide upon the rear of the backbons. Lay this lengthwise and support it by three cross-tumbers of 2 by 3 in. mortised into the top edges of the backbone timbers so as to lie flush with their shown, would make a trim little craft? top edges. The rear sud of the platform




# Kodak as you go.

Eastman Kodak Co., Rochester, N. Y., The Kodak City

bears against the forward end of the wedge.

The cross-plank is a support for the forward runners, and is composed of a piece of lumber similar to the stock used in the backbone. It is 2 ft. long 8 m, wide, and 2 in. thick. The runner guides at each end consist of two blocks of 2 by 4 15 in. long bolted to the under side of the cross-plank with carriage-bolts. (See Fig. 2 and side elevation.) Bore a hole through the



Study the filustrations, Figs. 1 to 6, exceptily for the details of construction of the framework bearing the regime and of the method of attaching the runners.

center of the blocks for the pivot belt in the runners. Insert a strong eyebelt in the rear edge of the cross-plank close to each pair of runner guides.

The two forward runners are made of oak 30 in. long, 4 in. wide, and 1 in. thick. The forward end is shaped similarly to a sled runner, and the bottom is shod with half round straptron. Bore a hole, to match that is the guides, in the center and 1 in. from the top edge. Pivot them to the space between the guides with \( \frac{1}{2} \)-in. bolts, locking the nuts.

The steering runner is of similar dimensions and construction, except the mounting. The hole is bored 2 in. below the top edge, and is pivoted between the legs of a U-shaped wrought-iron hanger. This can be made by any blacksmith. Use a him, bolt for pivoting. Drill a 1-in. hole in the shoulder of the lunger, and insert a 1-in. Steel bolt to act as the rudder-post. Square the top end of this holt about 2 in, down to take the tiller. The rest of the assembly is shown in Fig. 8. Insert it through the hole in the backbone and take up on the adjustment until the rudder turns easily but not loosely. The spring shown tends to keep it at a tension and to some extent acts as a

The tiller consists of a piece of oak 2 ft. long, 4 in. wide, and 1 in. thick, with a square hole in the center to fit over the squared end of the rudder-

snock-absorber.

poot. This is held in place by a large cotter-pin inserted through a hole in the post. Provide two holes in the ends of the tilter for the steering-ropes.

The body is assembled by clamping the cross-plank to the front of the backbone by means of four strap-bolts, as shown in I ig. 4. The plank is set under the backbone, the center of the plank coming 20 in. from the front of the forward cross-piece of backbone. I'se washers and nuts under the plank, and take up on these occasionally so no undue play will occur. Place two wire stays with turn-buckles between the ends of cross-plank and the sides of backbone as shown. These should be tightened occasionally.

Place a dashboard, made of oak and braced as indicated, just forward of the front end of the platform. This is used to support a wind-shield of any desired style and as a support for the alcening column.

Two bucket seats of conventional design can be placed upon the platform staggered as shown, so the driver will be slightly forward of the passenger These can be tipped slightly back if desired.

#### Engine-Bed and Power Plant

The engine-bed is composed of the forward portions of the backbone timbers and the end cross-piece. The dimensions are shown in Fig. 5. This is the right size to take a Ford engine without alteration. The two olde supports bolt to the frame 31 in. from the front, and the front support holts to the front cross-piece together with the crank bearing.

Remove the engine from the chassis, and gut off the drip-pan just behind the forward support. First mount the radiator between the sides exactly as It was in the chasses (Fig. 1). Then set the envine in place on the bed. Strap the crank-bearing (Fig. 1) to the cross-piece in the exact center, and include the forward engine support with it. Then bolt down the side supports, using bolts to go through the Limbers and bolt Linderneath. Next, set up the dash, 31 in. back from the inside face of radiator Support this by two triangular sides of sheet iron (as shown in the sideelevation sketch) to hold it rigid as well as to protect the engine transmission. Secure the top of the radiator to the dash with the tie-rod

All other engine installations are made just as in the original chassis.


Remove the universal joint and alter it as shown in Fig. 6. This consists of cutting off the shaft-housing and shaft just below the drive-shaft bushing. About 2 in. of shaft should project from the housing. Place on a thrust bearing a suitable sprocket, and secure with a lock-put. Before doing this, however, cut a hole to the center of timber A in line with the drive-shaft in the engine transmission, and then set the universal joint back in place. Bolt it to the

timber through the holes in the housing shoulders formerly occupied by the rear radius rods. Take care that the sprocket runs perfectly vertical and at right angles to the engine-shaft.

The propeller-shaft runs in a frame mounted directly over the engine Gig. 7). Thus is made of 1-in. Iron piping, and can be either made equare by joining the sections by elbows or can be made more upright by using 45° connections. This is optional. This frame supports a length of 1 locin. pipe running horizontally and directly over the engine. Inside each end of the pipe is forced a should red bushing, I in, inside diarreter. A pair of metal collars fit around each end of the rips and also hold the flattened ends of the standard ends between them, an shown. Bult the collars and frame ends together. Insert an oil-cup in the top of each top collar and extend it down through the bushing. length of this pipe and height of the standard will depend upon the length of the shaft and the length of the propeller.

The propeller mounting is shown in itig. 8 and need not be described in detail. The end of the shaft supporting the propeller must be squared and have a shoulder back of the rear disk of the mounting. Between the rear disk and the hushing is a thrust bearing. The nut on the end of the shaft must be accurely locked. The six bolts to connect the disks. They must be long enough to pass through the hub of the propeller.

The shaft must be of a length to allow the propeller to clear the radiator




Details are given here of the propellershalt bearings, the method of attaching the steering column the power transmission by approcket wheel, and the brake

by at least 3 in. and to allow the procket on the opposite end to come directly over the sprocket on the enrine-shaft. The propeller-shaft is 1 in. to diameter

When the shaft, bearings, and standard are all assembled, bolt the sides of the standard to the sides of the engine-bed, as shown, being careful to get the propeller-shaft in exact line. Also be sure that the shaft is high enough so that the propeller tips will clear any obstructions.

Use aprockets and chain heavy



Sale by Dealers Everywhere



# A saving you can't afford

Building a home or a factory is every bit as hard as building a derby hat.

But man, while content to pay for the hatter's skill, has a lurking desire to plan his own structures, to play the roles of nechitect and director of construction.

And a home made building is generally about as dashing as a home made hat.

Interesting, to get out pencil and ruler and to cover sheet after sheet with designs after our own ideas. But an expensive diversion. Cheaper to line up a set of Bohemian vases and throw rocks at them.

It's a shock to finish the house or factory and find we've forgotten a point in fire protection that costs a thousand dollars to fix. There are pitfalls, discouragements and removes for the average owner who builds alone. Enter the old adage, "Cobbler, etick to thy last."

At a small fraction of the cost of our own ill-starred experiment the best engineering brains in the country will work for us. They will do the job and do it right, down to the last electric light and switch.

Whether it be a home where artistry, holding skill and liveability are to be fused into one; whether it be a problem involving a most specialized department in a technical industry—the architect and the engineer bring a seasoned and unbiased judgment to the task.

After all, how much better to set two minds at work on the problem—one the architect or engineer, and the other yourself—each contributing to the solution. And this is aside from the economy of it.

Published in the interest of Electrical Developmenthy on Englishmenthy be kniped by whatcoor helps the fathering.

Industry. Western Electric
Company

No. 13 Western Electric—on organization whose products and zeroices apply alike to all fields where electricity is used—in the plant, in the shop, on the form and in the home.

enough to bear the load and keep them well lubricated.

Use a propeller between five and six feet long, and choose sprockets geared to turn it about 1500 r.p.m. when the engine is turning over about 1000 r.p.m. Any further increase in the speed of the engine will tend to rack it. Furthermore, greater speed of the propeller is dangerous.

Mount the propeller on the shaft and test for alinement to make sure there is no side play or wabbling due to shaft looseness. This may be adjusted by tightening or loosening the hub bolts as required, tightening all when the propeller turns true.

#### Controls

Mount a gas-tank inside of the engine dash and connect it with the carburetor. The steering-wheel and post of the car can be used as shown. Run the post through a hole in the dash and through another in the timber B. Two diagonal blocks, made by mawing a short 2 by 8 across diagonally, and nailed to each side of the timber, give a bearing for the retaining washers as shown in Fig. 9. Run the steering-ropes (or wires through the sides of backbone over pulleys and connect them to an upright on the steering column (Fig. 10), This will turn the craft to the left when the wheel is turned to the left, similarly to a ship's wheel.

Fig. 11 shows the brake. This is a supplementary piece of steel riveted or welded to a brake-lever mounted on the side of the backbone near the driver's seat. Connect this brake-lever by a small from rod with the one operating the clutch of the engine. By removing the ratchet from the forward one, the action can be controlled by the rear one. When pulled back, it forces the brake into the ice and at the same time pulls out the ciutch, running the engine free. This method is used in starting so the propeller will not revolve when the engine starts. When the driver steps aboard, he releases the lever easily, and the clutch engages, turning over the propeller and gradually pulling the craft under way. When he wishes to stop, he pulls upon the brake-lever, dusengaging the clutch, and brings the craft to a halt by digging the brake


Spark and throttle controls can be used as usual by extending the control rods to the wheel

into the ice.

Searchlights can also be used if desired with a switch at the wheel,

When starting the engine, make sure that the brake is set so no acrident may occur through the suddenly revolving propeller. Use the icemobile on a large expanse of ice where the most enjoyment can be had by long runs. Since it is capable, under good conditions, of attaining good speed, a small lake would not offer adequate opportunities.

Make turns slowly and use the full



Is Your Job as good as you want? Or does it take all your time to earn a living—with no chance to learn something better or see new places or faces?

In the army a man can learn to be a mechanic, a carpenter, a painter, a scientific farmer—a skilled man in almost any occupation.

While he's learning, he's earning a good living—and he gets out of the old rut and into new, broadening surroundings.

## EARN, LEARN AND TRAVEL



FOR years "Hanes" winter underwear for men, has proven little to be the national underwear standard; its sales exceed any clastic knit underwear! Its popularity extends from coast-to-coast!

"Hanes" wins on merit! It is not fancy underwear, but it has enduring quality in its Hanes-spun yarn, in its "Hanes" directed workmanship! And, its warmth, its service and its comfort cannot be exceeded at the price!

Your confidence in every "Hanes" garment, in every "Hanes" thread and stitch can never be misplaced? "Hanes" guarantee proves that!

"HANES" underwear is made in heavy and medium weight union suits and heavy weight shirts and drawers. The medium weight union suit, new this year and illustrated in this advertisement, is of exceptional interest to every man who works indoors. It is made of full combed yarn, is slik trimmed and carries the yellow Hanes label.

"Hanes" Union Suits have the tailored collerate that fits closely and will not gap; closed crotch stays closed, an entre gosset gives entre thigh comfort; buttonholes will not attecth, and last the life of the garment; pearl buttons sewed on to stay; clastic built cuffs and ankles hold their shape; flat unbreakable seams. Shirts have the snug fitting "Hanes" clastic built collerate, sateen vent and clastic built wrists. Drawers are cut roomy and have the durable "Hanes" 3 button sateen wast band.

#### "Hanes" for boys

Put the boys into "Hanes" Union Suits—the biggest value in quality, wear, warmth and comfort for boys ever sold at the price. These boys suits duplicate the men's Union Suits in important features with added fleetiness. They stand the stiffest wear and the hardest wash.

Made in sizes 20 to 34, covering ages from 2 to 16 years. Two to four year old sizes have drop seat.

Inspect these remarkable "Hanes" garments at your dealer's—at once. If he cannot supply you, write us.

#### P. H. HANES KNITTING CO., Winston-Salem, N. C

New York Officer 366 Broadway
Werning to the trade: Any garment offered as "Hanss" is a substitute unless it bears the "Hanss" label.

Next Summer-You'll want to wear Haves Nausson Union Swite!

power of the engine on straightaways only.

On extremely cold days do not use the cooling fan, as the draft from the propeller will be sufficient to cool the engine; a cover may even be necessary

Speed depends upon the condition, r p.m. of the engine, and size and pitch of the propeller; but thirty-five or forty miles an hour should not be hard to obtain under even adverse conditions.

#### How to Clean a Clogged Fountain-Pen

A SELF-FILLING fountain-pen is often filled with ink that is not absolutely free from sediment. An occasional rinsing of the reservoir will aid in preventing the clogging of the



Use a fine needle for cleaning the food duct of your favorite fountain-pen

feed duct to the pen, but the small duct into the barrel of the pen very often becomes clouged.


in case of a clogged feed, secure a small, fine needle, and push this under the gold pen and up along the feed duct, into the ink reservoir. Then rings out thoroughly with water and you will find that your pen will again work properly.—G. W. GREENE,

#### Compressing Piston-Rings to Enter a Cylinder

THE illustration shows a simple and very satisfactory way of compressing piston-rings so that they will enter an engine

The piston is alipped into the cylinder as far as the first ring

Some sashcord is fastened
to one of the
cylinder head
studa, wrapped
around the piston-ring, and
pulled up tight.
The ring is
thereby com-



Piston-rings are hard to insert into a cylinder. Here is one way of doing it

pressed evenly all around and will enter the cylinder quickly.—VAN ALLEN LYMAN.




## For CHRISTMAS!

The day's duties and the day's doings take on a new significance following a joy-spin to work on a Columbia in the fresh air and sunshine of a dewy morning.

The open road and the woods never are so inviting, so exhibarating, on Sundays or holedays, as when a Columbia pilots you.

You never realize how stiff railroad and trolley fares are until you buy a Columbia and put those saved sums on its purchase price.

Get that 1921 Columbia now.
See the various models at your dealer's fociay. Write for a 1921 Columbia Catalog. Ride a bicycle—a Columbia Live, save, be strong, healthy—do your share toward giving that greater efficiency and promoting that greater production the nation so truly needs. There is a model and a price for every individual preference—for you, for the wife, for the kiddies



#### CUT YOUR OWN HAIR—EASIER THAN SHAVING





You do not need any experience or practice to see the DUPLEX AUTO-MATIC HAIR CUTTER. It wises to you ready for estant use and byte minutes after you receive it you can have your hair cut better than it was ever cut before.

The DUPLEX will cut as closely or tries as long as you wish it to. No ellippers or exists to account with the DUPLEX, it finishes the work completely it outside the front have long and the back hair short. Tries around the Ears, etc.


lande of a very that time you will have to pay \$7.00 for the DUPLEX. The price today is \$ 50 but while our present stock tasts we will acrept the advertisement the same as \$1.00 and it it out and send it with JNA \$1.00 and we will send you the DUPLEX AUTOMATIC HAIR CUTTER ready for instabling, postage paid to any address. SEND TODAY

AGENTS WANTED: DUPLEX MFG. CO., Dopt. II, Dotroit, Mich.

#### How to Clean Valve-Sterns on the Automobile

WHEN the time has come to remove the accumulation of carbon from the cylinders of the automobile engine and to grind in the valves, particular attention should be paid to the valve-stems. These, too, should be carefully freed from carbon and other foreign matter that would interfere with the free movement of the valve-stems in the guides. Such incrustations mean loss of power to the engine, frequent missing, and difficulty in starting. To insure good valve action the stems must be kept clean and bright.

The head of the valve-stem to be cleaned should be clamped in the vise as shown in the illustration. Between the valve-stem and the laws of the vise small blocks of wood should be placed



Hold the valve-head between blocks of word in the vise and clean the stem with emery-cloth


to insure a firm grip on the stem and to prevent injury to the head of the stem. Then a narrow strip of fine emerycloth should be wound around the stem, as shown in the illustration, and seesawed by alternately pulling the two ends, moving the strip up and down at the same time. Usually a few strokes will suffice to clean the stem and make it bright. The emery-cloth should not be drawn too tightly.

After the stem is cleaned, the face of the valve should be wiped carefully with a cloth dipped in kerosens, to remove every trace of dirt. Then it should be lubricated and replaced in the cylinder.

#### Mixing Acid and Water for the Battery

If the storage battery requires a new solution, it should be mixed outside and then poured in the battery tank. Chemically pure sulphuric acid has a gravity around 1.84, and to obtain the required gravity, 1.300, before putting it into the cells, it has to be mixed with water

Measure out two parts of the acid to five of water, and mix them thoroughly in an earthenware or glass container, which is proof against the action of strong acid. Pour the acid into the water in a small stream (not the water into the acid) and allow the solution to cool before pouring it into the battery.



## with MECCANO

Toy Engineering for Boys

WITH Meccano you can build hundreds of fascinating models in shining steel and brass -and, with your daidy Meccano Electric Motor, make them run like real machinery. No study. Follow the simple directions. and, before you realize it, you have a wonderful Crane like the one above.

Turn the crank handle and the model will work, or run it with your electric motor. Manual of Instructions with each outfit.

And, Oh, what a thrill of joy it is to invent new models. —to see your own ideas take form in steel and brass! By all means, tell Dad you want Meccano for Christmas.

See These MECCANO Outfits AT YOUR DEALER'S

#### Send for FREE XMAS BOOK

Contains the inventor's entertaining story of Meccano. Illustrated with numerous interesting pictures of models and boys building them. The kind of a book a boy likes to get wrapped up in. Just the thing to help you and Dad to pick out your Christmas outfit Merely write us your name and address and it will be sent you in the next mail. Get yours good and early.

No. 8.	81.50
No. 1	3.99
No 1X	5.50
No. 1	W.DW
No. 3%	4,54
No. 3	9,00
No. 1X	11.50
And up to \$46.00	


#### Motors

Electric, Reversing.	\$4.50
Electric Non Reveering	3.00
Clockwork Mater	3.00
Transformer	3. ZB
Outfile and motors most pres	ald on
Persipt of price ill met or your	r dwal-
w's, X nutnie and replace of	Highely
higher to Canada,	

MECCANO COMPANY, Inc., Division K, 71 West 23d St., New York, N. Y.



Town Wagon



CONSTRUCTION OF BMALL ALTERNATING CURRENT M. Problet, By V. 1. Which is no reach containing to the first of t

POPULAR SCIENCE MONTHLY

New York

A few nours interest is more speed many offere-gives you a fine may me evally my set to our yield within the many page new queting sauch more. Plays any reserve

We furnish complete, thought plants only dissipative can unresistant. Beth thought one stand was in general than resister and between the most of the stand was in general than resister and between the most of the most of the said flow west me one of the resistant of the said flow only like how but the said to be built out in the little that how the said on the built out in the said of th

#### Make Big Money Building Phonographs Ask for Dur Ance-Fire Plan and Fran Blog Print Offer

Vote can make transferred of dollars easily. Ask as A tell you have named in the an example of the control of the contro

Sacona a House Durlar -- Wooderful Plan

Our lealers promisered no our tester built Printograph will agreed to you as he been tribing you. No rep guerry thou work ato capital necession. It witch every thour was not you full printogram and show you have a weak agree on more than the printogram and the set of a substance of printogram and the set of the set of

Choraleon Phonograph Co., 1230 Second Street Choraleon Phonograph Co., 1230 Second Street






#### Leveling Liquids with an Automatic Siphon

T is often very convenient to have an automatic siphon that will remove liquids to a certain level and maintain that level although more liquids should subsequently be added. Such a siphon consists of a lead tube

about 10 in long bent as shown in the illustration. The loop at A is at the level at which the liquid in to be kept, A small air hole is also made at the



This automatic siphon keeps liquids at a constant level

top of this loop. After the atphon has been started it will continue to function until the liquid facts to its normal level. Should the liquid rice again it will automatically drain off the surplus tiquid.—ERNEST BADE.

#### An Experiment for the Flash-Light Photographer

THIS experiment requires practically no apparatus and gives immediate and startling results. It is simply short-circuiting the 110-volt house current with a piece of No. 36 wire. This does not blow a fuse, because the current blows the smallest wire in the entire circuit.

A practical use for this experiment is to set of flash-light cartridges. These usually are supplied with a slowburning fuse; but in some cases it is difficult to prevent the subjects from moving while the fuse is burning notally. A very quick way in to drop a short length of the No. 86 wire in one of the cartridges. When all is in readiness, the photographer simply snaps on the house current, and the picture is taken .- PHILIP A. WALL.

#### Setting Machine Screws in Thin Metal

HERE are many cases where it is deprable to tap a machine screw into thin sheet metal with some assurance that the screw will hold, though the metal is too thin to take sufficient

thread to be of any practical genun use. The deend is gired easily accomplished. Punch the bole for the screw with a surface is obtained to punch that will

By punching a tapping hole in sheet metal,

take a good thread

force the metal aside, forming a sort of short cylinder, which will be long enough to take a few threads and hold the screw reasonably well. The best kind of a punch to use is one with a sharp point, a long bevel, and a shank the diameter of the tapping hole.





Ives mechanical and electrical trains, and Ives steel boats with their long running motors and screw propellers, will teach you all about the big business of transportation.

You lay the tracks and install switches, signals, stations and tunnels. The trains are just like the real ones—with long, powerful engines or electric locomotives that whise over the tracks and beautifully painted passenger and freight cars.

Ives boots include ocean liners, tugs, yachts, destroyers, submarines and U.S. Merchant Marine steamships. Write for our finely illustrated book, "Ships and Shipping," and a big booklet on trains, full of information and finely colored plates. Both sent for 10c in stamps, to pay postage and packing

The Ives Manufacturing Corporation
191 Helland Avenue Bridgepoort, Conn.





# What do you know about bicycles, anyway?

WE'VE shown the Kokomo Bike Book to hundreds of "regular fellows"—riders of many years' standing—and nearly all of them have found some new and really valuable facts in "The Bike Book."

They've been glad to learn how to pedal their bikes more easily, ways to properly clean them, and what constitutes good breycle tires.

We got the book out, first to be helpful to our rider friends, and second to remind them of the worth and goodness of Kokomo Breyele Tires.

Until the supply runs out, we'll be glad to send a copy to anyone who asks for it.

#### KOKOMO RUBBER COMPANY 40 S. Main Street KOKOMO, INDIANA







#### Things I Made that Reduced the H. C. of L.

How some readers of the Popular Science Monthly sought to solve the vexing problem

IT is highly aignificant that the overwhelming majority of the answers received from readers of the Popular Science Monthly in the prise contest "How to Beat the H. C. of L.," launched early in the year described mechanical appliances for heating the air in rooms, shops, or houses, or for providing hot water for domestic purposes.

So great was the numerical preponderance of answers aimed at the reduction of the cost of fuel that the announcement of the decision of the contest was reserved for the December number, as most appropriate for the descriptions of the various fuel-saving devices.

The first prize, consisting of \$50, was awarded to E. S. Cook, of Alpena,



For his method of providing bot water in the katchen by simple means, & S. Cook of Alpena. Machigan, was gwarded the first prize of \$50

Michigan, for his meritorious method of providing a hot-water supply in his kitchen at a trifling cost

Mr. Cook first of all placed a coil of copper tubing, taken from an old water-beater, in the fire-box of his heating furnace. One end of the coil he connected with a pipe leading to a homemade water-tank placed near the kitchen ceiling; the other and, by means of another pipe, with the hotwater faucet of the kitchen sink.

R. J. Hammond, of Huntington, Long Island, earned the second prize of \$25 by describing how he reduced the high cost of shoes. He bought from a junk dealer an old automobile cord tire that was past mending, split it, and made from this almost indestructible material soles for his shoes, old as



Extending the life of his shoes by providing them with soles cut from an old cord tire, won for R. J. Hammond, of Huntington, Long Island, \$25

well as new. These soles were comented and tacked to the leather soles.

With his description of the method employed by him for heating two rooms with hot water from the kitchen range, William Skeggs, of London, Ontario, Canada, earned the third prize of \$15.


He laid a 1-in, feed-pipe from the water-front of his range to an expansion tank holding about two gallons in the attic. From that pipe he conducted the hot water or steam by means of T connections to two old radiators in adjoining rooms, and from the bottom of the radiators the water was led back to the range in a return pipe provided with a drain-cock.

Another answer, although it was not awarded a prize, is so meritorious that it deserves honorable mention. P. C. Henry, of Conover, North Carolina,



don, Ontario carned the third prise of \$15 with his method of heating two rooms by hot water from the latchen range

describes how he built a hearth in his back yard from a pile of old bricks left over after the remodeling of a building. On this hearth, which did not even have a chimney, he heated the water in a sterilizing tank large enough to



Using a pile of old bricks for building an open hearth for sterilaring frust and vegetable preserves merited honorable mention for P. C. Henry, Conover, N.C.

hold thirty came of one-quart size. This sterilizing hearth he used with excellent success for preserving fruits and vegetables grown in his garden during the season.

Ten other answers selected as particularly meritorious from among the numerous rapites received from contestants will be found on pages 72 and 78 of this issue, entitled "Fighting the H. C. of L. at the Cellar Furnace."

#### Here Is the Standard Scale of Tire Inflation

THERE is no use worrying about the small discrepancies in the inflation pressure tables of the different tire manufacturers. They are all near enough for all practical purposes.

Some of the manufacturers will tell you to put 60 pounds in a 80-by-81,-inch tire, whereas others will vary this to 55 or even 50 pounds in some instances. There is also a difference between the proper pressure for fabric and cord tires, the latter requiring a lower pressure than the former.

Therefore the standard scale of inflation pressures and loads as adopted by the Tire and Rim Division of the Society of Automotive Engineers is a most convenient bit of data to keep, as it gives the recommended pressure for any size of cord or fabric tires, and saves you the trouble of referring to as many different charts as you have different makes of tires on your car.

Here is the scale

	Pappe	T grs	E inter	Times
	Maxis	Coppe.	Mark	Carre
	TTT II TII	spending	0711164	eprindless
Time	FIG. CO	Num-	sound her	1
7440	a Time	Property	a T Tr	Pie syste
3	275	46	400	40
312	570	55	600	50
4	815	65	850	60
4.49	1.00	75	1200	70
Б	1500	85	1200	80



## Trained Hands Serve Trained Minds Don't Let Your Boy Grow Up All Thumbs!

- HUSSELL

CARVING SETS

XMAS GIFT

is tempered to a large

The three greens have

Sant dealer for No.

beautiful blag his sift

No defect is so obvious as the untrained hand. You know a lot of men right among your friends and acquaintances who lack that kines of deep things requiring the elightest manual skill they are clump—all thumbs—and i is all a master of early training of the hunce.

# Give your boy a RUSSELL BARLOW KNIFE and WHITTLER'S KIT

It is I afford him more that I on any bing clary u can think of any teach him that knack if doing things which his admire so much in the " and,


YOUR BOY WANTS A KNIFE
lieve's your chance to give him one and direct its
use along lines which will be of real benefit to him in

To a mulare arerest a the Art of Whitting, the John Russell Curtery Co. will award

\$250,00 IN CASH PRIZES for the filters best examples of whittling does by boys with an ordinary pocket knife. There will be gold, silver and bronze medal awards too. This contest is open to every boy in the land it

Ask your dealer about this Big Whittling Contest, and the Whittlers' Club-your boy will want to jo u both

Price Complete \$1.00



aiter lite.

I get A t Conta not
the Russel Barnew Kerre
Soft Pine Worlding Shaka
Whet time
What tens Manual
Membership in the Russel
Whittlers Club and a
Whittlers' Club Button
to prove It to the boys.

CONTRACTOR OF TERMY (O.

Green River Works

TURNERS FALLS, MASS. L. S. A.

## IVER JOHNSON SAFETY REVOLVER



#### "See, it can't go off accidentally"

"The only way to discharge an Iver Johnson is to pull the trigger (1) all the way back. This action raises the lifter (2) which forces the hammer (3) to cocking position. When lifter is at its highest point, the hammer covers the firing pin (4) and at this position the hammer is released, striking the lifter, which in turn strikes the firing pin."

No impact can force the hammer against the firing pin. Thus the world famous slogan "Hemmer the Hammer." And that is why women are not timid about having an Iver Johnson in the home.

Dynam tempered plane-wire springs been the Iver Johnson permanently asive and alert. And the perfect rifled barrel speeds the bullet straight as a streak of light.

Choice of three grips : Regular, Perfect Rubber, Western Walnut.

IVER JOHNSON'S ARMS & CYCLE WORKS \$45 River St., Fitchburg, Mass.

00 Chambers St., R. Y. 717 Market St., San Francisco



If your dealer hasn't in steels the particular model you were send to be desire and address. We will propply you through him.

Three Booklets- One or All Free on Request

"A" -- Pirentons "B" - Bicycles; C -- Mosorcycles



few Johnson S. nate and Double Barret Shotgons sombine accuracy and dependability teer interport Bimater are worldtained for easy eding strength and durab site Models and process to suit grettome.






## learn How to Write Short Stories There is a buy demand for these province, phonoglaps and largue province, by a section for the part and province and province province and province provinces and provinces are provinced provinces and provinces are provinced provinces and provinces

Write for Free Book. Among effect by the growth the work of the state of the property of the book. Among effect by a bigginner HOOSER PROTECTE. 3.3 Days. 2700 Ft. Wester, below

# Pactory to Richer Tires wheels, a beginn on the Bases on the party and the party of the party o

#### To Make Cardboard Models of Engines


MOST designers of machinery find that to lay out the movement of the device is to invite a good deal of work with a considerable loss of time. This is true of all classes of designing, whether the device is just ordinarily complex or very intricate, or whether it is a monster engine to be used on an ocean greyhound, or merely a small model of such an engine. In order to determine the action of the engine through all the cycles of its complicated movements, a drawing must be made of each and every phase. Even though a finished drawing is not required, these drawings must be laid out in the same plane. After a number



Cardboard models him this clearly illustrate the movements of the engine material

of layouts have been made, one on top of the other, the result is one of confusion rather than of simplicity and the complete cycle of action is difficult to follow

To make a finished model takes time and costs too much, especially when the design that is being worked out is a new idea and may or may not be practical. In that event it suresy would not be desirable to go to the expense of having a finished model constructed. So why not make a



This shows the platent of the V-type engine pictured above in a different position


model of paper? It will answer the purpose and will tell the story quicker than any other way.

A model made of cardboard is shown in the accompanying illustrations. The model in this instance is that of a V-type automobile engine. No attempt is made at showing contour, the idea in mind being merely to illustrate the movements of the different parts. In making this model,

thin but stiff bristol board was used. A piece of heavy cardboard served as a foundation on which to build the rest of the model. The cylinders were made by cutting some of the cardboard away at an angre and bending up slightly. The sketch (Fig. 1) illustrates this. The cylinders can also be made by pasting two thicknesses of eardboard together, leaving about 1/16-in. overlap as shown in Fig. 2.

The pistons, which were of a single thickness of cardboard, could easily slide back and forth between the cylinder walls. The bearings for the connecting-rods were made as shown in Fig. 8. The piece A, which really is a true bearing, was slightly thicker than the connecting-rod, which permitted sufficient play for the rod.

The crankshaft was made of two disks, one connecting-rod being fitted to the top disk and the second connecting-rod being fitted between the



The diagrams shown here illustrate in detail the exact manner in which the various parts of the engine model are cut out of bristol board and put together

two disks as shown in Fig. 4. The crankshaft assembled was fastened by the same method as the connecting-rods. A circular ring guard piece was pasted to the back of the foundation so that when the crankshaft was turned there was no binding of parts. To operate, a stylo was inserted in a hole in the top connecting-rod and the crankshaft was then revolved. Every degree of revolution of the crankshaft could then be studied along with the action of the various other parts.—Frank Harth.

#### Watch Your Storage Battery in Cold Weather

MOTORISTS who use their cars all winter should be eareful to see that their batteries are kept properly charged. A battery that is allowed to deteriorate or become even partially discharged in far more likely to freeze than one that is kept in good condition, as may be readily realized by comparing the following freezing-points

Specific Gravity	Battery Condition	Preczing-
1 280	Full	70° below zero
1 260	*/ discharged	60° below zero
1 210	15 discharged	20° below zero
1 160	34 discharged.	SETO
1 120	Empty	20° above zero



Joy in Shaving lies in Perfect Confidence in yourself, in your razor-

And that is all there is to the simple, pleasant, gentlemanly art of shaving.

Thirteen years of practical demonstration in the binds of more than two million confident users, furnishes that full confidence I have felt necessary for the right advertising of the

## Enders-Razor

Simplicity is its charm cutting the board quickly and easily, without acraping the skin, is its peculiar merit. Lase of adjustment, perfect cleanliness, lightness, firmness, beauty—and the \$1.00 it costs—are contributing elements to your joy in shaving.

Shaving with an Enders Safety Razor is "Just like wiping your face with a towel."

ENDERS SALES COMPANY, 17 Battery Place, New York

FNDERS SFILLS FOR \$1.00 with six bludge of the best quality Swedish-base steel. Packed in a black heratol hox, we'vet-a ned Fatra blades—package of 5—35c.

FOR SALB BY BEST DEVLERS EVERYWHERE





#### Does Dad Remember?

If dad will just think back to his boyhood days—if he'll just remember how much he wanted a bicycle—and how much fun he had when he actually got one—he won't let you be disappointed again this Christmas.

Good, hea

#### Secret Marks Aid the Identification of Cars

I'mobile out of every dozen manufactured and sold is stolen. How many stolen machines are ever recovered by their rightful owners, is another question.

Good locking devices, or thief signals, are not to be despised. They are a sure protection against depredations by meddlesome men and boys, and will cause the automobile thief so much trouble that he will look for a car that is easier to take away. Where several cars are parked, this will not be hard to find. Comparatively few cars are left well locked, and many stand without being locked at all. Owners sometimes lorget to take the switchkey with them, leaving it in the switch-lock.

Should a professional automobile thief get your car, he will take good care that you will not recognize it should you see it again. You know it now chiefly by its license plates, car and engine numbers, and a few scratches, dents, and slight peculiarities.

He discards the license plates, changes the engine and car numbers, and obliterates every mark by which you might identify your ear. Caution is his middle name. He likes to tear down an area of the autos make


inventive owner. It must be re- i membered, however, that secret identification marks are worthless unless they are carefully and exactly recorded and a record of them preserved.—HENRY R. TRAYER.

#### Using a Dial Indicator as a Sweep Tester

THE common practice of attaching a pointed sweep to the spindle of a drill-press or lathe to test the trueness of the table or faceplate has the disadvantage that it is rather difficult to see by eye whether the point is actually touching; in fact, it may be just clearing or pressing with considerable force. Chalking may reneve this, but it sometimes is difficult to chalk a smoothly surfaced table.

The better way is to mount a dial test-indicator upon the sweep, for then the exact measure that the table is out may be directly read.

The illustration shows an adjustable sweep made up for a beavy drill-press.



By using a dial indicator on the lathe the trueness of the inceplate may be exactly ascertained

The vertical piece is tapered to fit into the spindle sleave and is drilled through at right angles near the bottom for the horizontal rod which carries the disl. A set screw holds the rod in place.

For a small light drill-press provided with a nut, a piece of steel rod may be bent up to suit, the vertical end being held in the chuck. In testing lathe faceplates, an adapter may be made to fit the tailstock quill, drilled at right angles for a rod like the first one and a set screw put in to clamp the rod.

The adapter should make an accurate, scraped fit into the tailstock taper, driven in rather tightly, and then the tailstock screw slackened off just enough to loosen the adapter so that it will turn rather stiffly. The indicator may be set at any distance out on the rod.—H. H. PARKER.

#### Home Soldering Made Easy with a Good Flux

DOES your wash boiler leak? Close the leak with solder. Small soldering sets are sold for a trifle and are very useful in the house. A solution of all ammoniac and borax makes a good soldering fluid, particularly for copper and brass. For tin the resinous flux supplied with the soldering-set may be used. Scrape the surfaces well before soldering.



## Never Sleep

#### With a film-coat on your teeth

Millions of people on retiring now combat the film on teeth. They fight it day by day. And those gustening teeth seen everywhere now form one of the results.

You owe yourself a trial of this new teeth cleaning method. Dentists everywhere advise it. The results it brings are all important, and they do not come without it.

#### What film does

Your teeth are conted with a viscous files. Feel it with your tongue it charge to teeth, enters crevices and stays. And dentists now trace must tooth troubles to it.

The ordinary tooth paste does not end film So, despite all brushing, much film remoins, to cause stash, terter, germ troubles and decay

It is the film-coat that discolors, not the teeth. Film is the basis of tarter. It holds food substance which ferments and forms said. It holds the said in contact with the teeth to cause decay

Millions of germs breed in it. They, with tastas, are the chief cause of pyorches.

#### Ways to combat it

Dental science, after years of research, has found effective ways to fight film. Able authorities have proved their efficiency. Together they bring, in modern opinion, a new era in teeth cleaning.

These five methods are combined in a dentifice called Pepsodent—a tooth pasts which complies with all the new requirements. And a ten-day tube is now sent free to everyone who asks.

#### Watch the teeth whiten

You will see and feel results from Pepsodest which brushing never brought you beretofore. A week's use, we think, will amaze you.

One ingredient as pepain. One multiphes the starch digestant in the saliva, to digest all starch deposits that cling. One multiplies the alkalimity of the saliva to neutralize mouth scide.

Two factors directly attack the film. One of them keeps the teeth so

highly polished that film cannot easily

Watch these effects. Send the coupon for a 10-Day Tube. Note how clean the teeth feel after using. Mark the absence of the viscous film. Note how teeth whaten as the film-cost disappears.

The book we send explains all these results. Judge what they mean to you and yours. Cut out the coupon so you won't forget.

## Pepsodent

The New-Day Dentifrice


A scientific film combatant combined with two other modern requisites. Now advised by leading dentists everywhere and supplied by all druggists in large tubes.

#### 10-Day Tube Free "

THE PEPSODENT COMPANY Dept. 21, 1104 S. Wabash Ave., Chicago, Ili.

Mail 10-Day Tube of Pepsodent to

Chaly our tube to a family



## Training For Service

What science and engineering have done to develop the mechanical efficiency of the telephone, specialized training has done in the development of workers.

Plant engineers, linemen, directory clerks, toll operators, equipment installers, electrolysis engineers, trouble hunters, line repairmen, test table operators, chief operators, contractagents, building engineers, line installers, exchange repairmen, plant inspectors, trouble operators, fundamental plan engineers, draftsmen, estimate clerks, exchange operators, cable testmen, equipment in-

spectors, wire chiefs, traffic engineers, galvanometer men, cable splicers, facilities engineers, surveyors, information operators, switchboard installers, accountants, testmen, supervisors, station repairmen, equipment engineers, directory operators, statisticians, appraisal engineers, routing operators and scores of other skilled employees are specially trained for the exacting work of providing telephone service.

Throughout all work of telephone construction and operation there is a ceaseless endeavor at mastery of service that makes for improvements beneficial to the public,



#### AMERICAN TELEPHONE AND TELEGRAPH COMPANY AND ASSOCIATED COMPANIES

One Pelle:

One System

Universal Service

And all directed toward Better Service

### Electrician's Wiring Manual

By F. E. SENGSTOCK, E. E.

contains all the information needed for the proper installation of lighting and power systems in houses and other buildings. This manual is written in simple, plain English by an Figure, it haginest with many years' experience on the Chicago Board of Underwriters. Profusely illustrated and contains many tables and formulas. Pocket size, flexible binding, 448 pages. Price, \$3.00 postpaid

POPULAR SCIENCE MONTHLY

275 West 19th Street New York City

#### Experiments with 110-Volt

#### Alternating Current

By J. D. ADAMS

Here at last is a book that develops a proteinal working fumiliarity with the alternating current the force in which shortricity is used in every home. The author shows how this can be done in an interesting and inespensive way.

The anily way to gain a thorough understanding of electricity as it as used commercially is by direct personal experiment. The knowledge thus gained to of vastly more value and importance than that am uland from the performance of the sterotyped series of bullery experiments so uniformly described in the text-books.

254 Pages, 135 Illustrations Frice, Postpaud, \$1.75

Popular Science Monthly 225 West 38th Street New York

#### A Combined Burglar Alarm and Keyhole Lighter

If you are at home and any one attempts to turn the knob of your front or back door, a bell will ring If you come home late in the evening turn the knob yourself and a flashlight appears from the interior, displaying brightly the location of the keyhole. Such is the operation of a small outfit which will cost the maker bot much more than one dollar and take but an hour's time to construct

You may be able to purchase the following four things at a local five-and-ten-cent store: (1) A two- or three-point battery switch mounted on a wooden base; (2) A small flashlight battery; (3) a small flashlight bulb for same, and (4) a small electric buzzer or bell. If you succeed in this, the balance of the cash will purchase sufficient wire to make the connections.

On the inside of the door, take off the little plate or disk through which the doorknob handle protrudes. To do this it is necessary to take out the little acrew which holds the knob in place, removing the knob and then the plate. From a piece of heavy tin, cut from an old tin can, make a pointer arm (see Fig. 1) having a square hole in the center, as the rod which holds the knob is usually square. This tin may be materially strengthened by soldering one or two (one on each




When you return to your home late at right you will find the illuminated keyhole very welcome

side) Chinese copper pennies to the base. In this case it may be necessary to do some slight filing on the interior of the square hole so that it will fit the square rod.

Placing the pointer on the rod, the latch remaining in normal position, place two round-head upholstery tacks on each side of the extremity of the pointer in the door, so that if the handle is turned the least bit either

way, the end of the pointer will come in contact with the head of a tack. These four tacks should be connected. by a fine copper wire before being driven in completely, the wire extending through a small drill-hole to the edge of the door (see Fig. 2). The plate, if hollow, can now be replaced over this contacting device. If it is made of wood, it is an easy marter to cut a hole of sufficient size to allow free movement of the pointer. If the plate is solid metal and flat, take our the entire handle rod while counterboring a hole with an extension bit,



These diagrams and sketches show the detail of the combined burglar alarm and keybole illuminator

large enough to aink the pointer and tack-heads so they will not come in contact with the plate when once About 16 in. should be replaced. guthesent.

Ten or twelve inches above the handle of the door, cut in from the edge a space large enough to accommodate the flashlight battery In my case the battery was 214 in. long. 1½ in. wide, and ¾ in. thick, and I allowed 1/16 in, for variation of the thickness and 1/2 in. for variation of the length and depth. Two pieces of heavy tin whose width is about 1/4 in. shorter than the thickness of the battery and whose length is the same as the depth of the hole cut for the battery, are bent at right angles about 🍇 in. from one shd. Un the underneath side of the smallest end of each piece solder one end of a piece of copper wire before tacking the strips in their respective positions shown by Fig. 3.

A couple of tacks through the smallest end hold the strips in spring tension and the battery is slipped into position between, making contact at top and bottom. A round-head screw from the inside of the door holds the battery from jarring out.


Just below this hattery pocket, but on the inside of the door, mount the



\*OME to the Rahe School—the world's oldest and greatest Automotive School-and get into a steady, big paying business. Make yourself sure of a steady, big income. The 9 m you Automobiles, Trucks and Tractors now an use have got to be kept up and running. Thousands more

of Rane Trained men are needed for the right how in every section of the country. Propage vourself here to lifted weeks, and take your pick out of thousands of high-pity positions is w waiting for you. Or open your own husiness in any one of the 50,000 places now caring for new shape and sales agencies.

As a Rahe Trained man, you always have the advantage over the bar men or more the best and guirkest was to hape the contrastit through my school. I always have more case for men than I have etudents.



MEMBY J. MANE

Showing the prospect visu and tempertures of the Agks School with its floor speec identical tests 20-story skystragor busiding.

14th Year-35,000 Graduates The thousands of Rahe Trained men now in business for themselves in every State are siways sending to refor more Rahe Trained men than I can furnish. By coming here, you get preferred opportunity for a good job, or for a bustness of your own immediately upon

leaving the school.

Four (4) big huildings (equal to 20-story skyseraper), big tractor farm and big flying field. Complete and thorough training in every branch of the business. Plenty of opportunity to earn partilying expenses while in school. Bundreds of men are doing this every day.

Law-Priced Life Schelarship Hew.

Free Catalog Bature you arrange to

this School. If you can begon now do the next best shing send for my 24 page free catalog. The couper below will do. Catalog shows fulby by phonographs how you learn orth here how you are supe of the best Raba Training,

HENRY J. RAHI Dept. 2940 o City, Me





Mail	This	Couper	for special to: offer and burgs	tion
(i) usriyated	entriog givi	ng proof of gredu	mites ruccess and s	000

Name	
Addre	tr .

Occupation

## Mechanical Engineering



#### Learn at Home!

Employers everywhere are looking for men with mechanical ability. Splendid salaries and rapid advancement are offered.

There is an easy, delightful way in which you can learn right at home in spare time. For 30 years the International Correspondence Schools have been giving men and women just the training they need for success in mechanical engineering and more than 200 other subjects. Hundreds of thousands have stepped into good positions through I. C. S. help, but never were opportunities so great as now.

Let the I. C. S. help you. Choose the work you like best in the coupon below, then mark and mail it today. This doesn't obligate you in the least and it will bring you information that will start you on a successful career. This is your chance. Don't let it slip. by. Mark and mail this coupon now.

MTERMATICAAL CORRESPONDENCE SCHOOLS BOX 7604-B, SCHANTON, PA.

ш	think, whiteut abligation
м	Million, or in the subject, & BLECTERIES ERSTREES
ū	BLECTERCED ERGINARIA
а	Eleverite bigbring und dies,
	Electric Witting
U	Charges Lighting and Age, Electric Whiting Tubertaph Engineer Selephone Wark during the Landing
	beleginne Back
	devided California and California
	Markins Shop Procise
	I sterkitaniom
ш	tatt Engine Chrotuffig
Ц	CIVIL UN SINFER
Ц	Bushine Shop Frantise Intelligation Carlo English Spacesting Carlo English Spacesting Carlo English Spacesting Bushing and Bapping Bush Post Spacesting
Н	MINE BUNKARN SE FRUIS
Ы	Marka & nulmant
Н	Aprille & blandenmillem
Н	Marine Engineer Ship Orefreenan ARCHITEL ?
н	oversom and building
Н	derbitmetaral freshuman
н	A TOMORTON BOUNDED
۲	her d'author
Н	Show Marel Wards or
H	Conservate Builder University to groups but in the conservation University to artify the playing the conservation

me, how I can quality for the 9 A. ERM ANSFIRM
A YER (1919)
Wendow Trigning
Those Cord Winter
Says, Patrick
Raifwind Training Those Cond Web
Says Painted
Raifested Trades
TL 51 PATENT
Conference
Bit K EXPER Cart Pah, Arconnego
FRATE IG MAN AGER,
Aginwy Accounting
Commerce of Zaw
GOM IT ENGLISH
Frate hay
Anthomore
GIVIL SERVICE Radional Plant Court of the Cou

Continue	III. I restly habited British		
Name			
City	dr		

Canadians may tend that timper to foreign and foreign and foreign and foreign Schools. Mostbook, Canadia

two- or preferably three-point switch. the wire from the bottom tin strip in the battery pocket connecting to the lever arm of the switch. If it is a three-point switch, the middle or second contact should be used as the "off" position, and the contacts on either side connected respectively to the buzzer or bell and one side of the light receptacle described below

Holding the small flashlight bulb in one hand and about 6 in, of No. 10 bare copper wire in the other, proceed to wind the wire around the thread in the base of the bulb beginning about the center of the wire. Three or four turns should be sufficient and a drop of solder placed on the outside will hold them in place. The ends should be straightened out and bent in the same direction. (See Fig. 4.) Stip a small piece of pasteboard on these ends, ga shown, and bend the ends outward. A small strip of tin about 14 in, wide and I in, long has a very fine flexible cord soldered to one and and the tin strip placed in slote in the cardboard so that when the flashlight bulb is screwed into the improvised wire socker, the bottom of the bulb will make contact with the tin strip. The bulb is placed in position and with the body of the bulb directly in the keyhole, mark on the door the location of the ends of the wire holder so that very fine staples or screw-eyes may be inserted to hold the ends of the wire.


It can be seen readily that in this manner the bulb can be turned back out of the way so that a key may be inserted in the keybole from the inside of the door, such as locking the door at night-time.

The developed wiring is shown in Fig. 5.—THERON P. FOOTE.

#### An Attachment to Prevent Door-Slamming

THIS extemporized door attachment was quickly rigged up by a mechanic and applied to a lockless thiner door.

The form of the spring permitted it



A simple spring attached in the manner shown will prevent the door from demining

to alide past the door-frame and move forward again, holding the door closed by pressure against the strip as shown in the illustration.

Brass spring wire is the best material for the spring. I. should be suffi- | ciently heavy and stiff and

the loop should be large enough to resist pressure and hold the door firmly closed. If a slight indentation, rounded to correspond with the curve of the wire loop, is made in the place against which the apring rests when the door is closed, it will keep the door closed,



#### Surprise the best Boxer!

test magne here ticked you'll be, the neat time total magnet beer thrived you'll be, the cent times to date a rate at up out to meet a to a with the feet was a all about a rate of the out to the feet was to all about a rate of the dem in the feet with the cent of the feet was a suit of the a color of the feet was a suit of the feet was to a feet of the feet of the feet was to a feet of the feet was to defect of the feet of the feet was to defect of the feet of the feet was the defect of the feet of the feet was the defect of the feet was the defect of the feet o

#### The Great New Course

earlies bissing He litter, wreating, and physical develop-

The management to under the sections after the section of the sect


the state of the party operated and the proper countries of absolute a single party operated and absolute a single party operation and absolute a single party operated and absolute a single party operated and and a single party operated and a single party operated and a single party operated and an analysis of the single party operated and an analysis operated and an analysis operated and an analysis of the single party operated and an analysis operated and analysis operated analysis operated and analysis operated analysis operated and analysis operated and analysis operated analysis operated and analysi

Sent Free on Approval

We bear the cutter matter & leads an apticipant timber and a control of the his in the second of the ...... COUPON-----

Marshall Stillman Association Suits F-112, 461 Fewth Ave., New a what bedre you never the property in the being and half to property the force of the first party of the bedre got the first party of the first p

HOW YOU CAN STAY YOUNG



The rate been breather the attended and private Their bear an efficient of the business bands of the business

THE TEN SIME COROLL CO. 505 Superior Building, CLEVELAND, 1980.

IT MAY SEEM IMPOSSIBLE BUT HERE IT IS THE PARTY OF THE PARTY OF THE ADMINISTRATE AND PARTY OF THE PARTY OF T Will be do making as the samples

Specially in the form of the property of the p PIN LUMBARDI'S BAGYINE MUSIC CO.

1331 Platfront Avenue, Brookley, New York, SIMPLE WIRELESS TELEPHONES AND HOW TO MAKE Total or elements have on the principles, popularly of the dah are status of wirehold of high the status of wirehold of high the second Months with the work of the second Months with the second Months of the second Mont



# Have a Business of Your

In addition to the handsome solution and quick advancement offered by emphasize everywhere o tox at the stry there is a sublement of the rest of the left of the stry of the left of the stry of the left of the wide-apen apportunity to last a fee for a review of the of more not mobiles, trucks and tractity throughout the United States and I much cover created a t moundous Jemand for garages. repair thops and service stations. Thousands of spenings in good secretors are awaiting you. Very bitle unital is required when you Many of our graduates take good post mound know your business. save a less founds of designs, then start business, or themselves, we many others got ght from our scood cto sumbres. You can do the same regardless of your age information or your past experience. If you have the ambition to go ahead

# a Month and N

Handreds of our graduates, many of whom when nothing of any another set accorditative, take our making \$5,000 to \$10,000 a year. Many of these men had little of no cantta Here are a few examples from of the asards of successful graduates

1. S. Seichel of Copiny 11: when hope form in \$15 fth most. The trained at the St. S. S. and mys. he has a garage of his way paying a pentit of door \$100 a week.

W. P. Harmon Mitchigo. formit spalin arm tant at \$ 100 g resents. Zuctar above training at N. S. A. S. for him 6 garage butterness are states but person products are \$470.4. արական

Before Stateming, Byron Multan at Play. No new working for \$10 a resent. Note be but a half thierest in a garage business that yage a positively so is \$1,000 a resent.

Tone thankers Austin I'm was a common talescer. Now be has a garage with recent to mem has been and habite with these trees. Between an a second of a A A A A A B A Bradler of the column, was a shipping to be at \$ 10 meses. Now to bus a bunchess of his own its "sevolated monthly position over \$ 20 meses of any in was weeking by be day from his position can \$300 meses of any in was weeking by the day from his position can \$300 meses on a set of any of the contract of any of the contract of t

a mounts in get any are not maken.

Marriers Valenter the past F. F. Shulyes of Halland, Mark. Mr. N. A. M. gradington, have
one of the hest garages in Western Valengan.

# All Leading Manufacturers Endorse

Our School The thoroughtest of our methods the completeness of an equipment and the competency of our gradual to the competency of our gradual to the competency of our gradual to the competency of our section to the competency of the competency o

### YHARMOD RAD ROTOM HOEGUH S&THOrt. Helm. W. L.A.

The Michigan State Auto School is our option in the Innert custington at a hind it he contry. In fact, we endorse its method of eventry thetrartish

the trace recommended in more than y others to she many the continue to she manufactory. The Michigal Black An a School ranks bushed in the standard of achoring the equipment and personned to second to more. The school is the country transfer is a set that a superior the country transfer to see the bost of the track of the school in the country transfer to see the bost of the Sichiasan Signal attended to the set the signal through the set to be bost of the second to the set the signal through the second to the seco

Packard A Manual Car Downson Demon Man U.S.A.

The Michigan State Auto School enjoys The Michigan State Auto School enjoys a very envisible rejectation and in probably one of the best of the front in the Lotter States Elies to the still allow in recommending it is every porticital Youth two years the PANY

### What We Teach

Automobiles and Tractors. With the state of business from \$40.2. Very thorough and room det Tajmin 

Farm Tractor Instruction. The the state and the principles construction and operation and and transport to and and transport to the state of the sta ment see on the arm. I store plants that unger one too the tier are an or all are said to be Min his Religion of Tropper Course medical according to \$7 to 4 for Election According

Tire Repairing. the whole training for newtating a work makes with the witness of the control of the second sections of the section sections of the second sections of the section sections of the second sections of the section section sect

Oxy-Acetylene Brazing, Welding and Cutting Complete framing in structural and repair work.

The M. S. A. S. can teach you how to conduct a business of your own successfully

Hig 124 gure Cata ne एकमा (भेटी हैं e we accual sectures of

on of and engine of the operation of the transfer of the following of the court of the following of the following the following of the Auto Industry. Use the coupon now


MICHIGAN STATE AUTO SCHOOL Most Progressive Auto School in America"—"In the Neart of the Auto Industry" 882 Auto Building Detroit, Mich. U.S.A. And one in teach by one in tary matilities as the endurant applies a M. S. V. B. training members and a successful applicant to the end of a successful applicant. motive expett.



MICHICAN STATE & TOO SE HOLD.

Statement block name to the following statement of the control of Ter Consertra April 2 and promotions out to a part of a

51 400 THE RESIDENCE OF THE PARTY OF T



MR. CHAS. EVANS, Ind., carpenter, past fifty, Inid aside
tow and hammer, learned Tire Surgery
within two weeks, nowbas thriving Tire
Surgery Station shown above. Averages
fitt a week Aswayahasmumey in pocket.
Never pinched for ready cash. Duesn't
have towart for paydays. Money flows in
every hour of day. It is a proposition
YOU can bandle. Let me equip a R. CHAS. EVANS, Ind., car-



for YOU. Learn Tim Surgery—the new respecting method. The Oxick and BETTER way for repairing old, wors, ragged and form country. Adda 4,000 to 5,000 mileage. I track you in fourteen the radays. Show you how to be SIC-CESSELI MANACERC Tell you have to build HIGTHADE gatchey. For you pointers that gaskey you SUCCESSELL long VERY START. I put you into auto industry—the business that makes pullilapaires. Place you in DIRECT LINE for PPERLY RAISE in HIGHLY PROPERLY RESERVED RAISE in HIGHLY PROPERLY RESPONDENCE Nonpectal qualifications. No high aducation. Againstee no difference. makes no difference.

### 82.000 to \$5.000 Year

- different distribute. Many make more. Delived for delicational discremit point better layer million was searching over the constant. Nearly edges in the constant of the control of the layer brundle and public better the control of the layer brundle and public better the million block in the layer the constant of the public brundle and the layer to complete the layer brundle affects to completely built intends under the post your real stance.

### Get Facts-Pill out Coupon

When same and address plainly Mall E. public to the low enteresting both by M.C. Ti M. NIAII. Metal what atters have dead. Same what YPUS AN INI. Place are how to be own from Thou to be paid for the pay depend on the lower paying part for locally and to be paid for that pay depend for locally and tenth, Justin how may you may get lots big paying, pursuament business.

F.II out coupon—and SEND Howard Tire & Equipment Co., 744 Capital Are., believapelle

ma. M. HAYWOOD, Free. Herwood Tire & Equipment Co 194 Capitel Ave., Indianapolic. Dear Sire f want to get into his period bourness guide I was and med pear proper thing at once. Yours true.

Wood will be in demand this winter. You can make big money with the Philips One-Man Drag Saw-

### Saws 15 to 35 Cords Daily

Fells trees — makes ties. Engine also rose other form mach nery. "I rea my Phill be Saw one day and rando Biddo sawing store wood lengths. All done with one man metly — J. A. Coverdale." Just send name — a mod will do—for free faider. and money saving prices,

PHILLIPS DRAG SAW MFG. CO. 765 Phillips Bldg., Maneus City, Ma.



### How to Construct a Small Farm Tractor

SMALL tractor that can be built in the farm shop is shown in the illustrations. It can be constructed mostly of parts of old farm machinery and other scrap material. It is driven by a 12-hp, motorcycle engine.

It can do all the work that could be done by one horse, such as plowing with one plow, harrowing, cultivating, and pulling fairly beavy loads. Being equipped with a belt pulley, it can also be used to pump water, saw wood, run dairy muchinery, charge the batteries of a lighting system, run an ensilage cutter, corn-hulter, or any other belt-

driven machinery.

The frame of the machine is of 214 by 4 in. ash, put together with 1/2 in. bolts. The corners are strengthened with angle-irons made of 3 by 1/2 iniron. All dimensions are given in the plan view. The bull wheel is made of two old moving-machine wheels bolted together with 14-in, lengths of 2 by 3-5 in. L-shaped angle-iron. The wheels are mounted on a 114-in, shaft, which is provided with roller bearings. The bearing mounting is shown in Fig. 5. The bearings are made as dust-tight as



A motorcycle engine and some parts of old machinery will help make a practical tractor for use about the farm.

possible by a heavy leather washer at each end, held in place by a steel washer which is turned with a shoulder so that it can be fastened to the shaft-

The driving-gears have a 1 4-in. face. They are mounted on 14-10. shafting with bubbitt-lined pillowblocks for bearings. These are made dust-tight in the same manner as the roller bearings. The ratio between the gear on the bull wheel and the driving-gear is four to one.

The two outside gears abould be 12 in in diameter. The small gear on the belt-pulley shaft is 3 in. in diameter The clutch on this shaft can be constructed as shown in Fig. 1, but if this type is used, it will be necessary to have an engine which is equipped with a clutch so it can pick up the load gradually. If an old automobile clutch can be obtained and mounted on the belt-pulley shaft a plain sprocket can be used on the engine. The shalt should turn at one half the engine speed. The method of fasten-



### Let Your BUSINESS TRAINING

### Be of University Grade

The organt need of business today is for The organic beed of Duningha today is for farming against a root farming against a procedure of natural pages of Poblem Method success jet in your spare come at home by man, under supering undersor braining which parameter bearings prairied. The binder majority is conf. of 1740 people includes 650 business gatherized, education and amintants family of the most of gree prumpt excessed and advice to meralical matchers on mer business gatherized. Thus is a despite part obtainable though any other advantages and address and the processes. Thus is a despite spatial pages of the pages of the content of the pages of

Prote may called scheen bonds institution.

With pour partie and address at the petron and mail trains. We sell dentify the formation and basis of remarkable resource of advancement made by Labalis styling men, the copy totatestrip basis. The four Princeton in the Law cost and overested months training which any material density the copy of the four parties of attended if the desired upon completion of attended if the desired upon completion of attended the training our defeat you. Check and mat the coupon New York.

The Largest Section Training Institution to the World Conference Standard Section Chicago, M. Chicago, M. Castroom Section of Section Section

Oligher Acronaling
Observed and Finance
Observed for the Automorphism Letter
Small involve Announcement
Official Management
Official Management
Foreign and Demostic
Oligher Description
Official Descriptio



### TWENTIETH CENTURY

Book of

### Recipes, Formulas and Processes

This book of 500 pages is the most complete Book at Recipes ever published giving thousands of recipes for the manu-Configuration and a time so that share and the state of t he all case covering every branch or the assis days are givin

### 10.000 Practical Formulas - The Best Way to Make Everything


As be with your property we design the control of t

Price \$4.00

Popular Science Monthly 225 West 20th Street, New York

ing the driving approcket to the shaft is shown in Fig. 4. The approcket is boiled to a gear which is fastened on the shaft by a key or set screws. The belt pulley is eight inches in diameter with a 5-in, face.

The rear wheels are 16 in. in diameter. Steering-gear details are shown in Fig. 2, and the rear wheel fork in Fig. 8. Fig. 6 gives a rear view




Details of the steering goar and the construction of the forks of the rear which are shown here

of the steering gear and also shows the position of the drawbar.

If desired, a long crosspiece can be used at the rear of the frame and the wheel force attached to it 4 ft. spart so the machine can be used to cultivate between rows 2 ft. spart. The seat and the rear wheels can be obtained from old farm machinery.

An air-cleaner must be fitted to the engine. One can be bought from a tractor dealer. This is important, as an engine which is constantly sucking



These diagrams illustrate the method of fastening the driving aprocket to the shaft and give a rear view of the tractor

in dust will run for about a week and then be ready for a rest while new cylinders and pistons are being fitted.

A cooling fan is mounted on the right-hand outside frame piece. The fan can be driven from the beltpulley shaft

The gasoline tank is mounted on scrap-iron standards on the center frame crosspiece as shown in the elevation. — CLIFFORD A. BUTTER-WORTH.

### Winter Weather Is Very Hard on Tires


WINTER-TIME is a hard period for automobile tires. Because of changing temperatures, standing in the freezing cold part of the time and kept in a warm garage at others, even tiny cuts in the tread are more ant to



That's My Offer-The Dobe

STIPENDOUS! That's the word for this greatest—most magnificent Drafting of et al. Throw how far my offer leads all others. I guarantee every word and my hundreds of acudents and graduares know Lobe backs up all his promises. First about that \$1,000 salary. I train you perforably. I make you qualified to draw \$2.00 per year like stores of my other graduates are doing. I give you practice a dealt ng room work. Everything just exactly as you would get it in a real job. I give you my personal man-to-man attention.

And I train you and (now get the full meaning of this) and 'you are qualified as a first class draftsman and soul placed in a permanent position drawing a first less draftsman's source.



# FREE \$2500

And more—I give you a whole set of drafting tools the minute you become my student. You get every tool you need. A magnificant \$25.00 and at matempants with which to build your success in draftsmanahip.

Remember—the draftsman goes up and up to the faturous lacemes of organisms and architects.

### Send Coupon for Free Book

No matter what plans you have for the future Get the great book. Somewhat Drafts-marship. Find out about the simply marvelous opportunities ahead now. How the world bride draftsmen, engineers, incluters and builders, What great salaries and possibilities there are send coupon for my free book today.

Chief Draftsman Dobe Dept. 1368, 4001 Broadway, Chicago, III.

### Chief Draftsman Dobe Bopt, 1349, 4001 Broadway, Uhlongo

Without any obligation whatsoever, please that your book. Succession Draftenau-plup" and full particulars of your liberal Personal Instruction offer to few students.

Name	************	1755

Address.

Puet Office .5tobs ....

# DOUBLE YOUR INCOME!



### Learn to Sell Yourself

SALESMANSHIP is the basis of all success in life. The doesn't mean that you must be a Salesman, but it does mean that you must constantly use SALESMANSHIP in order to get to the top in whatever you are doing a very successful man has already searned now to sell by inelf—to se his time, his personality, his talents, his energy

Don't be musified to be only fairly successful. Be a topnotcher. It is easy, when you know the secret, "TH PUCKETT METHOD OF SALESMANSHIP" reveals the secret so clearly that you can start straight toward the goal of success as soon as you center your attention upon it. It costs you nothing at all to learn all about this

astonish you I CLAIM THAT ANY MAN WHO WILL STUDY AND APPLY THE PRINCIPLES OF THE PUCKETT METHOD TO HIS LIFE FOR ONE YEAR, WILL DOUBLE HIS INCOME WHITTHER HE IS SELLING GOODS OR SELLING HIMSELF Send today for the booklet, "HOW TO DOUBLE YOUR INCOME IN ONE YEAR IT FREE Use the Coopen. Fill it out and mail to

THE PUCKETT METHOD CORPORATION

E. W. PUCKETT President. 254 West Woyne Street, Fast Wayne, Indiana.

MAILS IT TODAY





# DIRECT FROM THE FACTORY TO YOU FOR \$13.50

This genuine waterproof mincost, combining all qualities of the highest-grade garment, the final achievements in styledars, one year atom fenge and anterior. DIRECT FROM THE FACTORY TO YOU BY PREPAID INSURED PAR-CEL POST

We outdo significant of the armetice and termination of air Covernment contracts, we outdoor operate at a large at the armetic plants are the armetic of the civilian parameter, we decided to sail

### PEERLESS RAINCOATS

detect tresp the factory in you. Man a money shows is double-becauted, with inver of preas down back, but all around backed what faster age, in some part h

bucked what laster age ou so e pat he packet a subject ble a lar and but an ithat Not WET CAN CET TAIRU

### AN IDEAL CHRISTMAS GIFT

He we not have a get a barana as coursel or an and Christian as the second or an and Christian as a few harden as a few harden

Batisfaction Guaranteed -

Onley NOW direct from

The Peerless Company
But, 2. 100 MANUFOLD PLATE
NEWARK, NEW JEISET
AGENTS WANTED





develop into big holes than in summer Particles of ice and snow will lodge in the little cuts, and when the car is put in a warmer place, this ice will thaw, wetting the fabric and leading to a gradual disintegration of fabric and tread. When the moisture again freezes, it serves to do further damage. Thus the alternate thawing and freezing develops small tread cuts into serious tire maladies.

It is best to fill up all cuts with tire dough, keeping out water as much as possible. There are several excellent preparations in the market to heal tread cuts, and if applied strictly according to direction, the cuts are effectively sealed against the deleterious effects of winter driving over wet and jey pavements.

### How to Make an Overflow for the Drain-Pipe

A SIMPLE and effective overflow which removes the lower had water without discharging the upper fresh water can easily be installed. It

Two pipes ort up in the manner will

Two pipes eet up in the manner shown will enable you to get rid of bad water in the drain consists of the usual drainpipe reaching to the level at which it is dealred to keep the Water. Over this pipe a larger pipe in fitted which extends a short distance above the overflow. The lower extremity has a large opening. The water ontern thin hole from the bottom, rises between the outer and the Inner pipe, and, when it has reached

the top of the shorter pipe, overflows and is carried off in the usual

This device is inexpensive and easily set up without special tools, and farmers as well as dwellers in the suburbs will find it very useful.

### How to Case-Harden Small Articles Quickly

SMALL articles, like expander pins, etc., can be quickly case-hardened by plunging them, at bright-cherry heat, into a box containing cyanide of potassium crystals, and then quenching the pieces at a dull red heat. Cyanide of potassium is a deadly poison and should be handled with great caution. The operations of case-hardening should be performed in the open air, and the operator should stand on the side from which the wind blows.



# "Keep Your Eye on Jim!"

"It's not alone what a man does during working hours, but outside of working hours that determines his future. There are plenty of men who do a good job while they're at it, but who work with one eye on the clock and one ear cocked for the whistle. They long for that loaf at noon and for that evening hour in the bowling alley. They are good workers and they'll always be just that—ten years from now they are likely to be right where they are today.

"But when you see a man putting in his noon hour learning more about his work, you see a man who won't stay down. His job today is just a stepping-stone to something better. He'll never be satisfied until he hits the top. And he'll get there, because he's the kind of man we want in this firm's responsible positions.

You can always depend on a man like Jim.

'Every important man in this plant won out in the same way. Our treasurer used to be a bookkeeper. The sales manager started in a branch office up state. The factory supernatendent was at a lather a few years ago. The chief designer rose from the bottom in the drafting room. The traffic manager was a clerk.

"All these men won their advancements through spare time study with the International Correspondence Schools. Today they are carning four or five times—yes, some of them test times as much money as when they came with us.

That's why I say that Jun there is one of our future executives. Keep your eve on him. Give him every chance, he'll make good."

I mpleyers everywhere are looking for men who really want to get ahead. If you want to make more money, show your employer that you're trying to be world more money. If you want more responsibility, show han you're widing to prepare y mosel for it.

If it 4) years the loternational Correspondence Schools have been training mended we sen right in their own homes after supper, or whenever they had a little to spare. More than two milion have stepped up in 181 this way. More than 182,000 are studying now. Ten thousand are starting every month. Can you offind to let another priceies hour pass without making your start toward something better? Here is all we ask, without cost, without obligation, mark and mail this coupon. It's a little thing that takes but a moment, but it's the most important thing you can do today. Do it now?

# INTERNATIONAL CORRESPONDENCE SCHOOLS BOX 7602-B, SCRANTON, PA. Explain, without obligating me, how I can qualify for the partition, as in the subject before widen I mark X. C. HASCTRICAL incorrect Electric Williag Telegraph Explanary Telegraph Explanary Telegraph Explanary Telegraph Explanary Total townsor Gas Explana Operation Title Folkers Mechanism Surveying and Magning Title Folkers Registers Machine Engineer Gally Kather Engineer Gally Rest Registers Machine Engineer Gally Rest Registers Archinectural Devinemen Contract Registers Surveying Engineer Gally Rest Registers Gally Rest Registers Tracker Contract Registers Surveying Engineer Gally Rest Registers Contract Registers Surveying Engineer Gally Rest Registers Tracker Contract Registers Surveying Engineer Gally Rest Registers Tracker Contract Registers Tracker Tracker Tracker Tracker Contract Registers Tracker Tracker Contract Registers Tracker Contract Registers Tracker Tracker

Miteria.

Constitute may seed this Ampon in and Correspondence Subject, Simplyed, On

Oly.

# They work naturally and form no habit







Do You Work in a Factory?

\$10 to \$25 a Week for an Hour a Day We don't a representative in the every factors in the Thirse fitting. You can readly same \$100 is the same early even by using an bout a day of your space time. We the re-day growing the name of the factors where you are employed. POPULAR SCIENCE MONTHLY, 225 W. Int. St., Now York






You find next a superior Van bereit trems. Leston version une opposite 7 hours on generalisation of the large material gradual to the large material gradual to the Paradiculation (or 141 Advance Milg. Corolland, O.

### ARMATURE AND MAGNET WINDING Re Harstran & Louisey A necessary buch for electricism. Full force and disgrams \$1.5 postpart.

POPULAR SCIENCE MONTHLY. ISS W 19th No. Now York

# Make \$10 to \$30 per Day at

with Anderson Steam Valendayee. Better the regulathe want our Big



We not only supply the Anderson Mean Volumes and Andre and Retroader has we test Activates has we teach you have to see these and how to build up a naccession business pr. pay cown with both required

There are Anderson Schools of Lalcanizans to I visite. Thirtie probably one mary you lives and we will tell you all about it.

The course requires for by the latter than the factor of the course of t

42cm t this chis appartmatry. Write saday.

### ANDERSON STEAM VULCANIZER COMPANY

161 Williams Building Indianapolis, Ind., U. S. A.

### An Adjustable Handle for a Small Mirror

HE illustration shows a novel arrangement for holding a small mirror securely. It is designed to be



A piece of tubing, a pencil clip, and a pocket mirror make an excellent arrangoment for use about the machine-shop

carried in the pocket and is invaluable for shop use.


The handle is made of a plece of ordinary brass tubing. A small pin clamps the mirror at the top as shown. The bottom of the mirror is held in place by a pencil or fountainpen clip. -J. W. Moore.

### How to Make Rings of Equal Areas

IVIDING a disk into a number of rings all having equal areas can be accomplished by a long and tedious mathematical process if one knows how. But it can be done just

as accurately and a great deal faster with a ruler and a pair of compasses

Lay out the circle and draw n radius linethat is, a line from the center to the circumforence. Find the center of the radius and from that describe a semi-



Constructing rings of equal area becomes a aimple matter If you use this geometrical method


circle touching the center of the big circle and the circle itself. Divide the radius into as many equal spaces as the desired number of circles, and from each division point erect a line perpendicular to the radius and cutting the semicircle. Then proceed to draw the rings, each of which must cut the intersection of a line with the semi-

This done, all the rings will have the same area, and the area of the central circle will be the same as that of any one of the rings. If you wish to obtain exact results you will have to draw carefully.

### An Inexpensive Aquarium Air-Pump

WHEN animals are kept in a saltwater aquarium it is absolutely essential to aerate the water thoroughly, to make it possible for the fish to live in it. For this purpose some kind of an apparatus must be procured. But these devices are all expensive and quite intricate in design. Therefore a man with a hobby for aquaria and aquatic life will certainly appreciate an apparatus simple in construction and easy of manipulation.

All that is necessary for such a pump are two large, heavy bottles both of the same size, some rubber tubing and glass tubing, two rubber stoppers, and three metal pinchcocks. Here two holes in one stopper and three holes in the other, and arrange the tubing as shown in the diagram. The rubber tube C connects the faucet A



This simple apparatus will efficiently solve the problem of aerating the water for your salt water aquarium

with bottle D. The pincheocks are placed at G, E, and B.

Now let the water run into the hottle D. The water will force the air from this bottle into the reservoir E. When D is full of water, the faucet is turned off, the pinchcock B is closed and G is opened. There is now one atmosphere in bottle F. When pincheock E is opened, the water will be forced out of bottle D through the long glass tube into the rubber tubing H and into the sink by the remaining pressure in the bottle D. As soon as the water begins to run out of the tube H, open cock E so that all of the water will siphon out of the bottle. The tubing I leads to the aquarium to be serated.

A judicious seration will not only clean the water, but will keep it in circulation, which is a very important consideration in a salt-water aquarium.—ERNEST BADE.

### A Graduated T-Square for Section Lining

IN drafting or engineering drawing, the process of section lining is very tiresome, especially as care must be taken that the lines are equally spaced. For the beginner especially is this a difficult task.

A very simple yet efficient method of maintaining accuracy in the spacing of section lines is to graduate the upper edge of the T-square to correspond



I fact, everything can be washed in the 1900, even beavy sheets or blankets. The cleaning, soapy water rushes back and forth through the clothes in that magic figure 8 movement, swishing through them with reery motion of the tabl. This figure 8 movement is the magic exclusive teature that makes the 1900 the perfect washing machine.

And there are no parts in the tub to cause wear and tear, or to wrench off buttons. The awanging reversible wringer works electrically, and the entire cost of running the 1900 is only a few cents at bour. When you think of the 1900 remember that magic figure 8!

If you want to know more about the 1900, send for the interesting book, George Breature's West, at bush of feeling with some proprinting facts included

### 1900 CATARACT WASHER

THE 1900 WASHER CO

Canadian Factors and Office? CANA AN associate in RCCs. 17 Yorge St. Foreste.



# Step Up to a

That better job and the bigger pay that goes with it - the job may want - a within your teach. It's early a step to the really big jobs from where you are. That atep is simply knowing how. The practical brake for acif training described ballow will give you that "know how." They are the steps by which you can reach the job you want.

Some of the best surfaceties in the world wrote these books in pure, everyday language. Anyone who can tread and write Euglish can understand them. Thesesade of pletters, diagrams of make principal points as plate as day. Over 1,00,000 volumes have been took.

### Pay-Raising Books at Greatly Reduced Prices

Automobile fingineering, 4 volumes 2000 pages. Openedics and Contenting & volume, \$120 pages | [000 pergent Was \$2" [f] Civil Engineering, 7 volumes, 2000 pages, 3000 pages, Assertations and Sustance Management, 1 and union 20th pages, 200 perform Was \$2.50 Mars 20 to Pick Presention and transcense, 5 volumes, 307 pages, 400 pertures. Was \$75.05. New Month Elputrical Engineering, & volumes, mat pages, 2001 pictures. Was 181-161 pictures Was form; twittness, 200 pages, 2001 Machine Chap Practice, twittness, 200 pages, 2001 pictures Was 915 to Name Columns, 200 pages. Ba. 36 Machine Blook Propriety, 4 Volumes, 20th pages, 20th principles Was \$15 for North 20 th Research and then Englandering, 7 volumes. 200 pages. 200 pretures. Was \$13 to 10 pages. 200 pretures. Was \$13 to 10 pages. 20 pages, Historials Was \$15 to 10 pages, Historials Was \$15 to 10 pages. Historials Was \$15 to 10 pages. Volumes. Was \$15 to 10 pages. Was \$15 to 10 page printe, ste, Was 130 pt. 100 ptersons, blue-

### Send No Money Shipped for 7 Days' Trial

of the Physics named of the breaks you brank on the company and made in William Physics the breaks at once appropriate the same as a substitute through your plant is filtery were your substitute for a second your steeped your steep the same to have the parameter.



### 75¢ a Week

If you like the books, on thousands of other non way after enamination, son You can send a balance of the special re-duced price the mass way - \$2.00 such month (16 sents a week).

Step up to a better jeb with bigger pay. MA'L THE TOU-FOR NOW IT's your dret step.

**美國電視的企業**的 TECHNICAL SOCIETY Chicago, U. S. A.


American Tradesian) Society, Ropt, 27,240, Shinger, S.S.S.
Please send the let of
for 7 CAYS' assemination, shipping charges collect. I will ensure the looks thoroughly and finished will rend it to within 7 days and \$2 each mouth which is held to be the best to be the property of a fill strike out to keep he broke I will prince them at your appared within one week.
Name
A-l-tron.
(Please (5) equ all firms )

with the desired spacing, as shown in the illustration.

Except in very small drawings, section lines are never less than 1-16 in. apart. For general work, 3-32 in. is possibly the most practical distance for spacing the lines.

The upper edge of the T-square should be divided into spaces of 8-32

in, for general work. Another square should then be placed Blong the edge of the T-BQUATE. lines, corresponding to division the marks. scratched into Its surface by




means of some sharp-pointed **strument** 

If any special spacing is desired for a certain type of work, that distance may be used instead of 3-32 in. Great care should be taken not to scratch or mar the working edge of the Tsquare, the lines being scratched only on top. -J. EDWARD WHITE.

### Improvising a Simple Level on the Job

FTEN a rough leveling of some surface is needed when a large level is not available. The writer has often used the following scheme for leveling and found it to be as accurate as that obtained with a spirit level

Take two pieces of wood about 4 ft. long and nail to a short piece of plank, such as the two pieces D and E, and nall to the piece G. Nail a crosspiece F between the two legs as shown. Fasten a screw-eye to the piece G and hang from it a piece of string to which



From a few strips of lumber, a string, and a plumb this serviceable grading level may be made

is fastened a plumb-bob or any heavy more of metal or wood that will keen the string taut.

Now place the frame in a vertical position with the two legs resting firmly on the foundation. Mark with a pencil the place where the string passes the crosspiece P at the point A. Then reverse the position of the legs upon the same foundation and mark at the point of the string intersection with F at B. Then take the rule and measure the distance between A and B, and at the center of this distance make a permanent line C. Now when

### BE AN AUTOMOTIVE EXPER

EXPERT Automobile and Tractor Me-Well trained men each big money YOU can qualify for these positions. We teach you by daily actual practice under skilled instructors. Experience in training thousands of mechanics for U S Government. Course include all branches of automobiles, reactors, welding and tire vul-

canuing Day or even-ing classes. Our free calaing letts how we train med to occupy expert uniomotiva pealtions. Send for your COPY NOW.

Motor Institute, Inc.

2006 Calcordity Avenue S. K.

Missocopolio, M ...



What the Path index shift weeks on trial 7 and the Path index shift weeks on trial 7 for all 100 Nation a major for all 100 Nation a major for all 100 Nation a major for all 100 Nation and the major of all 100 Nation and the major path and being and empty into the major the major of the and the major of the part of a part of the part of a fact the will with the part of the will a pour of the the string on the string of the string of

on a small salary. Be independent, Go is the first on spatial building business. One may near the beath for it is forth day. Others obtained from a find a bound. Very little contains nearly forth plants in finite printing. John pit to the first finite first spatial of the first party of the first party spatial party party

SHALL R Tire Repair Outfit

Propert Wrappet Treed Method Used by Fire Manufacturers Does as steed earth as the big high protest relativising bothin A long was use it. I the andy esteembers' that has Automate Boat Control and I wouldrain of negroups a frequency or regulating.

FREE Book

The win Open a Tire Report Bloom, " It tells have to make his money, Should daing. Write quint. C. A. SHALER CO. 17



Maltur Mandetin Cornal, Tonge dunfa or Braja

Wanderful near opinion of the thing such month by mail. To the quality to each to-ally up give a ESS percept Visite, Marchite (Pealed Coline, Reveals, Capter, Cherry, Terror (Ingines Patter about totals from Visit and riverys for humans only. We generate a near many many. Contested most from Webs new. No utilization

PLINETIANS STRONG OF MAINS, Inc., Bept II, SHIGHED, HA.






the frame is placed upon a perfectly levet place, the string should be in line with C.

In leveling up surfaces it is only necessary to get the plumb-line to intersect at the mark. When making the level, it is necessary to have the two feet rest upon two surfaces, one to be considerably higher than the other. The side legs may be of uneven lengths and nailed together at any angle, -B. F. DASRIELL.

### Old Materials Made This Useful Forge

THE man who made the forge shown below uses it often on his ranch, where he does all his own blacksmithing.

The forge is made entirely of old materials. The fire-pan was made from the bottom of an old cookstove. Two legs 30 in. long, made of 2 by 2 in. lumber (rescued from the kindlingpile), and two legs 42 in. long, made from 2 by 4 in. stuff, are securely braced. A sheet-iron guard placed on



This forge, made entirely of old materials is the elever invention of a rancher

one end and part of one side above the fire-pan helps to control the fire.

The fan is made like the fan of a famping-mill, and is contained in a metal-covered drum which confines the air current and carries it to the metal box that serves as a cinder-pit. the top being bolted to the fire-pan Care must be taken that this joint is an airtight one, as immediately above this metal box are the perforations in the fire-pan for the draft.

The bottom of the cinder-pit is closed with a sliding metal door. The large wheel was taken from a wornout washing-muchine and beited to a small pulley on the end of the fanshaft. A three-point lever carries a little pulley which acts as a tightener and is held taut by a coil spring.

The metal used in the drum and metal box is old 12-gage black iron, taken from old amudge-pot covers that had passed their days of usefulhess. - R. D. SHULTIS.

### A Mirror Aids in Placing New Phonograph Needles

ARIOUS makes of phonographs on the market are so built that the reproducer cannot be turned

# L. Douglas

\$700 \$800 \$900 & \$10.00 SHOES FOR MEN AND WOMEN

YOU GAN SAVE MONEY BY WEARING W. L. DOUGLAS SHOES



he best known shoes in the world. They are sold in 107 W. L.

Donglas stores, direct from the factory to you at only one profit, which guarantees to you the best shoes that can be produced, at the lowest possible cost. W. L. Douglas name and the retail price are stamped on the bottom of all shoes before they leave the factory, which is your protection against unreasonable profits.

BOYS

14.50 15 00

W. L. Douglas \$9.00 and \$10.00 about are absolutely the best show values for the money in this country. They are made of the best and finest leathers that money can buy. They combine quality, etyle, workmanship and wearing qualities equal to other makes solling at higher prices. They are the landers in the fashion centers of America. The stamped price is W. L. Douglas personal guarantee that the shoes are always worth the price paid for them. The prices are the same everywhere; they cost no more in San Francisco than they do in New York.


W L. Douglas shoes are made by the highest paid, akilled shoemekers, under the direction and supervision of experienced men, all working with an honset determination to make the best shoes for the proce that money can buy.

To a recuging above are for sole by over \$000 above dealers here are unusual stures. If your local dealer example supply to the monther make Order description factory, which for teaching calling burn to sender above by mail, postings from

CAUTION.—Insist upon having W.L.Doug. Its shoes. The name and price is plainly the Gorages stamped on the sole. Be careful to see that it has not been changed or mutilated.

La Dong se Shoe Co., 184 Spark Street, Brockson, Maste









around and up so the operator can see to put in a new needle. Instead, he has to feel underneath for the needle socket and put the new one in by that means.

This difficulty can be relieved by

placing a small pocket - mirror on the top of the cabinet so it will be directly beneath the reproducer when it is brought back in the starting bonition previous to placing on a new record.

Then, by



By looking in the muror you can see the accide socket and easily insert the needle

looking in the mirror, when the reproducer and tonearm are mised, the needle socket can be seen without having to twist your neck out of shape in an attempt to look up from underneath.

If desired, the mirror can be set permanently into the cabinet by gouging out a socket for it in the wood and securing it in place with screws.

### A Sacking Device that One Man Can Operate


NEW device for holding sacks during filling should save backs and a lot of useless adjectives for one compelled to work alone.

It consists of half a pickle barrel with the end knocked out, and attached to the



side of the bin or grabury where most convenient with a small block of wood

Five or six nails, driven through the eides of the barrel from the inside and pointing at an upward angle when the barrel is in place, holds the sack in position during the filling. The sack is pulled up over the bottom of the barrel as shown, and the nails hold it This should be at the right height from the floor to allow filling of the szck, and yet so that the sack will touch the floor, preventing any weight from coming on the nails and causing tearing.—DALE VAN HORN




### An Automobile Jack that Is Quick Acting

It is possible to prolong the life of automobile tires if the car is jacked up as often as possible when not in use. During the night, and at other times when the car is in the garage, which usually represents more than half of the time, the car might just as well be raised from the floor, saving that much weight on the tires. Extra load is not only removed from the tires, but any tendency toward flattening of the shoe and making its wearing qualities uneven is lessened considerably.

A set of homemade jacks will not take long to make, and once made and put to use, will much more than pay for themselves in a few months.

The construction of the jacks is simple. A 6-ft. length of strap iron 1, in. in thickness and 1 in. wide is required for each jack. This is bent nearly double in the center, and each end provided with a right-angle turn and four inches turned to slightly more than right angles with the length of the jack. A block of wood, prefer-




These four jacks will relieve the tires of the weight of the automobile

ably hard wood, is cut from a 2-by-5 about 10 in. in length, and a notch cut in one end as shown to fit the under side of the wheel-hub. This is then hored for a \(\frac{1}{2}\)-in, bolt an inch from the other and and holes to match drilled through each side of the jack at a height which will place the bottom of the notch on a level with a point about the center of the wheel-hub. It will be necessary to taper the block to fit the two sides of the jack and allow the bolt to be fitted tight. The feet of the jack should be spaced for enough apart so that each can be placed on one side of the fire

The illustration shows how the jack is used. The first position shows the feet of the jack placed tight against the tire with the notch of the wood block against the under side of the wheel. When the top of the jack is pushed in toward the wheel, the action raises the wheel about 2 in. and transfers the weight from the tire to the hub. The feet afford sufficient bearing to enable the car to stand rigidly when four jacks have been applied and remove all possibility of its shifting to one side and back to the floor.—Dals Van Horn





COLUMBIA CORRESPONDENCE SCHOOL

# When Johnny has the Croup!

That's a cough with a croupy rattle, so harry for the Musterole and rub it in right over the chest and neck. How it will tingle at first and then grow ever so cool. And how it will reach in and penetrate right to the spot! It will discipate all the stuffy congestion which causes that backing cough,

Why shouldn't grandmother swear by Musterole
for colds and coughs? It is
better than amustard plaster
—good as that was in the
old days. And the explans
tion is this:

Musterole le made of oil of mustard and other home simples. It penetrates under the skin, down to the part. Here it generates its own heat, and this heat disperses the congestion. Yet Musterole will not blister, Musterole, on the contrary, feels delightfully cool a few seconds after you apply it.

Try Munterole for Bobby and Halen and Dorothy's croup—and for your own cough, too. Try it for rheumatism—it's a regular router out of all congections. Always keep a jar bandy.

Many doctors and nurses recommend. Musterose,

35c and 65c jam- \$3,00 hospital size

The Musterole Co., Cleveland, Objo-SEITER THAN A MUSTARD PLAFFER



### WARNER'S INFALLIBLE AUTOMATIC



The a tilement "inflation" Automotic and back the women have to plug the politic app. Target shoulding to introduce are interest and facilities appet Parallel training for narrow and super Tracket half without a confidence and facilities with material and facilities and the facilities of the f

PREFILESSON OFFER
As an hority has propared for
the act of six leasing on the
act of Probab Markonimality.
These leasants are of marriedess
value in the use and care of a
Warrent to the title Throat
ettler and leasant of Probabless
Offers




### How to Throw Lines Over High Objects

RECENTLY, in line construction, workmen had occasion to get a very small line over high wires. The line which was to be sent over was, of necessity, very light, and some means was necessary to get it over without

breaking. The thread attached to a stone, if thrown over, might injure the glass winde o was on either side, and so the job was done in the following fashion

Two galloncan covers were procured and the two held together with the rims outward. The thread was knotted and the knot



Coil your string about the rim of two can-covers, and you will easily throw it over a high wire

wedged between the two disks and the rest, some hundred feet, coiled about the rim

This was held in the manner shown and easily cleared the wire in question.— Dalst Van Honn

### Make a Safety Spark-Plug Carrier Box

How often has the motorist carried his spare plugs in the tool-box rolled loosely in an old cloth, only to find in an emergency on the road that the spark-plugs have shifted about in the tool-box with wrenches, etc., and every one has a broken porcelain insulator? The illustration will serve to show how this is overcome. This carrier box is made from three pieces

of wood the cover of which is made from a few inches of an old inner tube.

Drill out the largest piece of wood that is to take the serew portions of the pluge, the diameter being



PLUG THECADED IN

Spark plugs may be safely carried to a carrier like that shown here

such that the threaded end can be screwed in, making its own thread in the wood, which should be quite soft. After passing the plug down with a wrench the first time, the impression will be plain enough to render further use of the wrench unnecessary.

The end pieces are not in the way of the fingers when one is inserting or removing a plug, and they afford protection to the plug porceians and terminals. Learn to Donkel

You can easily learn Modern Ballroom Dancing now in your own home—no matter where you live—by the famous

### Peak System of Mail Instruction

Fars Tvot. One-Step, Walts, Two-Step and usest Beltroom denous taught Courses constraint termed to include the newest dance ideas. We Guarantee the Peak Symem in cet h that it be an easy, grantful and accomplished dancer. Equally and accomplished dancer. Equally and accomplished dancer. Equally and accomplished dancer. and with dancers seeking to improve, and learn the access account steps. New Diagram Methods The result


of foreyears practice experience.


Easily and quickly framed. Threesands mught successfully I can teach you.


sands mught successfully I cuts track you.


Send Today for FREE Informations Write or once
for supprisingly low offer

William Chandler Feels, M. B., President The Feek behood of Paneing Inc. Emphished 1880 Room 116 822 Creecent Place Chicago









### A Lard-Can May Be Used to Dry Fruit in

THE common 50-lb. lard-can, which may be bought at almost any grocery for forty cants, can with a very little work be converted into a cookstove evaporator for the drying of fruits and vegetables. With three circular trays that fit inside, it has a capacity of 10 lbs. or more at one filling, and when a steady fire is kept in the stove, the drying will be completed in five or six hours.

Such cans are from 12 to 15 in. in diameter; the trays may be made of simple wooden hoops with bottoms of wire screening like that used in a coarse sieve. Six inches from the bottom of the can four holes are punched in the side and strong cross-wires put in to support the bottom tray.


The other trays are each supported by cross-sticks that rest on the tray beneath. In the top of the can and also around the side near the bottom, a number of small holes are made to

provide for a free circulation of heated air through and about the trays of fruit. The bottom of the can may be cut out or it may be left as it is without any difference in the results.

When the

trays are filled

with the silced fruit and



A tard-can makes an excellent fruit dryer or evaporator. Three circular trays fit inside

placed in the can, the material in the bottom tray, being nearest to the source of beat, will naturally dry first. When this is removed, the next tray above is placed at the bottom. Then the first tray should be refilled with green fruit and placed on top. Thus the fruit in the trays encounters increasing temperature as it is moved down each time, resulting in a more uniformly dried prod-

An evaporator of this kind will take up little room on top of a range, and the drying may be done while the stove is used for baking, a few hours every day. The product will be much superior to that dried in the sun, and no damage will result from insects.—H. F. GRINSTEAD.


uct than when left in one position.


### A Quick Way of Tightening Loose Flywheels

IT is common practice for the mechanic who undertakes the job of tightening a loose flywheel, in instances where the flange of the crankshaft is bolted to the flywheel web, to ream holes in the flange and fit larger bolts.

Instead, he could save time by







### A Bill-Fold for Every Purpose

You can put ayelem in your pockets with an American Guntleman" bill-fold. It cortbines cent y and compactly if features that vignored Central queb. Heb viewe in seu end toods of grow be seather. Stitched throughput, no edges pasted. Charge of black or tun. There is a distinct se look to the "American Gentleman" It is a bill-fold to be proud of Buy one for \$1 50 at any dealor s. Or soud\$1 \$0 with your dealer s name and we win man you one postpand.

Charles K. Cook Company, Inc. Dogt. D. Combon, N. J.





### EARN \$35 TO \$100 A WEEK A5 AN EXPERT DRAFTSMAN

We will care on the real and one own home through her into the control of the home of through the same Market and the plant in the control of the home of the world in the control of the

WRITE TODAY FOR FREE CATALOG telling wing, we have done for scheep and what we can be for you. It will open coal even in Your fortgoons Deadcaig.

ROY C. CLAFLIN, Press, COLUMBIA SCHOOL OF DRAFTING, Dept (204, Washington, D. C.


### Agents: 90c an Hour

AMERICAN PRODUCTS CO., Apply America (Mr., Common, Com

Introduce "Britoren" A new monder. A pure notice in paste over. Works the maries temperature the Provincial of materials bear. re-change who were made made was no bushe can positive others total stopping and granules where, again made, and organ engines when sign Quick Sales-Nice Profit

E styling hara Financiae mehappen should happen produces planation tourists nutrice happen should be been the formation of the should be been presented to the produces of the beauty to the beauty t that ead, but up to harrier to that

reaming this flange with a quick taper reamer, trimming a bushing for each bolt, and boring to fit the old bolt with the outside of the same taper as the reamer. One saw-cut is made through



The bolt pushing down the bushing pulls the crankshaft flange tight against the flywheel and bolds it permanently

the bushing, allowing for expansion, and then the whole is acrewed up, setting up snugly occasionally by tapping lightly with a hammer,-P. P. AVERY.

### Roll Your Ladder Instead of Carrying It

WHAT is the use of carrying a long ladder on your shoulder or dragging it through the streets when two small wheels fastened to the legs near the base will make it a wheelbarrow?

The illustration shows how a painter put to further use the rear wheels of a

worn-out express wagon, originally belonging to his young son. The wheels were left on the squared axle. which was just long enough to reach across the bottom of the ladder. The axle was secured with two light



Wheels on that clumsy ledder enable you to push it about easily

strips of strap fron fastened in the manner shown .- DALE VAN HORN.

### To Protect Automobile Tires and Tubes

ME automobile tire and its accompanying inner tube are the vital parts to be considered on a long tour or in the usual day's run. To keep them for use in emergency cases on the road is a thing to be appreciated by all owners and drivers. A few suggestions are well worth considering, inasmuch as they are offered from practical experience.

To keep the inner tubes sale and free from injury during driving, they should be protected against moisture, dust, and grit, as these affect them to an unlimited extent. To prepare a tube for storage, remove the valveHang Pictures on Needle Points.

By a simple wist of the wrist place Mesuses Charte of Dispusage, op any surface with

### Moore Push-Pins

was Brade Sted Porett

Harmiteles with any spin scheme can be used user and over for two Ps seen, Margare Hanging Bookshe es, e.e. use

MAGNE PESSILLESS HANCERS, Draw Saids.

The honger with he will be Saudia from Sold everywhere by Bardware, scausers Drug Phone Supply and Department Stores. 15° phi

MOORE PUSH-PIN CO.,

Philippinia, Pr. 12-13 Backley Street,





### W STUDY AT HOME BECOME AN LL B.

Write Today & At 1977 F. L. Son. 3

Sharadd can binnen Cu. 304 Se. Funtu St. Bort. 201 Chicago.

Then in that only have subject in the L. H. which represented a Then in that only line imboot in the 1. If which reprinted its manifest mathematical medianes and given its plan instantial intermediate in and given its plan instantial intermediate in the manifest in the parameters in the parameters of the results of the manifest intermediate in the parameters of the standard intermediate in the parameters of presenting in the standard intermediate in the third intermediate in the intermediate in the parameters of the standard intermediate in the parameters of the standard intermediate in the intermediate in the parameters in the parameters of the standard intermediate in the interme Marriero College of Live, 207 Marion Mily. Chicago



### "Lighting Fixtures"

Ready o hang. Direct from manufacturers. Completely wheel including glade-

Bend for new No. 18 catalogue.

BRIE FIXTURE SUPPLY CO. Book A, Eria, Pa,

### Dollars in Hares

We cay \$1 Ortof E.50 and a paper and express that get Bag Profits. We furnish guaranteed high grade tock and buy all you raise. I see oack eard been cellus actic Con-tact and Illustrated Catalon Free.

STANDARD POOR AND FOR ASSTR el2C Brogdway





### The SHAW Motorbicycie

A dependable casy running.

A provide high power motorbingels

at lew cost Chain drive 90 to 128 miles on a

gather of gazzine. Attendately guaranteed, Write

at name for \$77 nformation, also about the Shaw

ditachment—makes your old blue a merimopole.


\$110 MPL CB., Rept 4612 041780000 EARCH

spring and -phinger from the inside of the valve-stem, and roll the tube up so that all the air is expelled Holding it still compressed, re-insert the valve-plunger and screw it up tight, after which, screw on the valve-cap. The tube then will be absolutely flat and should be folded as shown in the illustration, and an elastic band made from a strip cut off the end of an old inner tube around it, as shown. One at each end will make a complete job.

The tubes should be carried in a wooden box with corrugated cardboard tacked to its inside walls. An ordinary skate-strap will be best for

locking the hox.

The tires are the next in line. To be kept in first class condition a tire chould be kept in a position as near its real diameter as possible, and to provide for this a rack should be made on



If your spare tires and tubes are taken care of an described in this article, you will have no trouble from them

the running-board of the automobile to hold the tires. The illustration shows a few suggestions as to how this may be done.

To make either one of these, use ordinary gas- or water-pipe 1 in. in diameter, with an albow and long nipple on the one for the spare wheel, and a T and flat-iron bracket with several holes for up-and-down adjustments for the spare-tire bracket. Thus accommodates these from 30 in. to 36 in. The difference in size is taken care of by raising or lowering the bracket on the T and replacing the bolt. Secure the tire by a heavy leather strap passed through the ends of the bracket. Fasten the flange to the running-board by bolts.—P. P. Avent.

### Polishing and Weatherproofing Brass Surfaces

FOR quickly scouring and polishing and, at the same time, weather-proofing brass a preparation is recommended, which is composed of three parts of exalic acid dissolved in forty parts of hot water, to which are added 100 parts of powdered pumice-stone, two parts of oil of turpentine, twelve parts of soft soap, and twelve parts of fat oil. Shake well before using.





AUTO WITEEL SAILING.
What tun you'll have with
the new actionment Attach a
call to your Auto-Witeel Constant
of days Wheel Congressible Readtion. The foliar bearings are the
came in need in acres-tile
wheth. The foliar bearings are the
wheth. The foliar bearings are the
wheth. The foliar bearings are the
wheth. The foliar bearings are made.

The date Wheel corries 1000 the. The rather-business will not crack or clug on addinanced built-business da.


The November "Anta Wheel pelastina" talls for your fishs Wheel byw. Both for M.

in as Anip-Wheel Chi-

PREE caps to members Species Carden scap Fit Name Wheel Disks Dead Just part page of three three beauty desired in your town all the steam, indilling where come self the steam, indilling where come self the steam, indilling where some self the steam, which was a state of the steam.

The Building Steel Country Co. Steel. M TONAWANDA, M.T.

In Canada: Proston, Onl. Baners Often 105 W Hed Street, Near York Chip.



Ballway Traffic Inspection is Easy, Pleasant Work. Travel - arourden yourself something new every day Hun-dreds of men needed. You are ready after I months home, spars-time study Position Guaranteed.

### Any Man Over 18 Years Old

can put himself into this responsible profes-sion. Rath \$110.00 monthly to start, all expenses past, Steady fascingting work with

higher rewards muchd.

To books to buy. Moderate for preparer
you. Money relanded f position not occured.
YOU TAKE NO RISK

### Investigate NOW

Profession is still young with many fine or politication. Make yours with many fine op-principle, to mend for all facts and judge for yourself.

Sund for From Booklet D-221 Standard Business Training Institute Sullalo, M. Y.

Expert electrical engineers are being paid Thousands needed to fabulous maries. We give you persona, and thorough raining - practical, technical, courses the ment a total years under expert engineers in the tribity steam has auto as nature and shop in the land engineers and shop a superiors. Not a trade school, I need anythere. Darpus Judge, so by man of set tool period for from Unparabotic

PRIDLAY CHOMERING COLLEGE
PROPERTY OF the brind Research

### Refinishing Shoe Toes that Are Cracked or Worn

THEN the "boxed" toes of shoes get scratched or scuffed so that the ordinary polishing will not restore the original appearance, a great improvement can be made by applying

Rub the shellac on with a rag and rub it off again, so that there will not be a



When shirting seems to do your shore so good, perhaps some shellac rubbed into the toes and heels will bright on them up

thick coat. If necessary, rub on a second coat when the first is dry. This will not affect future polishings.

Shellac cannot be applied where the leather is subject to bending, as it will crack; but on the stiff toes or heels it is very satisfactory.

### Brass Tools for the Making of Fillets

I N making patterns for castings an important point is to make all inside angles rounded or "filleted" in order to avoid the tendency to start a break at a sharp

алуіе.

An excellent way to make these fillets is to use a mixture of putty and shellac pressed into the corners and smoothed off to the required radius.

This 18 8 sticky mixture, and

about the only kind of tool that will work with it is one of polished brass. The end of the tool should be spherical. Good tools can be made for this purpose by mounting polished brass balls. such as are made for valve seats and the like, on steel rods with handles. The diameter of the ball will determine the radius of the fillet.

SHARE!


ACTIVIDA

The filleting mixture

in presacd into the cor-

ners of the pattern by

this unstrument
















SMITH TYPEWRITER SALES CO. (Marry A. Smith) 305 - 215 No. Walle St. Chings, M.

DEAFNESS

Theory topograph troug Draft and had 10 and Melant for over 200 years. My stavable Ambeptle East Drams serviced pay because and enterprise the Melants, and will do the good. They are Lary Magazinetti. Catanic be seen when were Effective when Drafts are in caused by Catanib or by Farterist. Partially to Whally Despite the North States. Partially to Whally Despite the North States. Easy to got income for hake out the "Largest Combests." Large to hake out the "Largest Combests." Large the North States of the "Largest and may seeing the Advantage of the Combests of the Co

13

MISER Y

A. O. LEONARD States Mil., 70 Stds Avenue . . New York City

### Discovering Worn Insulation in Automobile Wiring

THERE are some very simple devices that one may make at home that greatly simplify the locating of short circuits, open circuits, "grounds" in the various wires on the automobile. The device herewith consists of a pair of ordinary awls, a wire loop, and a test lamp.

The object in view is to bridge over the imperfect electrical circuits and in this way locate them. Each of these awls are to be connected to the



Short circuits and other electrical troubles can easily be located with this testing device

wire with a lamp, as shown, that will indicate whether the circuit is broken or complete. The points of the awis are to be inserted through the insulation of the wires under test.

It should be remembered that in the testing of wires where there is no current in them it will be necessary to provide some means of supplying current, and batteries connected to this device serve to accomplish the end in view.—Ronald L. Printes.

### An Easy Way to Take Bitter Medicine

MEDICINE that is disagreeable to take can be swallowed with a minimum of unpleasantness by using the simple apparatus shown in the accompanying illustration.

A piece of glass tubing, corked at



one end, is suspended by a wire in an ordinary glass. Water is praced in the glass and the medicine in the tube. Then the patient drinks the water, and the medicine pours into it as it goes down, and is hardly tasted.

Any clean wire may be used for the purpose, but for sanitary reasons it is preferable to use silver or nickel wire, which resists corrosion.



### My Appeal Is Not Only To The Hopeless

### But To All Who Want To Be Well And Strong

I WANT every man who is at all unhappy, who lags behind in the procession, who fails to attract the opposite sex I want them all to try Strongfortism. I know what it has done for thousands. I know what it can do for others—for you. I honestly seek to help you to help the whole world by putting into the hands of as many human beings as possible my wonderful tried-out-and proven system knowing that I will be blessed and acclaimed by everyone who guides by the simple rules of life I lay down for men and women.

### I Come To You With Encouragement

Whether you are simply wrongly-nourished, or over-worked, or suffering from indigestion or constitution, or one of the



STRONGFORT

many feeling they are condemned to a life of nusery and despairing of ever being happily married or just an over-worked brain-lagged business man—I come to you with hope and assurance, confident that I can build you up into a human being that will have the right to feel he is "in the image of his Maker."

The Strongfort System accomplishes its marvelous transformations in men without the use of drugs or medicines and without interfering with your every day mode of living.

### You'll Feel Better Day By Day

I will guarantee you will feel better, be better from the day you adopt Strongfortum an your mode of life. And day by day you will feel a new life, an awakened spirit, growing power, an increasing desire to be up and doing, an amir tion to achieve in other words the feeling of health and power and manliness—the feeling that is Godlike, the right of every man—the thing that raises the human being above the brute.

Addition to the contract of Companies.

Cityana a many mananana State

Sphotter or server

### SEND FOR THIS BOOK Right Away

I know I can confer upon you estimable benefits—that o why I want to give you an insight into my wonderful method by sending you is highly interesting and valuable booklet. Promotion and a consertation of them h. Strength and Mental Energy."


Don't lose a minute Sit right down cho like coupon in the corner of this message and mail it with a lot pacce to my address. I will act promptly you'll decoup the troths tound in my book and you ll see at once that a new era of the is with a your group.

LIONEL STRONGFORT

Physical and Health Specialist

Dept. 137 Newark, N. J.

Mr Linnel Si Ferminal 19-28 CUSSERVATIO MENTAL ENI 2 19-29-01 (mr	The ser poster from the service of t	
Codds Catarris tlay Favor Asthops Obesity Flouinche Thispens Repture Cuming pu Neuritin Neuritin Neuritin Stat Chopt Outerwity described Incomits Shart Wind Flat Foot	Strimech Disarding Count on time till a streets Thought I have I will quation Name workstat From Monacopy Rham was there I was your fare I was for play have Loop Child birth	Despondency Side Disorders Great Moresch halle Moch Eres Plengles Blackbadde Round Shoulder Lung Traubles French Disorder Week Back Marcular Developgangt Ach enried Lund Healthy Children Man haspi Restored
	other subjects not h	



# Electricity Learn at Home

There is a wonderful opportunity right now for boys who like electricity. Boys who are ambitious and will train themselves in spare time can step into good positions and get experience that will give them a real start toward success in life. Good salaries are offered with rapid promotion.

For 30 years the International Correspondence Schools have been training boys for success in electricity and over 200 other subjects. They will help you prepare right at home for a position in the line of electrical work you have best—or in any other work that appeals to you. Thousands of boys, through I. C. S. training, have stepped into fine jobs, but never were opportunities so great as now.

Let the I. C. S. help yet. Choose the work you like best in the coupon below, then mark and mail it today. This doesn't obligate you in the least, and it will bring you information that may start you on a successful carser. This is your chance. Don't let it slip by. Mark and mail this coupon sets.

### INTERNATIONAL CORRESPONDENCE SCHOOLS BOX 7605 B, SCRANTON, PA.

Explain, without obligating me, how I can qualify her the position, or in the publish, before which I much A.

position, or in the minjert.
Electricien Electricien Electric Wirtag Electric Wirtag Electric Lightneg Electric Lightneg Electric Lightneg Electrical Discharge, ARCSHIST C. Electrical Electrical Electrical Discharge, Electrical Electrical Electrical Discharge, Electrical Electrical Electrical Discharge, Electrical
Elerinic Wiring
Likewise Car Bounday
Electrical Drawings
Telegraph ballen
Printers Talephone
Mochanical Dysfamo
Machine Shop Practice
Los Engineer
Surveying and Mapping
ARCHITEC L
Architectural Brailmann
Sheet Metal Worker

J 6 BERRINAL ENGLASES
5.5 FAMANORP
5A FIMANORP ADVERTISING MAP Window Trimmer Three Cord Wester
Winds Trimmet
Threw Cord Wester
RAPLINGADER
SHINIBATOR
A STATE OF THE STA
ORNITANEA.
This and the strategic states
Private Secretary
DOM: KEEP EP ER
OFFICERE OFFICERE BY OFFICERE PROBLES CONSERVED DOWNERS EPER RECORDED AND TOPHIN
Gret Pub Agrangment Traffic Materialities Commercia Care accord Published
Traffic Madegastrate
Commercial Care
WOOD PROJECT
BT 17302 481 E3413 EEE.
Bathern Mail Floor
Tarilla Ontana an Sina
artalists, we see all a contra
Cavity Mail Clock Testle Georges or Sept. Ithirthartner or Sept. Controlled in Frenchis
A sentable of the sent of the


Name	
Phone	7 194-11
Property Services	
bloomed	
Alread And Ma	

### The Microphone Will Enable You to Hear a Fly Walk

WITH a tramp, tramp, like the footfalls of a regiment of soldiers, a fly goes walking along; with a roar like the shouting of some mighty giant, the faint murmur of a human voice is reproduced; far away from the scene a person listens to the plans of a secret conference.

These things and more may be accomplished by the use of the microphone, that instrument which was so useful during the war in detecting enemy arbmarines, in discovering raiding parties and in revealing secret mining enterprises of the enemy in No-Man's land.

Contrary to what might be supposed, it is very easy to make, and if there is access to a wireless or telephone receiver, the cost is little or nothing. From much experimenting with microphones of all kinds I have



If you have a telephone receiver you can easily make a sound enagureer with a few odds and ends

found that the instrument described in the following paragraphs is one of the best, both for simplicity of construction and effectiveness.


The only materials needed bosides a receiver are a cigar-box, a piece of pliable cardboard, an electric-light or battery carbon, the lead from a pencil, and the blade of an old knife (the blade from an old case-knife will do very well).

The first thing to do is to procure a large and drep eigar-box and remove a thin piece all around the top of the box, with the exception of a piece at each of the corners which are to be used as legs. Then turn the box upside down and make a groove in the top so as to fit and glue in the knife-blade. A few inches from this place the electricaght or battery carbon.

Next cut the cardboard and glue it to the cigar-box. This acts as a soundreflector while the cigar-box turned upade down acts as a sounding-board.

The microphone is now practically finished. All that remains are the connections, which are very simple and can be easily made as shown in the upper illustration. When everything is properly connected, put the receiver







Insent or a Advisor Mater free on request. Gaves all information in as to Patenta, Trade Marks and Their Cost. OFFicks

Montreal Canada

Tie F ST M. W., Weshington, D. C.

### **PATENTS**

TRADE-MARKS

COPYRIGHTS

Send for our free book of paired justonesses

Beale & Park Waller St. Washington, D. C.

How to Make Wireless Instruments


A fittle book that fully describes the enoutraction of spark wheless instruments and apparatus. Just he thingfor the amateur little react Price, postpuld, 25c.

Book Dept., Popular Science Monthly 235 West 20th St., New York City to the ear and complete the circuit by balancing the pencil lead (really graphite, a form of carbon) upon the blade so that it barely touches the piece of carbon. The more lightly it touches the carbon the better. In this instrument a very delicate contact can be made by simply regulating the balance of the lead on the knife-blade.

Upon tapping the box or speaking there will be heard in the receiver a replica of the same sound magnified many times. By the exercise of a little ingenuity the wonderful results described in the first paragraph and countless others besides may be obtained — FOSTER YORKE.

### Cutting Large Holes in Metal Plates

Time can be saved when large holes have to be cut in metal plates by using a very large drill. The usual method of drilling a large number of small holes along the outline and then cutting away with a chisel entails



A hacknew and large drill will soon cut a large hole in a metal plate


the loss of too much time in the drilling. Use as large a drill as possible and when the drilling is finished cut away with the backsaw. If this is done with a reasonable amount of care, the hole will be clean enough for all ordinary purposes, and it can be smoothed and trust up with a file.

### Do You Know this Surface-Gage Wrinkle?

AN exceedingly fine adjustment is often required in working with a surface gage and it is not always easy to obtain just the right setting in the

There is a very simple method, however, that is as satisfactory as it is easy.

The scriber is slightly bent. It is clamped in place without too much pressure, and by grasping the right-angle end stean be turned a little, alter-



A slight bend in the scriber as shown will allow the mechanic to make a fine change of adjustment

ing its position alightly. It will be found that the finest kind of a change can be made in this way. Of course the greater the bend in the scriber, the greater will be the move-

# PATENTS TRADE MARKS

SPECIAL OFFER FREE OPINION AS TO PATENTABLE NATURE

Before disclosing an invention, the inventor should write for our blank form "Evidence of Conception." This should be signed and witnessed and if returned to us together with model or sketch and description of the invention, we will give our opinion as to its patentable nature.



### Our Three Books Mailed Free to Inventors

Our Illustrated Guide BOOK

### HOW TOOBTAIN A PATENT

Sent FREE on Request

Contains full instructions regarding Patents, Trade-Marks, Foreign Patents. Our Methods, Terms, and soo Mechanical Movements illustrated and described, Articles on Patent Practice and Procedure, and Law Points for inventors.

### **OUR TRADE MARK BOOK**

Shows the value and necessity of Trade-Marii Protection and gives information regarding unfair competition.

### **OUR FOREIGN BOOK**

We have Direct Agencies in all Foreign Countries. Write for our illustrated Guide Book on Foreign Patents.

### SPECIALIZATION Our Staff

The field of invention is so vant that it is impossible for any one man to become an expert in all the different classes of invention. Only those practically skilled in the claim to which the invention relates are capable of reodering efficient service. For this reason Victor f. Evans & Co. employ a number of patent lawyers and mechanical experts who have been selected for their opecial knowledge and ability in certain bires of invention. Each case is placed in charge of experts in the classes is which the invention relates

### THE VALUE OF YOUR PATENT

Will depend much upon the skill and care with which your case is prosecuted in the United States Patent Office. This work will receive the benefit of skill and expensione acquired by a long and successful gractice. We spare neither time nor pains to occure the broadest possible patents that the inventions will warrant. That every case entruited to us receives our lest efforts, and that our work is done consistently, skillfully and thoroughly is evidenced by the many insponsted letters of commendation that we receive constantly from our clients. We will furnish upon request fiete of clients from any State is the Union for whom we have secured patents.

Our New York, Philadelphia, Pittsburgh, Chicago, and San Francisco Offices

Owing to the growth of our business we have established for the benefit of our clients Branch. Offices to New York time Philip white Pa. Problems, Year burge, ill and San Francisco, Us. These branch flow being focus in these lags a minerals drives together with our Main Office Scatter near the S. Patent flow in Wasin 4th enables on to more promptly handle the business of an client particularly as the branch offices are a constant touch with the Main Office and fally equipped to handle parent business in all its branches.

Highest References-Frompt Attention Reasonable Terms



# VICTOR J. EVANS & CO. Patent Attorneys

No Tat Office Philadelli Office Philadelli Office S14 Empire Bidg.

Chizago Offices, 1314 Tecomo Bidg. San Francisco Offices, Hebert Bidg.

Main Offices, 760 9th Street, Washington, D.C.

Gentlemen: Please send me FREE OF CHARGE your books as described above.

arne . Address

ment when it is turned, so the mechanic must govern himself accordingly.

Ordinarily only a very alight bend should be made.

### A Safety Clip for Your Spectacle-Case

OW many times have you carried your spectacle-case in an outside pocket, only to have it fall out and break the glasses when you bent over? This is a very costly habit and one

> that can easily be avoided if you will adopt the following idea:

Obtain a pencil clip, one of the ordinary kind will do, and flatten it out with a hammer. Then bend the two edges inward and drive these two onds through the cover of your

spectacle-case, clamping the two ends as soon as they are inside the case. With this little device the case can be slipped into any pocket and clamped tightly by the clip. Best of all, it won't drop out and cost you good money for new glasses. - J. W. MOORE,

Attach on ordinary

pencil-clip to your spec-

tacle-case and prevent


It from dropping out of

your pocket

### A Novel Way of Locking a Garage Door


LOCAL automobile dealer utilized A the angle-fron on the edge of his garage door to form part of the locking arrangement

The hasp was fastened a the inside



Push the heap through a slot in the engle-from from the inside of the door and make the locking arrangement much stronger

of the door and in locking was pushed through a slot in the angle-iron. The padlock was then secured as shown in the illustration. Of course, this method can be applied only to sliding doors of the type most in use at the present time.—JAMES M. KANE.



### PATENTS

YOU GAVE AN INTENTION which you wish o patent you can write fully and freely to Munn & Co. or sowice in regard to the best way of obtaming protection. Please send eletches or a model of your savention and a lescription of the device, explainng to operation

All comin nicutions are strictly conficon in the wast practice extensing ever a period of seventy years, enables us in many cases to advise in regard to patentability without any expense to the client Our Hand Book on Parents in soft reconstruction that engineers nat me tinde terros, etc. in regare to Patenta, Trada Marka, Foreign Patents, etc.

if you are a reader of


### SCIENTIFIC AMERICAN

you are probably aware of the fact that it has a special appeal to the inventor Each lasse contains y description of a large number of recently pat-ented inventions. Funding patant legis atom as well as the most recent rulings of the Patent Office and the courts are considered in its solumns.

SOLICITORS OF PATENTS

683 Woolworth Building, New York 624 F Street, Washington, D. C. Tower Building - Chicago, Ill. Hobert Bidg., 582 Market Street, San Francisco, Calif.

ARMATURE AND MAGNET WENDING
By Herstmann & Tensley
A necessary brok for Electricians. Fall facts and
diagrams. 5 13 cost paid. 225 West Meb. Street. New York Papalar Scionco Monthly



### I. T. S. Patents

Five years ago pre-to-ally without capital. J. G. Rufford I: year time, and his associates house and logwer started in stones with the new mell-known I. T. S. Rubber Heel under the Tufford U. S. and foreign patents obtained through Lacey & Lacey.

Fourteen tone of these beels are now produced daily. The states alies y attendent to many busi-dreds of thesesands of deliver and loreign putents have been sold to the extent of \$550,000.00.

That president the francial possibilities even of an extremely simple invention of merit properly patented. Read

the Book for Inventors & Mire." By Robert Mad PREP With ACKY & LACKY, Dept. & Whiteholder DC

Later \$2 (K) per Hour an bour Spare Time Write Subscription Popular Sevence Monthly. 25 West 3th Street, N. T.

YOU HAVE INVENTION and DESIRE TO LEARN HOW TO

SECURE A PATENT, send for Our Guide Book, HOW TO GET A PATENT, sent Free on request Tells our Terms, Methods, etc. Send model or sketch and description of your invention and we will give our opinion as to its

patentable nature


RANDOLPH & CO. 130 F St., N. W., Washington, D. C.

SAME STREET CITY STATE

### Making It Easy to Work with Limit Gages

When using the gage shown in the illustration, the mechanic need not know the dimensions to which he is working, and often does not. He is told to make his work sufficiently small to pass one of the limits and too large to pass the other He may not care what the real value of the dimensions is, and yet the system of gaging has proved remarkably accurate and resulted in greater speed of production than when the attempt is made to work to a single known dimension.

This is not strange when we consider that no measurement can be absolutely correct. The best that can be said of any measurement is that it is a close approximation. Even if a piece of work were absolutely correct one



The machinist is told to make his work sufficiently small to pass one is not of this gage and too large to pass the other limit

moment, the changes of temperature would cause variations very shortly. Besides, obtaining a correct measurement costs time and money. It can not be done in a few seconds, even approximately. Therefore why attempt the impossible?

That is about the conclusion which has forced itself upon the minds of scientific men. Experts are required to make expert measurements, and hence it has been found more profitable to have the experts set the gages than to leave such work to new and perhaps inexperienced hands.—H. C. RIDGELY.

### Don't Perfume Your Artificial Ivory

ADIES are attracted to the beautiful imitation ivory toiletware now sold extensively for toilettable accessories.

Unfortunately, perfumes have their place also on toilet-tables. Perfumes contain a high percentage of alcohol, In order to avoid mental angush over the marring of her beautiful hairbrushes, mirror-backs, combs, hair-receivers, and so on, she should understand that alcohol is destructive to the surface of her "ivory" toiletware.

Imitation lyony is a product of cotton. It is a pyroxylm plastic and is attacked by alcohol.

There is a cleaning cream on the market especially intended to be used on artificial every. It will remove slight scratches and stains and restore the luster of dulled surfaces, but perfume as apt to permanently discolor the articles and forever ruin their beauty



These reports are more interesting than fiction. They show you human Nature RAW, NAKED and UNMASKED—exactly as it is They give you INSIDE details on actual cases, show you emery what the detective did, hour by hour, and how he worked on the motives of men and women to solve the problems intrusted to him. These reports are FREE. Get a set at once, study them at home and learn what to do to fit yourself to take up this lascinating profession, and, as a trained, experienced operator

### Make \$5,000.00 to \$10,000.00 a Year

Modern Secret Service work requires a knowledge of Finger Print Science. This is a splendid profession in itself offering great opportunities to live men and women.

It is easily learned by our simplified condensed course wAT HOME. We guarantee your success in this study by a CASH BOND, and you should love no tank learning a sout the brilliant possible ties it offers you for a PROFESSIONAL LARFER. With the establishment of country wide Hareaux, as endorsed by the Big Identification Associations, thousands of Bureau Chiefs will be needed at fine salaries. Get the FREE reports and our big FREE book describing this profession—at once. Write PODAY.



University of Applied Science, Deak 9209, 1920 Sunnyside Ave., Chicago, Ill.

Please send Augusta and Book on Longer Prints, at some many prepare and PALES

5 3 100

CHERES



To be successful, whether on the firm or in the city, you've got to know motor mechanics. Our highly skilled master mechanics give you a practical, "horse sense" big shop training instead of a one-man course. You learn—by doing—everything about the care, report and operation of auto, truck, tractor, stationary gas engines and aeroplane mechanics. No text books or unnecessary lectures. No education or experience necessary. No age limit.

Learn Here in 7 Weeks thorough complete training in abortest time You can stay as one as you want. I care where you work with the most modern equipment and motors of the latest design in using the Liberty Motor. Our Test and I roughly work again a way the training their own garages. Life scholarship pointings or making money has tunning their own garages. Life scholarship pointings further restriction, help or information about new developments in gas motors at any time without extra charge. Whate students only accepted.

Special Business Course of shop reports and management as part of regular course.

Free Book Send for it today. It tells all

Frank D. Hennessy, President Iowa State Auto & Tractor School

768 Nobrecka Street, Sinux City, Iowa

"The Quality School"

Promise by Official force tors upon a collect of the party



Adu ress

Please sent FREE Book



### American School of Correspondence Dept. H-975 Chicago, III.

Explain how I can qualify for positions should.

Address.

Architect

\$5,000 to \$14,000

Building 4 not on the property of the one of th

Lawyer

\$1,000 to \$7,000
Machinista Fragioses
La bit o \$7,000
Machinista Fragioses
La bit o \$7,000
Employeer or a 81
La bit o \$7,000
Employeer to a 81
La bit o \$7,000
Employeer to a 100
Foreman's to the \$4,000
Photoplay We of \$1,000
Forephote Fragioses
\$1,000
Forephote Fragioses
\$2,000
Forephote Fragioses
\$2,000
Forephote Fragioses
\$2,000
Forephote Fragioses
\$3,000
Forephote Fragioses
Forephote Fragioses
Forephote Fragioses
Forephote Fragioses
Forep

# Have You a Step-Saving House?

The Popular Science Monthly will pay ninety dollars for the best answers

HOW do you save steps in your home? What arrangements or what appliances have you made that save time and reduce work that would otherwise have to be done by hand?

The Popular Science Monthly wants to know just what practical and useful things can be constructed to make every house a step-saving house. For instance: a concealed laundry chute would interest us, if it weren't so old; a space-saving cupboard—another old one. No patented or marketed appliances will be considered.

The Popular Science Monthly offers three eash prizes a first prize of \$50, a second prize of \$25, and a third prize of \$15 to be awarded in accordance with the rules set forth below.

### Rules Governing the Contest

(1) Contestants are not limited to the number of step-savers and time-savers, but only one mathod can possibly win the first prize, only one the second, and only one the third. The contest is open to everybody.

(2) The method must be shown clearly either in a photograph or in a drawing. If a drawing is sent in, it need not be made by a skilled draftsman. It is sufficient that it should be intelligible. While pencil sketches will be considered, contestants are requested to make their drawings in ink on heavy white paper. The views should be sufficient in number to set forth the writer's idea very clearly. The contestant's name and address should appear on each sheet of drawings.

(3) The drawings or photographs must be accompanied by a description, preferably type-written, in which the method is clearly given. It must be written on one side of the paper only, and it should not be more than 500 words in length. The name and address of the contestant should appear in the upper left-hand corner of the first sheet of the written description.

(4) The drawings and description entered by contestants must be received by the Popular Science Monthly not later than 5 p. m. on Friday, December 31, 1920.

(5) The judges of the contact will be the editors of the Popular Science Monthly. (6) The first prize of \$50 will be awarded to the contentant who, in the opinion of the judges, has suggested the best method for saving steps in the house.

The second prize of \$25 will be paid to the contestant who submits a method next in merit.

The third prise of \$15 will be paid to the contestant who submits the method third in merit.

(7) The winners of the contest will be announced in the earliest possible issue of the Popular Science Monthly. A description of the methods which win the three prises offered will duly appear in the pages of the Popular Science Monthly, together with the names of the winners.

(8) The editors of the Popular Science Monthly shall have the right to publish meritorious manuscripts which do not win a prize. The regular space rates will be paid to the contestants who submit the manuscripts thus selected.


(9) When a contestant submits more than one method, the description and drawing by which each is set forth must be sent as a separate unit.

(10) Manuscripts or drawings will be returned to contestants if stamps are enclosed.

(11) Send drawings and specifications to the Editor of the Step-Saving House, Popular Science Monthly, 225 West 39th Street, New York City.

### A Light-Reflector from a Tin Can

THEN a reflector is wanted in a V hurry for use with an incandescent light, one that will serve the purpose very well can be made from an old tomato can. In fact, the result is rather surprisingly good if the can is bright and clean inside. Simply aplit




A tio can makes no excellent reflector-The can is simply split open and turned

the can down one side, cut out one end, and in the other end make a hole into which the lamp socket will fit tightly. Turn back two wings from the split. Set them at the angle that seems to throw the light best. That is all there is to it. The Illustration shows the Idea quite clearly.

### Finding the Right Key Made Easy

COME time ago I was put to the · duily necessity of using two latch keys to reach and enter my room. It happened that there was no light near either door, and as there was but little difference in the keys it was very annoying at times to find after infinite trouble that the wrong key had



Here is a way to arrange buses of keys so that the one you use the most will automatically prepent itself to your searching fingers whenever you pull your keys out of your pocket

been inserted in the fugitive keyhole. overcome this trouble [ drilled a 3/10-in. hole in the upper side of the key to the outside door. the side by which it was attached to the key ring. the regular hole in this key I fastened the inside door key by a small link.

Then I had but to take the bunch of keys from my pocket

and the proper latch key automatically presented itself .- J J, LANKES.

# Starrett Books - Vol. I and

### If You are an Apprentice—



You take your problems to the STAR-RETT BOOK FOR MACHINISTS' APPRENTICES. It helps you to solve

But, if you've completed your time and are a MACHINIST—the old problems no longer puzzle you, but there are new ones that DO.

They're answered in Volume II of this series. THE STARRETT DATA BOOK FOR MACHINISTS.

Four editors, each an expert in his field, have edected its tables and formulas. Gear-cutting feeds, power transmission data, strength of materials, etc. -you'll had these and many more in its 180 pages

Bound in red Athol leather. Size 432 x 7. Price 75c. Get either of them at your dealer's, or order directly from us Catalog No. 22 "W" is a handy reference book. Sent free upon request

### THE L. S STARRETT CO

The World's Greetest Toolmakers Mirs. of Hack Sows Unsecuted ATHOL MASS.

# se Starrett



### THE BOY ELECTRICIAN

Practical Plans of Electrical Apparatus for Work and Play with an Explanation of the Principles of Every-day Electricity, 42.60 Postpuid.

POPULAR SCIENCE MONTRLY, 225 W. 39th St., New York

### THE MODEL T FORD CAR

Its Construction Operation and Repair Incoming the order burn from the F.A. I got ng and Start ng System Ford Motor Tr k Proced or Foxpard

POPULAR SCIENCE MONTHLY 225 W 39th St., New York

\$86.50 16 v. 10 mp \$26.50 \$4.8 + \$98.50

110 v. 21/4 map. \$31.50 10 . 6 .... \$52.50 44 . 12 ave. \$52 50 110 a Pri - \$67.50

9 (7.DU

er. 8 ...... \$67.50 120v, 18.--- \$116.50 ······ \$116.50 1156.50 \$156.50 10v Mana. \$238.50


12 at . . \$58.50 \$106.50 \$

\$218.50 ALONG Two districted & W. L. Co.

\$146.50 \$188.50 \$26.50

AL 5-E J. P. L. S. BURET PART

SHIPPING TERMS: Early Colored and State MANUFACTURES DANS BUTTON CHAS. H. JOHNSTON, Dec 14, West End, Pittsburgh, Pri



# You are paying for these books even though you don't have them

The difference between what you CAN BARN with their help and what you DO BARN now is the preseryon pay. With the money you ought to get but don't, you may for any set several times over. Every month you can earn enough extra to pay for the set you need. These books bring the expert advice and the most modern approved methods of the world's greatest pathorities right to your home. They replain everything you ought to know they will fit you to get more money out of the work you are doing now they will fit you to get more money out of the work you are doing now they will fit you to bold a better lob—the job you want but have never been able to get Read our FREE examination offer below that by now your saturaction.

### Pay-Raising Books at Greatly Reduced Prices

Accountment and Buckeys Management 1 both 1758 pages. But the term that (12:30 Now	9079 MD
Chippenty and Cantrograms, 5 volumes, 1/20	24 90
2000 piletiere, Was 207 00	20.10
Perfect Englosopping, d Volumes, 4100 paper, 2002, Mickelson, Was 600 00	24.00
Automielle Regledering 5 rollines. Past pages, 2000 pictures. Was \$45.00. No.	329 198
Machine Shop Practice. A valueum, June 1940 Dir. School State Director War 84, 00	JU 90
Parent and Gas Regimented, 7 yestimes, Link parent \$300 pertures. Was \$41.50 Saw	24 45
Law and Practice, (with random resigne) 13 stolers, 6000 (mess, filterrated Was 907 to Store	19 10
Hot paper, not pictures. Was \$100 paper, not pictures.	Ja. 80
Telephone and Zeinfraphy i column 1 25 (main 1996) Seen	19.50
Service on Brancon west Venethering, 4 vic- 1454 teaper, 488 Millione Was \$100	
District, 4 volumes, 1876 pages, this pictures, blueprints, sec. Was \$20.00.	19.70

# Send No Money Shipped for 7 Days' Trial

Write the cause of the books you want on the coupon and mail it today. We will send the books as once, express collect, and you can use them past as if they were your own or a whole week - f y a dreble y a draft want to keep them, sens them hack at our appense.

### Only 75 Cents a Week

If you like the books as thousands of other menhave after examination—ust seem as \$7.80. You can seem the balance of the special reduced office the same way. \$5.00 each quowth

Start right now and fit you need for a better job and binger pay. The better job will be looking for you if you do. Be ready to meet R when it comes. SEND THE COUPON NOW

American Technical Society, Dept. 1289, Chicago, U. S. A.

American Technical Society, Days. 2200, Chicago, U.S.A.

Please much spe out, of

for 7 States, examination, shipping charges collect I will assume the books thoroughly slot if satisfied, will have 182 MF within 7 date and \$4 cach plotch buttle I have pady the special proce of a 17 felection not no keep the books I will respon them of your repense at the end of one week.

Mamp.

Address.

Behiream

(Flesso fill out all three from,

### How and When to Cut Your Canary's Claws

I P the cage of a canary is supplied with thin resting-sticks, the birds will often develop various infections of the foot. Such sticks do not give the bird a safe resting-place. They should be removed and replaced by larger, oval, not rounded, twigs which the bird cannot encircle with its claws.

The claws often grow abnormally long and hooked, then the birds become entangled in the wire mesh of the cage and do themselves injury. Splintered claws are also often met with,



A canary's claws must be manicured as well as your own finger-units. Here is the right way to do it and keep your bird healthy

these, when they break off close to the flesh, cause wounds and swellings. Other claws bend and grow backward so as to enter the flesh. This causes infections. Under all these circumstances the claws must be cut back.

Take the bird in your left hand so that it lies on its back. Encircle the neck with thumb and forefinger Gently lift the foot, being careful not to touch the nails. Hold against the light. Cut the nails with a sharp pair of shears where they are still opaque and just below the transparent section which is filled with blood. When held in such a position the transparent section of the claw can be easily recognized.—Ennert Bape.

### A Circular-Saw Attachment to Hasten Production

A STOCK authorization order called for about 1000 whitewood boards from 6 to 10 in. wide and about 2 ft. long, but only 1/4 in. thick. These boards had to have a 1/2-in. slot all the way around the edge and be about 1/4 in. deep.

At first it was a problem, as many of the boards were green or warped, and many, as the slot was cut, had a tendency to curve a trifle and break off or cut through the remaining 1/16-in, side wall. Many times I nearly cut my finger until I devised a scheme to hold and feed the boards to the saw

A piece of 35-in, pine about 6 in.

# DONT LOSE YOUR RIGHTS TO PATENT PROTECTION Before giarles by your invenion to anyone send up black in the "EVIDENCE OF CON CEPTION" to be signed and without A sample captopether with princes, one tortions within with wind a sample captopether with princes, one tortions with wind a sample captopether with princes, one tortions with wind a sample contains the the name branch fitting appoint As regardered patched a received the name of the patched in the three and the arrest of the name of the containing of patched and achorish of free acet upon request. As a for them is post card will do PAYENTS AND TO ADE MARKE 8 ALLWING 274 Oursy R.45. WASHINGTON, D. C.

PATENTS

Drighation of Lorent Tendenco of Coursepton."

Booklet Free Highest References Promptness Assured Book Results

Send drawing or model for preliminary examination of Patent Office records and report as to patentalifity


All Business Given Prempt and Proper Attention

WATSON E. COLEMAN, Patent Lawyer, 434 F St., Washington, D. C.

# MEN

Intensely interesting backlet free, Wonderful results.

E. GYDE CO., Washington, D. C.




### FOR THE INVENTOR

About the ake but a parent and Manning to make it is the had we have a prospection that will place become on a productile feature. Send for her topp now

BAFF PATENT LAW OFFICE
JII Make Street, WORCESTER, MASS.



wide and 12 in. long was cut at an angle of 45". Slots about 6 in. deep and about 1/2 in. apart were cut in the



Rig up a fingered guide-board like this to protect your fingers from the siscular new

end with the grain. This hoard was then clamped to the saw-table and the boards fed to the saw.


These artificial fingers kept the board in place and did a much quicker and easier job than I had ever been doing.—Thereon P. FOOTE.

### Electrifying the Ford Tailand Dash-Lamps

A N ingenious arrangement for electric dash- and tail-lights, for which current is delivered from the magneto, is shown in the illustration.

It is important to use lamps of the correct voltage. Examine the head-light bulbs and use lamps of the same voltage for the dash- and tail-lights. Most Ford cars use 6-volt head-lamps, but in some of the later models 9-volt

head-lamps are fitted to cooperate with the 18-volt magneto. If the correct lamps are used, them is very little danger of their burning out, as the



It is difficult to light the tas, and dash-lamps on a Ford. Why not electrify them?

sum of the resistance of the two lamps in series is high, and most of the current generated passes through the headlights, which have a lower resistance.

### Glass Drill Made from a Three-Cornered File

A DRILL for the purpose of drilling holes in plate or window glass is made in a very short time from an old three-cornered file. The file, which may be 4 in, long, or of any suitable size, is ground down on the flat surfaces on an emery-wheel so that it has a rounded head and a blunt point in the center.

Be careful, when grinding the file, that you do not burn it and thereby lose the temper. After it has been ground, sharpen the surfaces on an obstone much as you would the knife of a plane, but giving the file an up-and-down motion at the same time you are giving it the back-and-forth movement; so that the entire surface is sharpened in one operation. Be sure



# The Sargent Auto-Set

Cuts True
Cuts Fast

ASK any carpenter about the Sargent Auto-Set Bench Plane. Inquire about its cutting qualities and about its auto-set feature. He will tell you that it is a dependable tool with a big time-saving improvement in the self-adjusting sets.

The cap and clamp of the Sargent Auto-Set Bench Plane are fitted together as one piece, with a set screw to regulate

the position. Another set screw adjusts the cutter.



### Sargent Cylinder Day and Night Latch

Put it on doors—leade and outside, front and back—that you want securely barred. An ordinary mortice lock to "easy pickings," but a cylinder fatch keeps the intruder outside, "Press the button" to dead lock the bolt or bold it back, as desired, "Putil the button" to release the bolt. Self-tacking—closing the doors pring a the latch.

May be taken down for whetting in a few seconds and assembled as quickly. Cutter and cap go back exactly in the same position as before.

Mede in els siese: amouth or corrugated bottom; fore, jack, emouth or jointer patterns. Send for descriptive bookist.

### SARGENT & COMPANY

Hardware Manufacturers

55 Water Street New Haven, Conn.



High Frequency Apparatus, its Construction and Practical Application

P. Phorne, St. and C. and The roce comprehensive and homogen work on the otherwise subject give regulated. 1970 advisors -275 pp. --Price. 8.100 pastpaid. Papular Science Monthly 225 West 206 Street, Nov York


### Shop Practice for Home Mechanics

For Revenued Four extender. The book matter nothing that all the prime in lower what take tooks of to have what with to lower the interest tooks of the large what with to lower the call tooks.

Prime \$3.00 postenic.

Papeller Science Monthly 225 West Bith Street, New York.





Try This

# Red Devil

### Wrench Set

### on the most stubborn nuts

-and you'll agree that it's made to stand up under the hardest usage. Made of open hearth steel, heat-treated for strength.

# Red Devil

### Mechanic's Wrench Set

Recommended for automobile, gas engine or mechanical repair work of any kind. There's a size wrench that will tackle any size nut up to 1'.

Every tool guaranteed.

Five wrenches in a seteach set in a neat khaki case that can be rolled up and put in the coat pocket or the tool kit.

At all dealers, or if not, send \$1.00 for "Red Devil" Wrench Set No. 91.

Send for Tool Booklet.

Smith & Hemenway Co., Inc. 264 Breadway ... .. New York, R. T.

Manufacturum of Pfigura, Gloss Cottore, Chain Drills, Hoch New Binder and Francet, Amper Bits, Scrute Drivers, Cold Chinele, Mail Pullers, Lach Washers, etc.

to have the three edges and the point sharp before attempting to drill a hole. Place the drill in the brace and moisten the surface of the glass that is to be drilled, with a little kerosens or turpentine. The author has found turpentine to give the best results. Alwaya keep the drill wet with turpentine or kerosene to avoid chipping of the glass. Drill the hole half way through the glass and then commence on the opposite side. This will overcome chipping and cracking if you are to go entirely through the glass. Sharpen the drill frequently. PAUL J KORDER.

### A Flexible Pipe Made of Inner Tube

FLEXIBLE tube or hose for conducting water can be made of an inner tube with the aid of a piece of apring wire wound into a spiral

Wind the wire about a spindle a trifle larger than the inside of the tube. It should take the form of a large spiral spring. Then force it into

Here the Inner tube is transformed late a Braible pipe with a piece of spring

the inner tube by screwing exactly as you would a screw.

Such a pipe can be used for conducting water or air where very little pressure in generated. If much pres-

sure is exerted in the pipe, it can be kept from expanding by winding a second coil outside. By wrapping the outside with tire taps, the same strengthening effect can be produced

### The Most Efficient Part of an Automobile

THERE are hundreds of moving parts on an automobile or motortruck, but none works so hard and so efficiently as a universal joint. Such a joint is necessary on the propeller shaft extending from the clutch to transmission and from the transmiss on to the rear axle, as the case may be. I niversal joints are known to operate at over 98 per cent efficiency, which cannot be said of any other part of an automobile doing such strehuous work,

The universal joint, as its name indicates, allows for free or universal movement of the propeller shaft. It is ake your thumb which you can wiggle in all directions. A universal joint takes the power of the engine and transmits it to the propeller shaft, and at the same time this joint may be constantly moving, first in one direction, then another, but usually it moves up and down because the rear axle keeps moving up and down over the road. The propeller-shaft angularity varies according to the relative movement of the rear axle, and were it not for the use of universal joints, the






Salart year Milested more. Tops can north be playing the service of the day. Year (relateds will be neathered and the field properties of the day. Year (relateds will be neathered and the field properties of the service of the day of the body or of the properties of the delight point of the field of the 492 Parson Bb., Mahamana Les array post for my law of the state of th

shaft would bend or break and hence could not transmit power.

It is remarkable how this part stands up even when owners forget it. Most owners do not know what a universal joint looks like because it never gives any trouble, but the wise owner will not allow joints to go without grease. Grease is easily in ected through the filler opening by means of a suitable grease-gun. The joint should not be fi.led completely—one third full is sufficient. - H. A. TARANTOUS.

### Repairing a Broken Lug with a Washer

AN emergency repair for a lug broken in tightening up an outlet water connection for an automobile, is shown in the accompanying illustration. These connections are usually cast from, and in putting in the bolts an




A weather inserted over a broken bult hole on a lug was enable you to run the car until the broken part in repinced

extra twist will frequently crack them. The repair was made simply by Inserting a large washer under the bolt-head when the gasket was in place, and screwing down solidly. This repair will carry over until a suitable replacement part can be obtained, -- GEURGE L. LUERS.

### How to Make a Double Center Punch

HE writer had a lot of machine pieres given him to center punch. The holes were all the same distance apart, so to save laying them all out, and probably making them inaccurate-

ly, he invented the double bunch shown in the allustration. With it, all that was necessary was to lay out the first bole on the piece of metal. Setting the punch in hole No. 1, a blow wgastruck which made holes at No. 1 and 2. The



The two points of this center ounch make even spacing of a row of punch marks possible

punch was then set in No. 2 hole and another blow struck which made No. 3 hole the correct distance away from No. 2. The procedure was repeated until all the holes were made. Coneiderable time was saved by adopting thus scheme.

This double center punch will be found advantageous when it is necessary to make evenly spaced punchmarks for drilling rivet-holes in boilerlate.- J W MOOKE.



20 Days Felal, Factor Of FAWA in -1 to da a to at the to fall HE SHOW tee I diver a 80 there's to me factors to the saving to the die ift 46 g

to profill earlief 3 Special Offer, 14 ting states and what at of Name of Addings. and your Extent Lordon you Prior Dis debat t e ste noth on to invotigate and wind your name aw) address on the coupen for complete inhistorial and special ing electory offer

Osob or Easy Torms. fet pit Can be and it is one and find A second with forest of an old to be seen and not alloud sents were it under our wonderful sell-DE LAST

Free Books Sond your name and address no course a feet or or that to a will a some out de-Lighte for Springer Liftle 1975 Imm ved OFFAWA LOE Saw also out fine J page book Shows how thousands of QTFAWA mens have paid for their and same an a few neveks

OTTAWA MFG. COMPANY 1803 Wood St... Ottown, Kanson.

Carpentry and Mechanics for Boys

An excellent will fee the day who likes to make things. Digres one for making the court and camp in alternation matrix greaters and residence and gath, etc.


Price. \$1.46, post-paid

Leaves No Stomp HOW Orland Mig. Co. Person and the Original Meridian Person and the Original Meridian Conference on Section 1 on Section 1 Citizen, Kennas

ed With Ground

-----ASMATTRE W. No. No. By Platte P. Morecene. This back is an able to employ the state of least principle of the winding and the principle of a manufacture of a winding of various transport allowed the state of the factor of with the district and with the district words of cut winding apparatus and is a decreasely mandeth restrict. If the subject Price \$2.00 postport.

Brook Dept. Popular Science Monthly 125 West 18th Street, New York



# Check Up the Human Factor

Your machine is human in the manner that it depends on human skill and attention to get the production that is in it.

Though the quality of its construction be the best, the quantity of its production varies with the skill and industry of its operator.

This efficiency of the human factor is what you want to check up with a



—for it decides whether you're getting out of your machine a full return for the money and brains put into it.


The small Revolution Counter below registers one for a revolution of a

shaft, recording a reachine operation, or product. Though small, this counter in very durable; its mechanism will stand



a very high rate of speed, making it especially mitable for light, fast-running machines, and most adaptable to experimental work. It run backward, the counter subtracts. Perce \$2.00. (Cut marrly full aim.)

The Set-Back Rotary Ratchet Counter below is for the larger machines, such as punch preses and metal-stamping machines, where a reciprocating movement indicator an operation.



Reguters one for each throw of the lever, and sets back to zero from any figure by turning knob once round. Supplied with from four to ten figure-wheels, as required. Proce with four figures, so illustrated, \$11.50—subject to discount. (Cot less than 34 size.)

There's a Veeder exactly suitable for the type of machine you're interested in; write for new illustrated booklet.


The Veeder Mfg. Co., 44 Sargeant St., Hartford, Conn.

### When the Wind-Shield Rubber Wears Off

WHEN the rubber on the windshield wears off or is lost, you will find it very convenient to replace it with a piece of rubber tubing about

in in diameter with as heavy a wall as you can purchase. As shown in the dlustration, it will be necessary to cut it down the longth of the tube to open it.

It is very easily attached and taken off, and helps to eliminate the vibration of the glass, also keeping out the rain better. If it




Heavy rubber tubing will replace worn wind - shield rubber

is to be used to eliminate vibration, it will be necessary only to place two 8-in, pieces on each end of the glass.— H. E. MENDE.

### Combining a Flagpole with an Advertising Sign

A PATRIOTIC and ingenious merchant decided to make the flagpole in front of his establishment serve a triple purpose. The pole was a length of iron pipe that ran down into the cement walk which served to hold



This combination has three uses, a latchingpost, an advertising medium, and a flagpole


it securely. The merchant cut this pole in half with a hackenw, threaded the cut portions, and screwed on a pipe-T. He then ran the upper part of the pole across to the store and fastened it with a flange. A smaller diameter pipe was then set in the upper part of the flagpole and the result was a support for banging an advertising sign; a more

solid flagpole and, with the addition of a ring attached to the lower part of the pole, a hitching-place for horses. James M Kane.

### The Vacuum Cleaner in a New Rôle

I HAD occasion to scrape the carbon out of my automobile cylinders recently, and discovered a way to speed up a tiresome piece of work.

I connected a vacuum cleaner to one of the sockets in the garage, bent a piece of 1 in. pipe at an angle of about thirty degrees, and inserted the pipe in one of the valve-caps while I





Pilliod
TOOL CASES EXCEL

Machinista, Track Making and appearance that them many action my appropriations. Otherwise an example press. Editorial of impresses. Emailed Mary pages 10 signal an engages.

The Pilhod Lumber Co.



Power Benders
THREE
NEW MEDILS

C. 11. Phys. Describing 40 in ribosom than ribosom regult; populplant so based friends in freely the populage form I also get ribosom ribosom form report separated to ribosom atomic populations in the form I are in a population of the form of the population of the con-

Machite Co.

Manufacturare SI Pearl Screen, BOSTON, Mana, II, S. J.



of the man. It's fifth by Tota Woodbr. "area though and bookpathe, News for bidd cannon be. Bit's abnowing to me a need between long-research. First arrior gets a gardey, making bearing Machine Co., 181 West Section St. Chicago, M.




man.

The Midget Slide Rule

will (rechardly add, obvious), whilehold and district plant which marches a decimal of the marches and the first of the district of the same and the

Gilson Slide Rule Ca-Nilse, Mich.



Cleartone Phonographs
\$4.00 to \$200.00 Retail


Our Apply began offers Manches life per the month in the part of the 18th of t

LUCKY IS PHONOGRAPH COMPAN-Report Days, 503c. East 19th South No. 2 scraped through the other. The pipe connected to the vacuum hose carried away the loose carbon as fast as it was removed with the scraper.

I found that this method enabled me to do the work much more rapidly. It has a second advantage in that it leaves the combustion chamber absolutely clean, and there is no danger of leaving a deposit of carbon or dirt to score the cylinders.—F. G. J

### To Evenly Space and Ink Lines in a Hurry

WHERE the mechanical draftsman has been given a job which necessitates ruling many evenly spaced lines in a hurry, the little cardboard



A little cardboard pointer attached to the T-square will enable you to draw evenly spaced lines quickly


attachment shown in the illustration will be found to expedite the work.

First cut a piece of cardboard the shape shown and attach it to the end of the T-square with thumbtacks. By setting the pointer against the line already drawn and moving it down after each line is drawn, the lines will be found to be perfectly spaced.

### Adjustable Centers for Small Lathe-Work

THE most difficult thing to finish in the lathe is a tube. To do the work right, a mandrel should be fitted, but this takes time and the mandrel costs more than the job is worth in the end.

The writer has found that it pays to keep a goodly supply of thread-



This shows the jig with the spool ends with a tube in place

spools on hand. The ends of these spools are out taper, and by sawing off the ends and shpping them over a round from rod, an adjustable arbor or mandrel is obtained which can be used for tubing from 14 to 1 in. In diameter. The holes are always centered with the taper and the tube finds its own center as soon as it is clamped into place.

# DISSTON SAWS AND TOOLS



# Every Home Needs Some of These Tools

Good tools—Disston Tools—for every job around the house. Tools of Disston-Made Steel hardened and tendened in the particular use of

I am a trust a all the work they should astead of demanding unessary effort to offset their short-

This is the expert artists a use

No dealers everywhere.

HENRY DISSTON & SONS, Inc.
General Offices: Philadelphia, U.S. A.





Send for new catalog showing our superior drop forged machinists tools

WRENCHES, LATHE DOGS, CLAMPS, TOOL HOLDERS, FILES, CALIPER GAUGES

# J-H-WILLIAMS

TRICHARDS ST. BROOKLYN -N-Y-TVULCAN ST. BUFFALO - N -Y-1007 W-120 ST. CHICAGO - ILL



### The Best Way to Drill a Triangular Hole

CAN you drill a hole larger at the bottom than at the top' in answer to this question we say 'Yes, 'provided you use the ingenious device illustrated

here.

The shank of the too, has a slot cut in it to which is attached a a lant ing blade. This blade is about ly in. thick and is pivoted with a pin to the shank of the tool.

You can swivel this cutter, or blade, to any desired angle you wish, then having oblained the de-



Cutting a hole larger at the bottom than at the top sounds inspossible Here is the way it is done

mred angle, you fasten the cutter in its correct position by the set screw.-J W. MOORE.

### Increasing the Usefulness of a Wagon Wrench

BEFORE the advent of the automobile this type of wrench was very common. It fitted two sizes of nuts, and there its use ended.

I find that a few cuts of a hack-

naw will extend its aphere of usefulness. Two sections are cut out of the end, as in Fig. 1. One can be cut a trifle smaller than the other, in which case small nuts of two sizes can be handled Fashioned in this way it can also be used to turn a T headed valve

When pivoted upon a stout nail emergency wire

it will act an an emergency wire stretcher

How the old wagon


wrench can be brought

up to date again.

It can be used as well for making a uniform kink in wire, so as to take up the slack.—JAMES M KANE.

### A Copying Idea for the Photographer

HAVING a 5-by-7 camera and desiring to make full-sized copies of a batch of old 5-by-7 prints, nothing seemed easier than to set up and shoot. But right then my troubles started—the camera was litted with



# Electricians' Knife and Tweezers

We can meet design demands at once and offer attractive quantity prices

Wester for description

MATHIAS KLEIN & SONS, Mfrs.

### Deafness



Perfect hearing is now being remoted in every modifion of dealnoise or defect we hearing from causes much up I are that Dealperts, Relaxed or Sunker Drums, Thickened bronds, Roseing and Masing Sounds, Perfected, Wholly or Part ally Deal-oved Drums, Discharge from Ears, etc.

Wilson Common-Senso Ear Drums
"Little Wireless Phone for the Ears" retuite 56 medicine but effectively replace what is lacking to desective in the matural car drums. They are simple devices, which the wearer easily fits into the care where they are invisible. Soft sair and comfortable, Wise today for our things of REE book on DEAF-MESS, saving you full particulars and testimorials.

WILSON EAR DRUM CO., Interperated 247 Inter Southern Bug. LOUISVILLE, K.E.

### <u>ASBESTOS</u>

We are efforts and shappers of Crude Asher on in any quantity. We produce all grades at our world famous BELL ASBESTOS MINES, in a made. We also card fibres, spin yarra, weave cloths, and make all sorts of Ashestos products.

For anything you want in Asberton, turn to KEASBEY & MATTIBON COMPANY Dept. 3-4. AMBLER, PENNA., U. S. A. Owners of the world's largest Asberton Mines.


SERB MITORS DI AND RE MARIE RANGE RANGE RANGE RANGE RANGE PROPERTY MARIE AND RESERVE AND RESERVE AND RESERVE RANGE RANGE

### Selling Eagle Sawing Machines

Every timber owner needs on Powerful, fastcuture, one-man, he saw Ademonstrationeels it. Representatives making but money everywhere. Exclusive territory from You can make

\$2.00 An Hourswing wood during demonstratoring Width Taday for (ullifuformation and our special law agent a prices. Bug opportunity.

Engle Sewing Mackine Co., Drpl. 484 Ennter City, No.



### GERSTNER TOOL CASES

mrs addressive removarit, practiral with the scale to the taning above yearing as one main a male town on tars of review to the removariest of any contraction in drawn and states, from

H. Gerntmer & Some 1900 Columbia Street Dayton Otto a lens of 8 %-in, focal length, while the bellows extension was only 12 in

Now, it is one of the fundamentals of photography that, in order to obtain a full-sized image of an object, the lens must be placed twice its focal length from the place. As twice 8 ½ is 17, I was some 5 in. on the minus side.


For a while it looked as if I would have to be satisfied with smaller copies or else build a 5-in. extension on my lens mount, when the great idea broke and saved the day. I borrowed a lens of 5%, mounted it on a spare lens hoard, and the rest was mere routine work.

While the 5%-in, lens would not have covered a 5-by-7 plate at the ordinary extensions used in landscape work, it gave even illumination to the corners (and probably beyond) when drawn out to a distance of 11½ in,—Francis M. Weston, Jr.

### A Way to Remove Stubborn Nuts Quickly

WHEN a nut becomes rusted, it is a very difficult job getting it off the bolt or stud on which it is set. To use a hammer and chisel usually results in the nut being made worthless

Being up against such a proposition and wishing to save the nut, which was a special thread, we made a novel



A few blows with a hammer on this type of wrench will remove the most stubborn out

wrench as shown in the illustration. The hexagonal part of the wrench was set over the nut and a few good blows with a hammer given it. Off came the nut. So good was this idea that we adopted this style wrench for all such jobs.—J. W. Moore.

### How Street Curbing Injures the Tires

THERE is one bit of carelessness of which nearly all motorists are guilty at times, and which, unfortunately, is almost a habit with many. That is the practice of driving the tires against street curbs most commonly in backing the car—so that the side walls and the fabric are bent.

It pays to avoid these little bumps corefully as one of them may easily weaken the fabric to such an extent that a blow-out will result.

Don't park the car so that the front wheel is snugly jammed against the curb, because when you are ready to leave you may find it impossible to



### Amateur Bench Lathe No. 125



### For a Variety of Work

WORK out your ideas on this practical little lathe. It will handle a wide range of work. In fact, with its many possible attachments it gives you almost a complete shop in your own home or laboratory.

It will take work up to 12 inches in length, with a swing of 7 inches. It is furnished with an adjustable Tee Rest, a Slotted Face Plate, a Saw Arbor and a Drill Chuck of 0 to 1/2-inch capacity, with a No. 1 Morse Taper Shank. The Tail Stock has both lever and screw feeds.

This useful machine has all the good features which characterize the Goodell-Pratt line of 1500 different tools. The same similful workmanship, the same careful selection of materials, the same simplicity, utility and

sturdment are just as evident in this lathe as they are in any other Goodell-Pratt Tool. Let your dealer demonstrate what a serviceable machine this lathe is. And don't delay writing for a more complete description. Complete pocket catalog sent on request.



steen file Mass

CODDELL PRATT COMPANY



Experimental High Fraquency Apparatus,
How to Make and Use II

y Thestan Brancer who do light Class Sylve, 50 conte.
Part AR NUKRICE MONTHLY

- You


# MONARCH LATHES

Livery Minarch Latters a standard, the same quarty construction of food the global rise Minarch factors production of me day me time tank meyear

hach year there are purchased more Menarch Lathes than there are lathes built by any other high grave manufacturer

If rate for a tuting

The Monarch Machine Tool Co.



# WIRE

electional logic articles from the ball of the ball of

Illustrated Books Describing Uses. FREE American Steel & Wire Co. F Statute V P. and G. S.A. OBERGO

respectively. The foresteen problem of the planting of the second of the

Production and Responsible to the production of the probability of the production of the probability of the

Seven a seet suincenter) better the title day of the seven of the seve

turn the wheels away from it. If you do find yourself in this predicament, and all efforts to turn the wheels sufficiently to effect a getaway prove of no avail, put the jack under the center of the front axle and raise it a few inches. Then push the car away from the curb and off the jack. The slight drop won't hurt the car and it will get the inside wheel far enough away from the curb to make it possible to maneuver your way clear.

### A Holder for Varnishing Casting Patterns

PATTERNS for castings are varnished all over with shellac varnish. The parts that are to be reproduced in metal are flushed with

black shellac and the coreprints, which make the recesses in which the cores are placed, are inished in orange shellac.



Three sharp prongs slip into the pattern and hold it onto the varnish is applied

In order to

tern while app ying the varnish the tool here shown is very convenient. It is simply a baselle while these while, sharp prongs that are thrust into the wood just enough to give a hold. When the work in finished, a rod is thrust through a hole running the length of the handle and the pattern is pushed from the holder.


### To Protect the Handle of Your Percolator

THE wooden handle on your coffee percolator can easily be protected from burning off at the bottom by attaching this small protector, which defects the heat from the bottom of the handle.

A small piece of aluminum, brans, or copper will answer the purpose if bent

PERFORMANCE TANKE

into the shape shown in the libertation it is attached to the handle by bending the outer flaps over the top of the lower handle and braced secure y



This was found to be

very efficient, and if the same is done to your percolator, it will protong its life considerably. H. E. MENDE.

### What the Small Vise Will Do

O owner who does any repairing or tinkering with his car should be without a small vise. Next to such indispensable tools as screwdriver, wrenches, and pliers comes a small

metal vise. You can buy such a tool as we have in mind for very little money. Get one that has a spread of S or 4 in., and you will wonder how you ever got along without it. This size is better than a larger one for the reason that for all ordinary work its spread is amply large, and it is much easier to manipulate a small tool of this kind than a large and cumbersome affair

The big thing about a vise is that it grips—acts like an extra pair of hands when you have more things to hold than you have bands. A small vise also can be used advantageously in place of a pair of pilers for straightening wires, cotter-pins, and similar articles, and it has a great deal more straightening power than can be exerted by hand with the pliers.

For compressing small springs a vise can also be used handly sometimes.

### Another Use for the Old Inner Tube

IN the nummer hot air is apt to arise from around the pedals of an automobile, and in the winter it it is liable to be decidedly chilly. To

PILIPLE PLANS

A piece of old inner tube tacked around the pedal prevents hot and cold air from striking your feet be able to exclude these duagreeable gusts of air may not seem easy, but here's the way to do it

Cut out a section of old inner tube and make a sht down the middle long enough to allow the pedal to be worked its full distance. Slip the sht over the pedal and down

the shank and tack it to the under mide of the doorboard.

The rubber will always hug the pedal shank close enough to keep out the drafts, and yet will not interfere with the operation of the pedal itself —Windson Crowell.


### To Select Speedometer Gear Sizes

WHEN you change from normal size to oversize tires, it will be necessary to change the speedometer gear if you want the instrument to read absolutely accurately. The rule to follow is that the number of teeth in the large speedometer gear—the one attached to the road wheel—must be twice the diameter of the tire in inches.

For instance, if your car is equipped with 32 by 3½ in. tires, the speed-ometer gear should have 64 teeth. But if you put on the oversize tire that fits the same wheel, 33 by 4, the large speedometer gear should be changed to a 66-tooth size.



### Stanley Tools



# "HURWOOD" Screw Drivers

Unsurpassed for Strength and Durability

Blade, Shank and Head one piece of special steel, finely tempered. The blade cannot turn in the handle,

The assortment illustrated above is well worth your attention.

For instance—No. 21 shown at the extreme right of the picture—blade only 1½ inches long, just fits the vest pocket, a strong little Driver and very handy.

Also No. 60—shown at the left—only 1% inch blade, but with a big sure grip handle. For heavy work into close corners it cannot be beaten. Used by Plumbers, Machinists, Millwrights, etc.

Nos. 51, 52 and 53—called MACHINISTS' DRIVERS—big, broad tips for large screws and extra large shanks for heavy work.

Nos. 5112, 5212 and 5312—also Machinists' Drivers, have hexagon nut on shank for use with a wrench.

No. 54—Note the DOUBLE GRIP, also the hexagon feature for wrench. With the latter Driver one can turn anything.

We make many other drivers. See Catalog No. 34S.

At All Hardware Dealers

STANLEY RULE & LEVEL CO. New Britain, Conn. U.S.A.

### Knurling on the Small Lathe

By H. H. Parker

THE amateur cometimes is unable to finish small parts of his homebuilt apparatus in a workmanlike manner because he lacks the proper equipment to knurl the edges of small adjusting screws and nuts, the handles of tools and other pieces of brass or steel. Satisfactory knurling may be performed with simple apparatus on almost any small speed lathe or screw-cutting lathe, and the knurls themselves are all that it is really necessary to purchase.

These come in a large variety of patterns, straight, angular, and crossed with coarse, medium, and fine pitch, straight, convex, or concave faces, as well as more complicated and fancy patterns. For all-around work the medium-pitch diamond-pattern straight-face knurl is perhaps the best. A concave-face fine-pitch straight-cut

pattern is useful for finishing amall binding screw thumbnuts and similar small work. It should be remembered that the harder the material to be knurled or the coarser the pitch of the knurl, the more power is required and the greater the strain on the lathe.

In regard to holders, the simplest is that shown in Fig. 1, a split or forked end drilled for the knurl-pan and provided with a wooden hands at the other end, Such a holder

may be bought or is easily constructed at home and is suitable for a small speed lathe, either foot or power driven. The work should be held in a chuck and driven at high speed and the holder applied by hand, using a T-rest as in wood-turning. The proshould be oiled frequently. By bringing the knurl up under the work with the holder resting on the rest, the necessary leverage may be obtained.

If the lathe is provided with a slide rest, a simple holder, shown in Fig 2, holding a single knurl, may be made. The lathe is first set in motion and then the cross slide moved up until the knurl presses against the work, care being taken to set the holder at right angles to the lathe-bed. Though satisfactory work may be performed with these holders using one knurl, it can be seen that there is always a certain amount of strain upon the lathe-spindle and cross-slide, since consider-

able pressure is required, and this will be especially hard upon a small lathe.

A special type of holder containing a swiveling head and two knurls is in the market, and while this would be an improvement for use upon a medium or heavy lathe, the side pressure is still present. The way to overcome this difficulty is to use three (or perhaps two set diametrically) knurls and a self-contained means of applying the pressure, thus balancing the device and removing the strain from the lathe. Many forms have been devised for this purpose and Fig. 3 suggests one that can be built up from bar stock and which has a wide range of adjustment. The pressure is applied to the work by means of the wing-nut and the device is entirely independent of the lathe-carriage. Another way would be to make three adapters to clamp to the jaws

of a universal lathe-chuck and hold the chuck in the tailstock by means of a specially made adapter fitting into the tailstock quilt; the pressure would then be applied by the regular chuck-key.

Frequently upon knurling a piece of work, the pitch, instead of appearing like Fig. 5, for instance, matching the knurl, is much finer, something like Fig. 4. This is a puzzling difficulty until we stop to think that knurling is something like

cutting a gear—if the gear blank is not turned the proper diameter, the last tooth cut will overrun the first.

This is what happens if the work to be knurled is not the right diameter—the knurl teeth will overrun and form a series of fine pitched teeth. It is, however, not worth while trying to figure out the correct work diameter, for this does not happen very often and when it does, the trouble is usually obviated by taking a light cut over the work to remove the marks; then apply the knurl again as usual.

As knurling increases the diameter of the work over the points of the ridges, it is a means often used to make a pin or bushing fit which was formerly too loose in its hole, and this is often the only way to correct a piece of work turned dawn too small.





Fig 1 A hand knurling tool Fig 2 A single knurl tool post holder. Fig 3 Ad justable knurl holder for a lathe. Fig 4. As work sometimes appears. Fig 5 As it should appear. Fig. 6. Explanation of Fig. 4.

Thie One









# Brunswick could do no less

than offer a superior phonograph

WillLE the Brunswick Photograph
has won its great prestige because
of its many advancements, it has
likewise won its place because of the confidence of the people in the House of
Brunswick, a concern known for nearly
a century in American industry.

For such a concern, with its heritage of experience, to produce an ordinary phonograph was onthinkable!

In the Brunswick Method of Reproduction are included some of the epochmaking improvements that have won fresh applause for phonographic music.

This method has brought an instrument which the most critical prefer.

The Brunswick has taught people that all phonographs are not alike. Tone quality has become a new issue.

To obtain real and lasting satisfaction, make comparisons. Hear this remarkable Brumswick. Become acquainted with its superior tone and its overwhelming advantages. See if you agree that it brings finer tone.

Remember that The Brunswick plays every make of record better. Ask to see how our all-record reproducer, the Ultona, does it. Hear how it brings out every beauty of a record.

Visit a Brunswick dealer, ask for a demonstration. Then judge the tone, also the finer cabinet work for which

Brunswick has long been famous. Ask als o to he a r
Brunswick
Records, which
can be played
on any phonegraph with
steel or fibre
needle.



THE BRUNSWICK BALKE COLLENDER COMPANY

General Officer: 623-633 S. Wahash Ave., Chicago

Branck Houses to Principal Critics of United Status, Canadian Directioners: Model Startus Status Sanday In Ecology and Canada.

10 Medicaptor Pt., Wort, Ecology

Frunswick



"— certainly the handiest little machine I have ever seen"

As the story goes, the players "on location" waited while the director telephoned for help; and Van Loan came many miles on a motor cycle, his Corona slung from his shoulder, to rewrite the scenes or produce new ones. Later he said to a cameraman: "Corona is certainly the handiest little machine I have ever seen!"

Thus in unexpected ways is seen the extraordinary impetus Corona has given the general practice of typing. It has swept aside limitations of weight and bulk and made typed correspondence, manuscripts, memoranda and reports universal. Not only can it be used anywhere, but its fifty-dollar price, coupled with its surprising scope of operation, has rendered its use as economical as it is satisfactory.

Consult Your Telephone Book for Nearest Corona Dealer

CORONA TYPEWRITER COMPANY, Inc.
GROTON, NEW YORK

\$50, with envying com

place whole meters when energy sey

the director aware the



# CORONA

The Personal Writing Machine

Corlynghood material

Rold it up — Take it with you — Typewrite anywhere

# Blue Buckle OverAlls

"Strong-for-Work"

O NE pair of Blue Buckles will prove they give you more comfort, wear and service than you ever bought in any overall. Blue Buckle OverAlls and Coats are thoroughbred quality—from collar to trouser cuff.

You can depend on Blue Buckles union workmanship; on the tack stitched pockets and seams to prevent rips and tears; the solid reinforced backband not to give or split; the broad elastic suspenders to stay put.

Make Blue Buckles your work-day standby. You'll find Blue Buckles the biggestvalue-work-rig in America.

Countries of recommendation



